

**FrmLogin.cs :**

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class FrmLogin :
    Form
    {
        public FrmLogin()
        {
            InitializeComponent();
        }

        private void
        btnLogin_Click(object sender,
        EventArgs e)
        {
            MySqlDataReader dr =
            H.openTable("tb_user", "user='" +
            txtNama.Text + "' AND pass='" +
            txtPass.Text + "' AND status=1");
            if (dr.Read())
            {
                H.strOperator =
                dr["user"].ToString();
                this.Hide();
                H.openDialog(new
                FrmUtama());
                this.Close();
            }
            else
            {
                H.msgError("Salah
                kombinasi username dan password!");
            }
        }

        private void
        FrmLogin_Load(object sender,
        EventArgs e)
        {

```

**FrmSewa.cs :**

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;
using
CrystalDecisions.CrystalReports.Engin
e;

namespace RentCar
{
    public partial class FrmSewa :
    Form
    {
        MySqlDataReader dr;
        public FrmSewa()
        {
            InitializeComponent();
        }

        private void
        FrmSewa_Load(object sender, EventArgs
        e)
        {
            ckAwal.Value =
            DateTime.Now;
            ckAkhir.Value =
            DateTime.Now;

            H.DsbControls(txtGrandtotal);

            txtOperator.Items.Clear();
            txtOperator.Items.Add("SEMUA");
            H.FillCmb(H.openTable("tb_user"),
            txtOperator);
            btnRefresh_Click(null,
            null);
        }

        private void
        btnRefresh_Click(object sender,

```

```

H.FillCmb(H.OpenDr("SELECT user FROM tb_user"), txtNama);
    }

    private void
btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }

    private void
txtPass_KeyPress(object sender,
KeyPressEventArgs e)
    {
        if (H.isEnter(e))
btnLogin_Click(null, null);
        if (e.KeyChar ==
(char)Keys.Back && txtPass.TextLength
== 0) txtNama.Focus();
    }

    private void
FrmLogin_KeyDown(object sender,
KeyEventEventArgs e)
    {
        if (H.isClose(e))
btnKeluar_Click(null, null);
    }

    private void
txtNama_KeyPress(object sender,
KeyPressEventArgs e)
    {
        if (H.isEnter(e))
txtPass.Focus();
    }
}

```

### FrmMobil.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

```

```

EventArgs e)
    {
        double grandtotal = 0;
        string sql = "SELECT *
FROM tb_sewa WHERE 1=1";

        sql += " AND
(pelelangankode LIKE '%" +
txtFilter.Text + "%'";
        sql += " OR pelelangannama
LIKE '%" + txtFilter.Text + "%'";
        sql += " OR mobilkode
LIKE '%" + txtFilter.Text + "%'";
        sql += " OR mobilnama
LIKE '%" + txtFilter.Text + "%'";
        sql += " OR sopirkode
LIKE '%" + txtFilter.Text + "%'";
        sql += " OR sopirnama
LIKE '%" + txtFilter.Text + "%')";

        if (ckAwal.Checked) sql
+= " AND tanggal>=" +
ckAwal.Value.ToString("yyyy-MM-dd") +
""";
        if (ckAakhir.Checked) sql
+= " AND tanggal<=" +
ckAakhir.Value.ToString("yyyy-MM-dd")
+ """;

        if (txtOperator.Text !=
"SEMUA") sql += " AND operator=" +
txtOperator.Text + """;

        sql += " ORDER BY nota";

        dr = H.OpenDr(sql);
        dgv.Rows.Clear();
        int no = 1;
        while (dr.Read())
        {
            dgv.Rows.Add(new
object[] {
                no++,
                dr.GetMySqlDateTime("tanggal"),
                dr["nota"],
                dr["pelelangankode"],
                dr["pelelangannama"],
                dr["catatan"],
                dr["mobilkode"],
                dr["mobilnama"],

```

```

using MySql.Data.MySqlClient;
using System.Globalization;

namespace RentCar
{
    public partial class FrmMobil :
    Form
    {
        public FrmMobil()
        {
            InitializeComponent();

            private void
FrmMobil_Load(object sender,
EventArgs e)
        {
            btnRefresh_Click(null,
null);

            private void
btnTambah_Click(object sender,
EventArgs e)
        {
            if (H.openDialog(new
FrmMobilTambah()) ==
DialogResult.Yes)

            btnRefresh_Click(null, null);

            private void
btnUbah_Click(object sender,
EventArgs e)
        {
            if (dgv.Rows.Count == 0)
            {
                H.msgError("Belum ada
data yang dipilih");
                return;
            }

            H.IdEdit =
H.GetSelAt(dgv, 1);

            FrmMobilTambah frm = new
FrmMobilTambah();
            frm.editState = true;
            if (frm.ShowDialog() ==
DialogResult.Yes)
            btnRefresh_Click(null, null);

            dr["sopirkode"],
            dr["sopirnama"],

            H.toStrC(dr["biaya"]),
            dr.GetMySqlDateTime("tanggalmulai"),
            dr.GetMySqlDateTime("tanggalselesai")
            ,
            dr["lama"],

            H.toStrC(dr["harga"]),
            dr["jamekstra"],

            H.toStrC(dr["biayalain"]),
            H.toStrC(dr["subtotal"]),
            H.toStrC(dr["diskon"]),
            H.toStrC(dr["total"]),
            H.toStrC(dr["uangmuka"]),
            H.toStrC(dr["bayar"]),
            H.toStrC(dr["sisas"]),
            dr["status"],
            dr["operator"]
            });
            grandtotal +=
            H.toD(dr["total"]);
        }
        txtGrandtotal.Text =
            H.toStrC(grandtotal);

            private void
txtAwal_ValueChanged(object sender,
EventArgs e)
        {
            btnRefresh_Click(null,
null);
        }

            private void
txtAkhir_ValueChanged(object sender,
EventArgs e)
        {
            btnRefresh_Click(null,
null);
        }
    }
}

```

```

    }

    private void
btnHapus_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count == 0)
        {
            H.msgError("Belum ada
data yang dipilih");
            return;
        }
        if (H.msgAsk("Hapus
data?") == DialogResult.Yes)
        {
            if (H.execute("DELETE
FROM tb_mobil WHERE kode='" +
H.GetSelAt(dgv, 1) + "'"))
            {
                H.msgInfo("Data
dihapus");
            }
            btnRefresh_Click(null, null);
        }
    }

    private void
btnRefresh_Click(object sender,
EventArgs e)
    {
        MySqlDataReader dr =
H.OpenDr("SELECT a.*, (SELECT
COUNT(*) FROM tb_sewa WHERE
mobilkode=kode AND STATUS='sewa') AS
total FROM tb_mobil a WHERE kode LIKE
'" + txtFilter.Text + "%' OR nama
LIKE '" + txtFilter.Text + "%' OR
pemilik LIKE '" + txtFilter.Text +
"%' ORDER BY kode");
        dgv.Rows.Clear();
        int no = 1;
        while (dr.Read())
        {
            dgv.Rows.Add(new
Object[] {
                no++,
                dr["kode"],
                dr["nama"],
                dr["pemilik"],
                H.toStrC(dr["harga"]),
                private void
txtOperator_SelectedIndexChanged(object
sender, EventArgs e)
                {
                    btnRefresh_Click(null,
null);
                }

                private void
btnTambah_Click(object sender,
EventArgs e)
                {
                    if (H.openDialog(new
FrmSewaTambah()) == DialogResult.Yes)
                    btnRefresh_Click(null, null);
                }

                private void
btnUbah_Click(object sender,
EventArgs e)
                {
                    if (dgv.Rows.Count > 0)
                    {
                        if (H.GetSelAt(dgv,
20) == "OK")
                        {
                            H.msgError("Sewa
yang sudah dikembalikan tidak dapat
diubah lagi!");
                        }
                        else
                        {
                            FrmSewaTambah f =
new FrmSewaTambah();
                            H.IdEdit =
H.GetSelAt(dgv, 2);
                            f.editState =
true;
                            if
(H.openDialog(f) == DialogResult.Yes)
                                btnRefresh_Click(null, null);
                        }
                    }
                }

                private void
btnHapus_Click(object sender,
EventArgs e)
                {
                    if (dgv.Rows.Count > 0)
                    {

```

```

        dr["keterangan"],
        (dr["total"].ToString()=="0") ? "OK":
        "SEWA"
    });
    }
}

private void
btnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}

private void
FrmMobil_KeyDown(object sender,
KeyEventArgs e)
{
    if (H.isRefresh(e))
        btnRefresh_Click(null, null);
    if (H.isAdd(e))
        btnTambah_Click(null, null);
    if (H.isEdit(e))
        btnUbah_Click(null, null);
    if (H.isDelete(e))
        btnHapus_Click(null, null);
    if (H.isClose(e))
        btnKeluar_Click(null, null);
}

private void
dgv_CellFormatting(object sender,
DataGridViewCellFormattingEventArgs
e)
{
    if
(dgv.Rows[e.RowIndex].Cells[6].Value.
ToString() == "SEWA")
        e.CellStyle.ForeColor
= Color.Red;
}
}

```

#### FrmMobilCari.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;

```

```

        if (H.msgAsk("Hapus
data?") == DialogResult.Yes)
        {
            H.execute("DELETE
FROM tb_sewa WHERE nota='" +
H.GetSelAt(dgv, 2) + "'");
            H.msgInfo("Data
terhapus");
        }

        btnRefresh_Click(null, null);
    }
}

private void
FrmSewa_KeyDown(object sender,
KeyEventArgs e)
{
    if (H.isRefresh(e))
        btnRefresh_Click(null, null);
    if (H.isAdd(e))
        btnTambah_Click(null, null);
    if (H.isEdit(e))
        btnUbah_Click(null, null);
    if (H.isDelete(e))
        btnHapus_Click(null, null);
    if (H.isClose(e))
        btnKeluar_Click(null, null);
    if (H.isPrint(e))
        btnCetak_Click(null, null);
}

private void
btnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}

private void
btnCetak_Click(object sender,
EventArgs e)
{
    if (dgv.Rows.Count == 0)
    {
        H.msgError("Data
tidak ada!");
        return;
    }
    string sql = "";
    try
    {
        string header1 =

```

```

using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class FrmMobilCari
    : Form
    {
        public DateTime tanggalawal,
        tanggalakhir;

        public FrmMobilCari()
        {
            InitializeComponent();
        }

        private void
        FrmCariMobil_Load(object sender,
        EventArgs e)
        {
            txtCari_TextChanged(null,
            null);
        }

        private void
        btnOK_Click(object sender, EventArgs
        e)
        {
            if (dgv.Rows.Count > 0)
            {
                H.IdCari =
                H.GetSelAt(dgv);
                this.DialogResult =
                DialogResult.Yes;
            }
            this.Close();
        }

        private void
        dgv_CellDoubleClick(object sender,
        DataGridViewCellEventArgs e)
        {
            btnOK_Click(null, null);
        }

        private void
        txtCari_KeyUp(object sender,
        KeyEventArgs e)
        {
            H.getOption("header1");
            string header2 =
            H.getOption("header2");
            string header3 =
            H.getOption("header3");

            string periode =
            "Periode: " +
            ckAwal.Value.ToString("dd-MMM-yyyy")
            + " s/d " +
            ckAakhir.Value.ToString("dd-MMM-
            yyyy");

            string stroperator =
            "Operator: " + txtOperator.Text;
            string cetak =
            "Cetak: " +
            DateTime.Now.ToShortDateString() + "
            Oleh: " + H.strOperator;

            H.CloseDr();
            DataSet ds = new
            DataSet();

            sql = "SELECT '" +
            header1 + "' AS
            header1, '" +
            header2 + "' AS
            header2, '" +
            header3 + "' AS
            header3, '" +
            stroperator + "'
            AS foperator, '" +
            periode + "' AS
            periode, a.*, '" +
            cetak + "' AS
            cetak " +
            "FROM tb_sewa a
            WHERE 1=1";

            if (ckAwal.Checked)
            sql += " AND tanggal>='" +
            ckAwal.Value.ToString("yyyy-MM-dd") +
            "'";

            if (ckAakhir.Checked)
            sql += " AND tanggal<='" +
            ckAakhir.Value.ToString("yyyy-MM-dd")
            + "'";

            MySqlDataAdapter
            adapter = new MySqlDataAdapter(sql,
            H.getConnection());
            adapter.Fill(ds);
        }
    }
}

```

```

        {
            if (e.KeyCode == Keys.Up
|| e.KeyCode == Keys.Down)
                dgv.Focus();
        }

        private void
txtCari_KeyPress(object sender,
KeyPressEventArgs e)
        {
            if (H.isEnter(e))
                dgv.Focus();
        }

        private void
txtCari_TextChanged(object sender,
EventArgs e)
        {
            MySqlDataReader dr =
H.OpenDr("SELECT * FROM tb_mobil
WHERE (kode LIKE '%" + txtCari.Text +
        "%' OR nama LIKE '%"
+ txtCari.Text + "%' OR harga LIKE
        '%" + txtCari.Text +
        "%') AND kode NOT IN
(SELECT mobilkode FROM tb_sewa WHERE
(tanggalmulai>='" +
        tanggalawal.ToString("yyyy-MM-dd") +
        "' AND
        tanggalmulai<='" +
        tanggalawal.ToString("yyyy-MM-dd") +
        "') OR
(tanggalselesai>='" +
        tanggalakhir.ToString("yyyy-MM-dd") +
        "' AND
        tanggalselesai<='" +
        tanggalakhir.ToString("yyyy-MM-dd") +
        "')) ORDER BY kode");

            dgv.Rows.Clear();

            while (dr.Read())
                dgv.Rows.Add(new object[]
{
                    dr["kode"],
                    dr["nama"],
                    dr["pemilik"],
                    H.toStrC(dr["harga"]),
                    dr["keterangan"]
                });
        }

        ReportDocument rd =
new ReportDocument();

rd.Load("../rptSewa.rpt");

rd.Database.Tables[0].SetDataSource(d
s.Tables[0]);

        //pakai perintah ini
untuk langsung print dan hapus 5
baris perintah di bawahnya
//rd.PrintToPrinter;

        FrmCetak l = new
FrmCetak();
        l.MdiParent =
this.MdiParent;
        l.WindowState =
FormWindowState.Maximized;

        l.crystalReportViewer1.ReportSource =
rd;

        l.Show();
    }
    catch (Exception ex)
    {
        H.msgError(ex.Message
+ sql);
    }
}

        private void
btnCetakNota_Click(object sender,
EventArgs e)
        {
            if (dgv.Rows.Count == 0)
            {
                H.msgError("Data
                tidak ada!");
                return;
            }
            string sql = "";
            try
            {
                string header1 =
H.getOption("header1");
                string header2 =
H.getOption("header2");
                string header3 =
H.getOption("header3");
                string footer1 =
H.getOption("footer1");
                string footer2 =

```

```

        private void
dgv_KeyDown(object sender,
KeyEventArgs e)
    {
        if (e.KeyCode ==
Keys.Enter) btnOK_Click(null, null);
    }

        private void
FrmMobilCari_KeyDown(object sender,
KeyEventArgs e)
    {
        if (H.isClose(e))
btnKeluar_Click(null, null);
    }

        private void
btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }
}

```

### FrmMobilTambah.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class
FrmMobilTambah : Form
    {
        public bool editState =
false;

        public FrmMobilTambah()
        {
            InitializeComponent();

```

```

H.getOption("footer2");
        string footer3 =
H.getOption("footer3");

        string periode =
"Periode: " +
ckAwal.Value.ToString("dd-MMM-yyyy")
+ " s/d " +
ckAakhir.Value.ToString("dd-MMM-
yyyy");

        string stroperator =
"Operator: " + txtOperator.Text;
        string cetak =
"Ketok: " +
DateTime.Now.ToShortDateString() + "
Oleh: " + H.strOperator;

        H.CloseDr();
        DataSet ds = new
DataSet();

        sql = "SELECT '" +
header1 + "' AS
header1, '" +
header2 + "' AS
header2, '" +
header3 + "' AS
header3, '" +
footer1 + "' AS
footer1, '" +
footer2 + "' AS
footer2, '" +
footer3 + "' AS
footer3, '" +
stroperator + "'
AS foperator, '" +
periode + "' AS
periode, a.*, '" +
cetak + "' AS
cetak " +
"FROM tb_sewa a
WHERE nota='" + H.GetSelAt(dgv, 2) +
"'";

        MySqlDataAdapter
adapter = new MySqlDataAdapter(sql,
H.getConnection());
        adapter.Fill(ds);

        ReportDocument rd =
new ReportDocument();
rd.Load("../rptSewaTambah.rpt");

```

```

    }

    private void
btnAuto_Click(object sender,
EventArgs e)
    {
        txtKode.Text =
H.kodeOto("tb_Mobil", "kode", "dk",
4);
    }

    private void
btnSimpan_Click(object sender,
EventArgs e)
    {
        if (txtKode.Text == "" &&
!editState)
        {
            H.msgError("Kode
tidak boleh kosong!");
            txtKode.Focus();
            return;
        }
        if (txtNama.Text == "")
        {
            H.msgError("Nama
tidak boleh kosong!");
            txtNama.Focus();
            return;
        }

        if
(H.isKdExist(txtKode.Text) &&
!editState)
        {
            H.msgError("Kode
sudah ada!");
            txtKode.Focus();
            return;
        }
        MySqlCommand cmd;
        if (editState)
            cmd = new
MySqlCommand("UPDATE tb_mobil SET
nama=@nama,
pemilik=@pemilik,harga=@harga,keteran
gan=@keterangan WHERE kode=@kode",
H.getConnection());
        else
        {
            cmd = new
MySqlCommand("INSERT INTO tb_mobil
(kode, nama, pemilik, harga,
rd.Database.Tables[0].SetDataSource(d
s.Tables[0]);

//pakai perintah ini
untuk langsung print dan hapus 5
baris perintah di bawahnya
//rd.PrintToPrinter;

FrmCetak l = new
FrmCetak();
l.MdiParent =
this.MdiParent;
l.WindowState =
FormWindowState.Maximized;
l.crystalReportViewer1.ReportSource =
rd;
l.Show();
}
catch (Exception ex)
{
    H.msgError(ex.Message
+ sql);
}

private void
dgv_CellFormatting(object sender,
DataGridViewCellFormattingEventArg
s e)
    {
        if
(dgv.Rows[e.RowIndex].Cells[20].Value
.ToString()=="SEWA")
            e.CellStyle.ForeColor
= Color.Red;
    }

    private void
btnKembali_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count > 0)
        {
            if (H.GetSelAt(dgv,
20) == "OK")
            {
                H.msgError("Sewa
yang sudah dikembalikan tidak dapat
diubah lagi!");
            }
            else

```

```

keterangan) VALUES(@kode, @nama,
@pemilik, @harga, @keterangan)",
H.getConnection());
        H.IdTambah =
txtKode.Text;
    }

cmd.Parameters.AddWithValue("kode",
txtKode.Text);

cmd.Parameters.AddWithValue("nama",
txtNama.Text);

cmd.Parameters.AddWithValue("pemilik"
, txtPemilik.Text);

cmd.Parameters.AddWithValue("harga",
H.toD(txtHarga.Text));

cmd.Parameters.AddWithValue("keterangan",
txtKet.Text);
    H.executeCMD(cmd);
    H.msgInfo("Data
tersimpan");
    this.DialogResult =
DialogResult.Yes;
    this.Close();
}

private void
FrmTambahMobil_Load(object sender,
EventArgs e)
{
    if (editState)
    {
        MySqlDataReader dr =
H.openTable("tb_mobil", "kode='" +
H.IdEdit + "'");
        if (dr.Read())
        {
            txtKode.Text =
dr["kode"].ToString();
            txtNama.Text =
dr["nama"].ToString();
            txtPemilik.Text =
dr["pemilik"].ToString();
            txtHarga.Text =
dr["harga"].ToString();
            txtKet.Text =
dr["keterangan"].ToString();

H.DsbControls(txtKode);

```

```

        {
            FrmSewaKembali f
= new FrmSewaKembali();
            H.IdEdit =
H.GetSelAt(dgv, 2);
            f.editState =
true;
            if
(H.openDialog(f) == DialogResult.Yes)
                btnRefresh_Click(null, null);
        }
    }

private void
txtFilter_KeyPress(object sender,
KeyPressEventArgs e)
{
    if (H.isEnter(e))
        btnRefresh_Click(null, null);
}
}

```

#### FrmSewaCari.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class FrmSewaCari
: Form
    {
        public FrmSewaCari()
        {
            InitializeComponent();
        }

private void

```

```

        btnAuto.Visible = FrmCariMobil_Load(object sender,
false;                               EventArgs e)
    }
    }
    else
    {
        btnAuto_Click(null,
null);
    }
}

private void
FrmMobilTambah_KeyDown(object sender,
KeyEventArgs e)
{
    if (H.isSave(e))
        btnSimpan_Click(null, null);
    if (H.isClose(e))
        btnKeluar_Click(null, null);
}

private void
btnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}
}
}

private void FrmCariMobil_Load(object sender,
EventArgs e)
{
    txtCari_TextChanged(null,
null);
}

private void
btnOK_Click(object sender, EventArgs
e)
{
    if (dgv.Rows.Count > 0)
        H.IdCari = H.GetSelAt(dgv);
    this.DialogResult =
DialogResult.Yes;
    this.Close();
}

private void
dgv_CellDoubleClick(object sender,
DataGridViewCellEventArgs e)
{
    btnOK_Click(null, null);
}

private void
txtCari_KeyUp(object sender,
KeyEventArgs e)
{
    if (e.KeyCode == Keys.Up
|| e.KeyCode == Keys.Down)
        dgv.Focus();
}

private void
txtCari_KeyPress(object sender,
KeyPressEventArgs e)
{
    if (e.KeyChar ==
(char)13) dgv.Focus();
}

private void
txtCari_TextChanged(object sender,
EventArgs e)
{
    MySqlDataReader dr =
H.OpenDr("SELECT nota, tanggal,
pelanggannama, mobilnama, catatan
FROM tb_sewa WHERE (nota LIKE '%" +
txtCari.Text + "'" OR pelanggannama
LIKE '%" + txtCari.Text + "'" OR
mobilnama LIKE '%" + txtCari.Text +

```

### FrmPassword.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;
namespace RentCar
{
    public partial class FrmPassword
: Form
    {
        MySqlDataReader dr;
        string user, pass;

```

```

        private void
txtCari_KeyPress(object sender,
KeyPressEventArgs e)
        {
            if (e.KeyChar ==
(char)13) dgv.Focus();
        }

        private void
txtCari_TextChanged(object sender,
EventArgs e)
        {
            MySqlDataReader dr =
H.OpenDr("SELECT nota, tanggal,
pelanggannama, mobilnama, catatan
FROM tb_sewa WHERE (nota LIKE '%" +
txtCari.Text + "'" OR pelanggannama
LIKE '%" + txtCari.Text + "'" OR
mobilnama LIKE '%" + txtCari.Text +

```





```

        private void
btnUbah_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count == 0)
        {
            H.msgError("Belum ada
data yang dipilih");
            return;
        }

        H.IdEdit =
H.GetSelAt(dgv, 1);

        FrmPelangganTambah frm =
new FrmPelangganTambah();
        frm.editState = true;
        if (frm.ShowDialog() ==
DialogResult.Yes)

btnRefresh_Click(null, null);
    }

    private void
btnHapus_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count == 0)
        {
            H.msgError("Belum ada
data yang dipilih");
            return;
        }
        if (H.msgAsk("Hapus
data?") == DialogResult.Yes)
        {
            if (H.execute("DELETE
FROM tb_pelanggan WHERE kode='" +
H.GetSelAt(dgv,1) + "'"))
            {
                H.msgInfo("Data
dihapus");
            }

            btnRefresh_Click(null, null);
        }
    }

    private void
FrmPelanggan_KeyDown(object sender,
KeyEventArgs e)
    {
        txtDibayar.Text =
sisas.ToString();
        txtSisa.Text = "0";
    }

    private void
txtExtra_TextChanged(object sender,
EventArgs e)
    {
        hitung(null, null);
    }

    private void
txtDiskon_TextChanged(object sender,
EventArgs e)
    {
        hitung(null, null);
    }

    private void
txtBiaya_TextChanged(object sender,
EventArgs e)
    {
        hitung(null, null);
    }

    private void
txtDibayar_TextChanged(object sender,
EventArgs e)
    {
        hitung(null, null);
    }

    private void
btnSimpan_Click(object sender,
EventArgs e)
    {
        MySqlCommand cmd = new
MySqlCommand("UPDATE tb_sewa SET " +
"
biayalain=@biayalain,
jamekstra=@jamekstra,
subtotal=@subtotal, diskon=@diskon,
total=@total, bayar=@bayar, sisa='0',
status='OK', operator=@operator WHERE
nota=@nota", H.getConnection());

        cmd.Parameters.AddWithValue("nota",
txtNota.Text);

        cmd.Parameters.AddWithValue("biayalai
n", H.toD(txtBiayaLain.Text) *

```

```

        if (H.isRefresh(e))
btnRefresh_Click(null, null);
        if (H.isAdd(e))
btnTambah_Click(null, null);
        if (H.isEdit(e))
btnUbah_Click(null, null);
        if (H.isDelete(e))
btnHapus_Click(null, null);
        if (H.isClose(e))
btnKeluar_Click(null, null);
    }

    private void
btnTambah_Click(object sender,
EventArgs e)
    {
        if (H.openDialog(new
FrmPelangganTambah()) ==
DialogResult.Yes)

btnRefresh_Click(null, null);
    }

    private void
btnRefresh_Click(object sender,
EventArgs e)
    {
        dr = H.OpenDr("SELECT *
FROM tb_pelanggan WHERE kode LIKE '%"
+ txtFilter.Text + "%' OR nama LIKE
 '%" + txtFilter.Text + "%' OR telpon
LIKE '%" + txtFilter.Text + "%' ORDER
BY kode");
        dgv.Rows.Clear();
        int no = 1;
        while (dr.Read())
        {
            dgv.Rows.Add(new
Object[] {
                no,
                dr["kode"],
                dr["nama"],
                dr["telpon"],

                dr["alamattetap"],
                dr["alamatsementara"],
                dr["negara"],
                dr["ktp"],
                dr["sim"],
                dr["keterangan"]
            });
            no++;
        }
    }

    H.toD(txtJamEkstra.Text));

cmd.Parameters.AddWithValue("jamekstr
a", H.toD(txtJamEkstra.Text));

cmd.Parameters.AddWithValue("subtotal
", H.toD(txtSubTotal.Text));

cmd.Parameters.AddWithValue("diskon",
H.toD(txtDiskon.Text));

cmd.Parameters.AddWithValue("total",
H.toD(txtTotal.Text));

cmd.Parameters.AddWithValue("bayar",
H.toD(txtDibayar.Text));

cmd.Parameters.AddWithValue("operator
", H.strOperator);
        H.executeCMD(cmd);

        if (H.msgAsk("Data
tersimpan. Cetak Nota") ==
DialogResult.Yes)
        {
            btnCetak_Click(null,
null);
        }
        this.DialogResult =
DialogResult.Yes;
        this.Close();
    }

    private void
btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }

    private void
btnCetak_Click(object sender,
EventArgs e)
    {
        string sql = "";

        try
        {
            string header1 =
H.getOption("header1");
            string header2 =
H.getOption("header2");

```

```

    }
}

private void
btnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}
}
}

```

### FrmPelangganCari.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class
    FrmPelangganCari : Form
    {
        public FrmPelangganCari()
        {
            InitializeComponent();
        }

        private void
        FrmCariPelanggan_Load(object sender,
        EventArgs e)
        {
            txtCari_TextChanged(null,
            null);
        }

        private void
        btnOK_Click(object sender, EventArgs
        e)
        {
            if (dgv.Rows.Count > 0)
                H.IdCari =

```

```

                string header3 =
                H.getOption("header3");

                string cetak =
                "Cetak: " +
                DateTime.Now.ToShortDateString() + "
                Oleh: " + H.strOperator;

                H.CloseDr();
                DataSet ds = new
                DataSet();

                sql = "SELECT a.*, '"
                +
                header1 + "' AS
                header1, '" +
                header2 + "' AS
                header2, '" +
                header3 + "' AS
                header3, '" +
                cetak + "' AS
                cetak " +
                "FROM tb_sewa a
                WHERE nota='" + txtNota.Text + "'";

                MySqlDataAdapter
                adapter = new MySqlDataAdapter(sql,
                H.getConnection());
                adapter.Fill(ds);

                ReportDocument rd =
                new ReportDocument();

                rd.Load("../rptSewaTambah.rpt");

                rd.Database.Tables[0].SetDataSource(d
                s.Tables[0]);

                //pakai perintah ini
                untuk langsung print dan hapus 5
                baris perintah di bawahnya
                //rd.PrintToPrinter;

                FrmCetak l = new
                FrmCetak();

                l.crystalReportViewer1.ReportSource =
                rd;

                l.ShowDialog();
            }
            catch (Exception ex)
            {
                H.msgError(ex.Message

```

```

H.GetSelAt(dgv);

        this.DialogResult =
DialogResult.Yes;
        this.Close();
    }

    private void
dgv_CellDoubleClick(object sender,
DataGridViewCellEventArgs e)
    {
        btnOK_Click(null, null);
    }

    private void
txtCari_TextChanged(object sender,
EventArgs e)
    {
        MySqlDataReader dr =
H.openTable("tb_pelanggan", "kode
LIKE '%" + txtCari.Text + "%' OR nama
LIKE '%" + txtCari.Text + "%' OR
telpon LIKE '%" + txtCari.Text + "%'
ORDER BY kode");
        dgv.Rows.Clear();
        while (dr.Read())
        {
            dgv.Rows.Add(new
object[] { dr[0], dr[1], dr[2],
dr[3], dr[4], dr[5], dr[6], dr[7],
dr[8] });
        }
    }

    private void
txtCari_KeyPress(object sender,
KeyPressEventArgs e)
    {
        if (e.KeyChar ==
(char)13) dgv.Focus();
    }

    private void
txtCari_KeyUp(object sender,
EventArgs e)
    {
        if (e.KeyCode == Keys.Up
|| e.KeyCode == Keys.Down)
dgv.Focus();
    }

    private void
dgv_KeyDown(object sender,
+ sql);
    }

    private void
FrmSewaTambah_KeyDown(object sender,
EventArgs e)
    {
        if (H.isSave(e))
btnSimpan_Click(null, null);
        if (H.isPrint(e))
btnCetak_Click(null, null);
        if (H.isClose(e))
btnKeluar_Click(null, null);
    }

    private void
txtNota_TextChanged(object sender,
EventArgs e)
    {
        MySqlDataReader dr =
H.openTable("tb_sewa", "nota='" +
txtNota.Text + "'");
        if (dr.Read())
        {
            if
(dr["status"].ToString() == "OK")
            {
                H.msgInfo("Sewa
sudah dikembalikan");
                return;
            }
            txtTanggal.Value =
DateTime.Parse(dr["tanggal"].ToString
());
            txtPelangganKode.Text
= dr["pelanggankode"].ToString();
            txtPelangganNama.Text
= dr["pelanggannama"].ToString();
            txtCatatan.Text =
dr["catatan"].ToString();

            txtMobilKode.Text =
dr["mobilkode"].ToString();
            txtMobilNama.Text =
dr["mobilnama"].ToString();

            TxtSopirKode.Text =
dr["sopirkode"].ToString();
            TxtSopirNama.Text =
dr["sopirnama"].ToString();
            TxtBiaya.Text =
dr["biaya"].ToString();

```

```

KeyEventArgs e)
    {
        if (e.KeyCode ==
Keys.Enter) btnOK_Click(null, null);
    }

    private void
FrmPelangganCari_KeyDown(object
sender, KeyEventArgs e)
    {
        if (H.isClose(e))
btnKeluar_Click(null, null);
    }

    private void
btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }

    private void
dgv_CellContentClick(object sender,
DataGridViewCellEventArgs e)
    {
    }
}
}

txtTanggalMulai.Value
=
DateTime.Parse(dr["tanggalmulai"].ToS
tring());

txtTanggalSelesai.Value =
DateTime.Parse(dr["tanggalselesai"].T
oString());

txtLama.Text =
dr["lama"].ToString();
txtHarga.Text =
dr["harga"].ToString();
txtJamEkstra.Text =
dr["jamekstra"].ToString();
txtBiayaLain.Text =
dr["biayalain"].ToString();
txtSubTotal.Text =
dr["subtotal"].ToString();
txtDiskon.Text =
dr["diskon"].ToString();
txtTotal.Text =
dr["total"].ToString();

txtUangMuka.Text =
dr["uangmuka"].ToString();
txtDibayar.Text =
dr["bayar"].ToString();
txtSisa.Text = "0";

```

### FrmPelangganTambah.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class
FrmPelangganTambah : Form
    {
        MySqlDataReader dr;
        public Boolean editState =
H.DsbControls(txtNota);
    }

    private void
FrmSewaKembali_Load(object sender,
EventArgs e)
    {
        H.DsbControls(txtPelangganKode,
txtMobilKode, txtCatatan, txtTanggal,
txtPelangganNama, txtMobilNama,
TxtSopirKode, TxtSopirNama, TxtBiaya,
txtTanggalMulai, txtTanggalSelesai,
txtLama, txtHarga, txtSubTotal,
txtTotal, txtUangMuka, txtDibayar,
txtSisa);
        txtNota.Text = H.IdEdit;
    }
}

```

```

false;
    public FrmPelangganTambah()
    {
        InitializeComponent();
    }

    private void
btnSimpan_Click(object sender,
EventArgs e)
    {
        if (txtKode.Text == "" &&
!editState)
        {
            H.msgError("Kode
tidak boleh kosong!");
            txtKode.Focus();
            return;
        }
        if (txtNama.Text == "")
        {
            H.msgError("Nama
tidak boleh kosong!");
            txtTelp.Focus();
            return;
        }

        if
(H.isKdExist(txtKode.Text) &&
!editState)
        {
            H.msgError("Kode
sudah ada!");
            txtKode.Focus();
            return;
        }
        MySqlCommand cmd;
        if (editState)
        {
            cmd = new
MySqlCommand("UPDATE tb_pelanggan SET
nama=@nama,
telpon=@telpon,alamatsementara=@alsem
,alamattetap=@altep,negara=@negara,kt
p=@ktp,sim=@sim,keterangan=@keteranga
n WHERE kode=@kode",
H.getConnection());
        }
        else
        {
            cmd = new
MySqlCommand("INSERT INTO
tb_pelanggan (kode, nama, telpon,

```

```

private void
btnCari_Click(object sender,
EventArgs e)
    {
        if (H.openDialog(new
FrmSewaCari()) == DialogResult.Yes)
            txtNota.Text =
H.IdCari;
    }
}

```

### FrmSewaTambah.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;
using System.Xml;
using CrystalDecisions.CrystalReports.Engine;

namespace RentCar
{
    public partial class
FrmSewaTambah : Form
    {
        MySqlDataReader dr;

        double subtotal, total, sisa;
        public Boolean editState =
false;

        public FrmSewaTambah()
        {
            InitializeComponent();
        }

        private void
BtnAuto_Click(object sender,
EventArgs e)
        {
            txtNota.Text =
H.kodeOto("tb_sewa", "nota", "SW",

```

```

alamatsementara,
alamat tetap, negara, ktp, sim, keterangan
) " +
        " VALUES(@kode,
@nama, @telpon, @alsem,
@altep, @negara, @ktp, @sim, @keterangan)
", H.getConnection());
        H.idTambah =
txtKode.Text;
    }

cmd.Parameters.AddWithValue("kode",
txtKode.Text);

cmd.Parameters.AddWithValue("nama",
txtNama.Text.ToString());

cmd.Parameters.AddWithValue("telpon",
txtTelp.Text.ToString());

cmd.Parameters.AddWithValue("alsem",
txtAlamatS.Text.ToString());

cmd.Parameters.AddWithValue("altep",
txtAlamatT.Text.ToString());

cmd.Parameters.AddWithValue("negara",
txtNegara.Text.ToString());

cmd.Parameters.AddWithValue("ktp",
txtKtp.Text.ToString());

cmd.Parameters.AddWithValue("sim",
txtSim.Text.ToString());

cmd.Parameters.AddWithValue("keterangan",
txtKet.Text.ToString());
        H.executeCMD(cmd);
        H.msgInfo("Data tersimpan");
        this.DialogResult =
DialogResult.Yes;
        this.Close();
    }

    private void
FrmTambahPelanggan_Load(object
sender, EventArgs e)
    {
        H.FillCmbTerm(txtNegara,
"negara");
        if (editState)
        {
7);
        }

        private void
FrmSewaBaru_Load(object sender,
EventArgs e)
        {
            if (editState)
            {
                DataTable dt =
H.openDT("SELECT * FROM tb_sewa WHERE
nota=' " + H.IdEdit + "'");
                if (dt.Rows.Count >
0)
                {
                    txtNota.Text =
dt.Rows[0]["nota"].ToString();
                    txtTanggal.Value
=
DateTime.Parse(dt.Rows[0]["tanggal"].
ToString());

                    txtPelangganKode.Text =
dt.Rows[0]["pelanggankode"].ToString(
);
                    txtCatatan.Text =
dt.Rows[0]["catatan"].ToString();

                    txtMobilKode.Text
= dt.Rows[0]["mobilkode"].ToString();
                    TxtSopirKode.Text
= dt.Rows[0]["sopirkode"].ToString();

                    txtTanggalMulai.Value =
DateTime.Parse(dt.Rows[0]["tanggalmul
ai"].ToString());

                    txtTanggalSelesai.Value =
DateTime.Parse(dt.Rows[0]["tanggalsele
esai"].ToString());

                    TxtLama.Text =
dt.Rows[0]["lama"].ToString();
                    txtHarga.Text =
dt.Rows[0]["harga"].ToString();
                    txtSubTotal.Text
= dt.Rows[0]["subtotal"].ToString();
                    txtDiskon.Text =
dt.Rows[0]["diskon"].ToString();
                    txtTotal.Text =
dt.Rows[0]["total"].ToString();
                }
            }
        }
    }
}

```

```

        dr =
H.openTable("tb_pelanggan", "kode='
+ H.IdEdit + "'");
        if (dr.Read())
        {
            txtKode.Text =
dr["kode"].ToString();
            txtNama.Text =
dr["nama"].ToString();
            txtTelp.Text =
dr["telpon"].ToString();
            txtAlamatS.Text =
dr["alamatsementara"].ToString();
            txtAlamatT.Text =
dr["alamattetap"].ToString();
            txtNegara.Text =
dr["negara"].ToString();
            txtKtp.Text =
dr["ktp"].ToString();
            txtSim.Text =
dr["sim"].ToString();
            txtKet.Text =
dr["keterangan"].ToString();
            txtNama.Focus();
        }
H.DsbControls(txtKode);
        btnAuto.Visible =
false;
    }
    else
        btnAuto_Click(null,
null);
}

private void
btnAuto_Click(object sender,
EventArgs e)
{
    txtKode.Text =
H.kodeOto("tb_pelanggan", "kode",
"P", 4);
}

private void
btnNegara_Click(object sender,
EventArgs e)
{
    FrmTerms f = new
FrmTerms();
    f.term_taxonomy =
"Negara";
    if (f.ShowDialog() ==
        txtUangMuka.Text
= dt.Rows[0]["uangmuka"].ToString();
        txtSisa.Text =
dt.Rows[0]["sisa"].ToString();

H.DsbControls(txtNota, btnAuto,
txtPelangganKode, btnPelangganCari,
btnPelangganTambah, txtMobilKode,
btnMobilCari, btnMobilTambah);
}
}
else
{
    BtnAuto_Click(null,
null);
    txtTanggalMulai.Value
= DateTime.Today;
    txtTanggalSelesai.Value =
DateTime.Today;
}

H.DsbControls(txtPelangganNama,
txtTelp, txtAlamatS, txtAlamatT,
txtNegara, txtKtp, txtSim,
txtMobilNama, txtPemilik,
TxtSopirNama, TxtBiayaSopir, TxtLama
, txtSubTotal, txtTotal, txtSisa);
}

private void
txtTanggalB_ValueChanged(object
sender, EventArgs e)
{
    int hasil =
txtTanggalSelesai.Value.Subtract(txtT
anggalMulai.Value).Days + 1;
    if (hasil <= 0)
        hasil = 1;
    TxtLama.Text =
hasil.ToString();

TxtSopirKode_KeyDown(null, null);
txtMobilKode_KeyDown(null, null);
}

private void hitung()
{
    subtotal =
H.toD(TxtLama.Text) *

```

```

DialogResult.Yes)
    {
txtNegara.Items.Clear();

H.FillCmbTerm(txtNegara, "negara",
H.IdCari);
    }
}

private void
btnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}
}
}

```

#### FrmPengaturan.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class
    FrmPengaturan : Form
    {
        MySqlDataReader dr;
        public FrmPengaturan()
        {
            InitializeComponent();
        }

        private void
        FrmPengaturan_Load(object sender,
        EventArgs e)
        {
            btnRefresh_Click(null,
            null);

            isiOption();

```

```

(H.toD(txtHarga.Text) +
H.toD(TxtBiayaSopir.Text));
            txtSubTotal.Text =
            subtotal.ToString();

            total =
            H.toD(txtSubTotal.Text) -
            H.toD(txtDiskon.Text);
            txtTotal.Text =
            total.ToString();

            sisa =
            H.toD(txtTotal.Text) -
            H.toD(txtUangMuka.Text);
            txtSisa.Text =
            sisa.ToString();
        }

        private void
        txtExtra_TextChanged(object sender,
        EventArgs e)
        {
            hitung();
        }

        private void
        txtTotal_TextChanged(object sender,
        EventArgs e)
        {
            hitung();
        }

        private void
        txtBiaya_TextChanged(object sender,
        EventArgs e)
        {
            hitung();
        }

        private void
        txtTanggalM_ValueChanged(object
        sender, EventArgs e)
        {
        }

        txtTanggalB_ValueChanged(null, null);
        }

        private void
        btnSimpan_Click(object sender,
        EventArgs e)
        {
            if

```

```

    }

    private void isiOption()
    {
        txth1.Text =
H.getOption("header1");
        txth2.Text =
H.getOption("header2");
        txth3.Text =
H.getOption("header3");

        txtf1.Text =
H.getOption("footer1");
        txtf2.Text =
H.getOption("footer2");
        txtf3.Text =
H.getOption("footer3");
    }

    private void
btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }

    private void
btnTambah_Click(object sender,
EventArgs e)
    {
        FrmTambahUser f = new
FrmTambahUser();
        if (f.ShowDialog() ==
DialogResult.Yes)
        {
            btnRefresh_Click(null, null);
        }
    }

    private void
btnHapus_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count > 0)
        {
            String d =
dgv.Rows[dgv.CurrentCell.RowIndex].Cells[0].Value.ToString();
            if (H.isKdExist(d,
"tb_jual", "operator"))
            {
                H.msgError("Data
(!H.isKdExist(txtPelangganKode.Text,
"tb_pelanggan", "kode"))
                {
                    H.msgError("Anda
belum memilih pelanggan");
                }
                txtPelangganKode.Focus();
            }
            else if
(!H.isKdExist(txtMobilKode.Text,
"tb_mobil", "kode"))
            {
                H.msgError("Anda
belum memilih kendaraan");
            }
            txtPelangganNama.Focus();
        }
        else
        {
            MySqlCommand cmd;
            if (editState)
            {
                cmd = new
MySqlCommand("UPDATE tb_sewa SET
tanggal=@tanggal,
pelanggankode=@pelanggankode,
pelanggannama=@pelanggannama,
catatan=@catatan, " +
"
mobilkode=@mobilkode,
mobilnama=@mobilnama,
sopirkode=@sopirkode,
sopirnama=@sopirnama, biaya=@biaya,
tanggalmulai=@tanggalmulai,
tanggalselesai=@tanggalselesai,
lama=@lama, harga=@harga, " +
"
subtotal=@subtotal, diskon=@diskon,
total=@total, uangmuka=@uangmuka,
sisasisa=@sisasisa, operator=@operator WHERE
nota=@nota", H.getConnection());
            }
            else
            {
                cmd = new
MySqlCommand("INSERT INTO tb_sewa
(tanggal, nota, pelanggankode,
pelanggannama, catatan, mobilkode,
mobilnama, sopirkode, sopirnama,
biaya, tanggalmulai, tanggalselesai,
lama, harga, subtotal, diskon, total,
uangmuka, sisa, status, operator) " +
"

```

```

tidak bisa terhapus");
    }
    else if
(H.msgAsk("Hapus data?") ==
DialogResult.Yes)
    {
        if
(H.execute("DELETE FROM tb_user WHERE
user='" + d + "'"))
        {
            H.msgInfo("Data dihapus");

            btnRefresh_Click(null, null);
        }
    }

    private void
btnUbah_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count == 0)
        {
            H.msgError("Belum ada
data yang dipilih");
            return;
        }

        H.IdEdit =
H.GetSelAt(dgv);

        FrmTambahUser frm = new
FrmTambahUser();
        frm.editState = true;
        if (frm.ShowDialog() ==
DialogResult.Yes)
        {
            btnRefresh_Click(null, null);
        }

        private void
btnSimpan_Click(object sender,
EventArgs e)
        {
            H.updateOption("header1",
txth1.Text);
            H.updateOption("header2",
txth2.Text);
            H.updateOption("header3",
VALUES(@tanggal, @nota,
@pelanggankode, @pelanggannama,
@catatan, @mobilkode, @mobilnama,
@sopirkode, @sopirnama, @biaya,
@tanggalmulai, @tanggalselesai,
@lama, @harga, @subtotal, @diskon,
@total, @uangmuka, @sis, 'SEWA',
@operator)", H.getConnection());
        }

        cmd.Parameters.AddWithValue("tanggal"
, txtTanggal.Value);

        cmd.Parameters.AddWithValue("nota",
txtNota.Text);

        cmd.Parameters.AddWithValue("pelangga
nkode", txtPelangganKode.Text);

        cmd.Parameters.AddWithValue("pelangga
nnama", txtPelangganNama.Text);

        cmd.Parameters.AddWithValue("catatan"
, txtCatatan.Text);

        cmd.Parameters.AddWithValue("mobilkod
e", txtMobilKode.Text);

        cmd.Parameters.AddWithValue("mobilnam
a", txtMobilNama.Text);

        cmd.Parameters.AddWithValue("biaya",
TxtBiayaSopir.Text);

        cmd.Parameters.AddWithValue("sopirkod
e", TxtSopirKode.Text);

        cmd.Parameters.AddWithValue("sopirnam
a", TxtSopirNama.Text);

        cmd.Parameters.AddWithValue("tanggalm
ulai", txtTanggalMulai.Value);

        cmd.Parameters.AddWithValue("tanggal
selesai", txtTanggalSelesai.Value);

        cmd.Parameters.AddWithValue("lama",
H.toD(TxtLama.Text));

```

```

txth3.Text);
H.updateOption("footer1",
txtf1.Text);
H.updateOption("footer2",
txtf2.Text);
H.updateOption("footer3",
txtf3.Text);
H.msgInfo("Data
tersimpan");
isiOption();
}

private void
FrmPengaturan_KeyDown(object sender,
KeyEventArgs e)
{
    if (H.isRefresh(e))
btnRefresh_Click(null, null);
    if (H.isAdd(e))
btnTambah_Click(null, null);
    if (H.isEdit(e))
btnUbah_Click(null, null);
    if (H.isDelete(e))
btnHapus_Click(null, null);
    if (H.isClose(e))
btnKeluar_Click(null, null);
    if (H.isSave(e))
btnSimpan_Click(null, null);
}

private void
btnRefresh_Click(object sender,
EventArgs e)
{
    dr =
H.openTable("tb_user");
    dgv.Rows.Clear();
    while (dr.Read())
    {
        dgv.Rows.Add(new
object[] {
            dr["user"],
            dr["pass"],
            dr["status"],
            dr["mobil"],
            dr["pelanggan"],
            dr["sewatambah"],
            dr["sewakembali"],
            dr["sewa"],
            dr["password"],
            dr["pengaturan"]
});
    }
}

cmd.Parameters.AddWithValue("harga",
H.toD(txtHarga.Text));

cmd.Parameters.AddWithValue("subtotal",
H.toD(txtSubTotal.Text));

cmd.Parameters.AddWithValue("diskon",
H.toD(txtDiskon.Text));

cmd.Parameters.AddWithValue("total",
H.toD(txtTotal.Text));

cmd.Parameters.AddWithValue("uangmuka",
H.toD(txtUangMuka.Text));

cmd.Parameters.AddWithValue("sis",
H.toD(txtSisa.Text));

cmd.Parameters.AddWithValue("operator",
H.strOperator);
H.executeCMD(cmd);

if (H.msgAsk("Data
tersimpan. Cetak Nota") ==
DialogResult.Yes)
{
    BtnCetak_Click(null, null);
}
this.DialogResult =
DialogResult.Yes;
this.Close();
}

private void
btnPelangganTambah_Click(object
sender, EventArgs e)
{
    FrmPelangganTambah f =
new FrmPelangganTambah();
    if (f.ShowDialog() ==
DialogResult.Yes)
    {
        txtPelangganKode.Text
= H.idTambah;
    }
}

private void

```



```

        H.IdEdit =
H.GetSelAt(dgv, 0);

        FrmSopirTambah frm = new
FrmSopirTambah();
        frm.editState = true;
        if (frm.ShowDialog() ==
DialogResult.Yes)

btnRefresh_Click(null, null);
    }

    private void
btnHapus_Click(object sender,
EventArgs e)
    {
        if (dgv.Rows.Count == 0)
        {
            H.msgError("Belum ada
data yang dipilih");
            return;
        }
        if (H.msgAsk("Hapus
data?") == DialogResult.Yes)
        {
            if (H.execute("DELETE
FROM tb_sopir WHERE kode='" +
H.GetSelAt(dgv,0) + "'"))
            {
                H.msgInfo("Data
dihapus");
            }
        }
        btnRefresh_Click(null, null);
    }
}

    private void
FrmPelanggan_KeyDown(object sender,
KeyEventArgs e)
    {
        if (H.isRefresh(e))
            btnRefresh_Click(null, null);
        if (H.isAdd(e))
            btnTambah_Click(null, null);
        if (H.isEdit(e))
            btnUbah_Click(null, null);
        if (H.isDelete(e))
            btnHapus_Click(null, null);
        if (H.isClose(e))
            btnKeluar_Click(null, null);
    }
}

        {
            this.Close();
        }

        private void
BtnCetak_Click(object sender,
EventArgs e)
        {
            string sql = "";

            try
            {
                string header1 =
H.getOption("header1");
                string header2 =
H.getOption("header2");
                string header3 =
H.getOption("header3");
                string footer1 =
H.getOption("footer1");
                string footer2 =
H.getOption("footer2");
                string footer3 =
H.getOption("footer3");

                string cetak =
"Cetak: " +
DateTime.Now.ToShortDateString() + "
Oleh: " + H.strOperator;

                H.CloseDr();
                DataSet ds = new
DataSet();

                sql = "SELECT a.*, '"
+
                header1 + "' AS
header1, '" +
                header2 + "' AS
header2, '" +
                header3 + "' AS
header3, '" +
                footer1 + "' AS
footer1, '" +
                footer2 + "' AS
footer2, '" +
                footer3 + "' AS
footer3, '" +
                cetak + "' AS
cetak " +
                "FROM tb_sewa a
WHERE nota='" + txtNota.Text + "'";
            }
        }
    }
}

```

```

        private void
btnTambah_Click(object sender,
EventArgs e)
    {
        if (H.openDialog(new
FrmSopirTambah()) ==
DialogResult.Yes)

btnRefresh_Click(null, null);
    }

    private void
btnRefresh_Click(object sender,
EventArgs e)
    {
        dgv.DataSource =
H.openDT("SELECT Kode, Nama, Biaya,
Alamat, Telpon, Keterangan FROM
tb_sopir WHERE kode LIKE '%" +
txtFilter.Text + "' OR nama LIKE '%" +
txtFilter.Text + "' OR telpon LIKE
 '%" + txtFilter.Text + "' ORDER BY
kode");
    }

    private void
btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }
}

```

### FrmSopirCari.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{

```

```

        MySqlDataAdapter
adapter = new MySqlDataAdapter(sql,
H.getConnection());
        adapter.Fill(ds);

        ReportDocument rd =
new ReportDocument();

rd.Load("../rptSewaTambah.rpt");

rd.Database.Tables[0].SetDataSource(d
s.Tables[0]);

        //pakai perintah ini
untuk langsung print dan hapus 5
baris perintah di bawahnya
        //rd.PrintToPrinter;

        FrmCetak l = new
FrmCetak();

l.crystalReportViewer1.ReportSource =
rd;

        l.ShowDialog();
    }
    catch (Exception ex)
    {
        H.msgError(ex.Message
+ sql);
    }
}

    private void
FrmSewaTambah_KeyDown(object sender,
KeyEventArgs e)
    {
        if (H.isSave(e))
btnSimpan_Click(null, null);
        if (H.isPrint(e))
BtnCetak_Click(null, null);
        if (H.isClose(e))
BtnKeluar_Click(null, null);
    }

    private void
btnSopirCari_Click(object sender,
EventArgs e)
    {
        FrmSopirCari f = new
FrmSopirCari ();

        f.tanggalawal =

```

```

        public partial class FrmSopirCari
: Form
    {
        public DateTime tanggalawal,
tanggalakhir;

        public FrmSopirCari()
        {
            InitializeComponent();
        }

        private void
FrmCariPelanggan_Load(object sender,
EventArgs e)
        {
            txtCari_TextChanged(null,
null);
        }

        private void
btnOK_Click(object sender, EventArgs
e)
        {
            if (dgv.Rows.Count > 0)
                H.IdCari =
H.GetSelAt(dgv);

            this.DialogResult =
DialogResult.Yes;
            this.Close();
        }

        private void
dgv_CellDoubleClick(object sender,
DataGridViewCellEventArgs e)
        {
            btnOK_Click(null, null);
        }

        private void
txtCari_TextChanged(object sender,
EventArgs e)
        {
            MySqlDataReader dr =
H.openTable("tb_sopir", "(kode LIKE
'" + txtCari.Text +
                "' OR nama LIKE '%"
+ txtCari.Text +
                "' OR telpon LIKE
'" + txtCari.Text + "%') AND kode
NOT IN (SELECT sopirkode FROM tb_sewa
WHERE (tanggalmulai>='" +
tanggalawal.ToString("yyyy-MM-dd") +
txtTanggalMulai.Value;
                f.tanggalakhir =
txtTanggalSelesai.Value;

            if (f.ShowDialog() ==
DialogResult.Yes)
            {
                TxtSopirKode.Text =
H.IdCari;
                TxtSopirKode_KeyDown(null, null);
            }

            private void
txtUangMuka_KeyDown(object sender,
KeyEventArgs e)
            {
                hitung();
            }

            private void
txtDiskon_KeyDown(object sender,
KeyEventArgs e)
            {
                hitung();
            }

            private void
txtHarga_KeyDown(object sender,
KeyEventArgs e)
            {
                hitung();
            }

            private void
TxtSopirKode_KeyDown(object sender,
KeyEventArgs e)
            {
                DataTable DtSopir =
H.openDT("SELECT * FROM tb_sopir
WHERE kode='" + TxtSopirKode.Text +
                "'");
                if (DtSopir.Rows.Count >
0)
                {
                    DataTable DtSewa =
H.openDT("SELECT * FROM tb_sewa WHERE
sopirkode='" + TxtSopirKode.Text +
                "' AND nota<>' +
                txtNota.Text + "' AND
                ((tanggalmulai>='" +
                txtTanggalMulai.Value.ToString("yyyy-

```

```

        "" AND
tanggalmulai<=' ' +
tanggalawal.ToString("yyyy-MM-dd") +
        ""') OR
(tanggalselesai>=' ' +
tanggalakhir.ToString("yyyy-MM-dd") +
        "" AND
tanggalselesai<=' ' +
tanggalakhir.ToString("yyyy-MM-dd") +
        "")) ORDER BY kode");
        dgv.Rows.Clear();
        while (dr.Read())
        {
            dgv.Rows.Add(new
object[] { dr[0], dr[1], dr[2],
dr[3], dr[4] });
        }
    }

    private void
txtCari_KeyPress(object sender,
KeyPressEventArgs e)
    {
        if (e.KeyChar ==
(char)13) dgv.Focus();
    }

    private void
txtCari_KeyUp(object sender,
KeyUpEventArgs e)
    {
        if (e.KeyCode == Keys.Up
|| e.KeyCode == Keys.Down)
dgv.Focus();
    }

    private void
dgv_KeyDown(object sender,
KeyDownEventArgs e)
    {
        if (e.KeyCode ==
Keys.Enter) btnOK_Click(null, null);
    }

    private void
FrmPelangganCari_KeyDown(object
sender, KeyEventArgs e)
    {
        if (H.isClose(e))
btnKeluar_Click(null, null);
    }

    private void
        MM-dd") +
        "" AND
tanggalmulai<=' ' +
txtTanggalSelesai.Value.ToString("yyy
y-MM-dd") +
        ""') OR
(tanggalselesai>=' ' +
txtTanggalMulai.Value.ToString("yyyy-
MM-dd") +
        "" AND
tanggalselesai<=' ' +
txtTanggalSelesai.Value.ToString("yyy
y-MM-dd") + ""));
    }

    if (DtSewa.Rows.Count
> 0)
    {
        H.MsgError("Sopir
sedang dipakai");
    }
    else
    {
        TxtSopirKode.Text
= DtSopir.Rows[0]["kode"].ToString();
        TxtSopirNama.Text
= DtSopir.Rows[0]["nama"].ToString();

        TxtBiayaSopir.Text =
DtSopir.Rows[0]["biaya"].ToString();
        TxtLama.Focus();
        hitung();
        return;
    }
}

    TxtSopirKode.Text = "";
    TxtBiayaSopir.Text = "";
    TxtSopirNama.Focus();

    hitung();
}

    private void
txtMobilKode_KeyDown(object sender,
KeyDownEventArgs e)
    {
        DataTable DtMobil =
H.openDT("SELECT * FROM tb_mobil
WHERE kode=' ' + txtMobilKode.Text +
        """);
        if (DtMobil.Rows.Count >
0)
        {

```

```

btnKeluar_Click(object sender,
EventArgs e)
    {
        this.Close();
    }

    private void
dgv_CellContentClick(object sender,
DataGridViewCellEventArgs e)
    {
    }
}

```

### FrmSopirTambah.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class
FrmSopirTambah : Form
    {
        MySqlDataReader dr;
        public Boolean editState =
false;
        public FrmSopirTambah()
        {
            InitializeComponent();
        }

        private void
btnSimpan_Click(object sender,
EventArgs e)
        {
            if (TxtKode.Text == "" &&
!editState)
            {
                H.msgError("Kode
tidak boleh kosong!");
            }
        }
    }
}

```

```

        DataTable DtSewa =
H.openDT("SELECT * FROM tb_sewa WHERE
mobilkode='" + txtMobilKode.Text +
        "' AND nota<>' +
txtNota.Text + "' AND
((tangalmulai>='" +
txtTanggalMulai.Value.ToString("yyyy-
MM-dd") +
        "' AND
tangalmulai<='" +
txtTanggalSelesai.Value.ToString("yyy
y-MM-dd") +
        "') OR
(tanggalselesai>='" +
txtTanggalMulai.Value.ToString("yyyy-
MM-dd") +
        "' AND
tangalselesai<='" +
txtTanggalSelesai.Value.ToString("yyy
y-MM-dd") + "')");

        if (DtSewa.Rows.Count
> 0)
        {
            H.msgError("Mobil
sedang dipakai");
        }
        else
        {
            txtMobilKode.Text
= DtMobil.Rows[0]["kode"].ToString();
            txtMobilNama.Text
= DtMobil.Rows[0]["nama"].ToString();
            txtPemilik.Text =
DtMobil.Rows[0]["pemilik"].ToString()
;
            txtHarga.Text =
DtMobil.Rows[0]["harga"].ToString();
            TxtLama.Focus();
            hitung();
            return;
        }

        txtMobilKode.Text = "";
        txtMobilNama.Text = "";
        txtPemilik.Text = "";
        txtHarga.Text = "";
        TxtSopirNama.Focus();

        hitung();
    }
}

```

```

        TxtKode.Focus();
        return;
    }
    if (TxtNama.Text == "")
    {
        H.msgError("Nama
tidak boleh kosong!");
        TxtTelpon.Focus();
        return;
    }

    if (TxtBiaya.Text == "")
    {
        H.msgError("Biaya
tidak boleh kosong!");
        TxtTelpon.Focus();
        return;
    }

    if
(H.isKdExist(TxtKode.Text) &&
!editState)
    {
        H.msgError("Kode
sudah ada!");
        TxtKode.Focus();
        return;
    }
    MySqlCommand cmd;
    if (editState)
    {
        cmd = new
MySqlCommand("UPDATE tb_sopir SET
nama=@nama, biaya=@biaya,
telpon=@telpon,
alamat=@alamat,keterangan=@keterangan
WHERE kode=@kode",
H.getConnection());
    }
    else
    {
        cmd = new
MySqlCommand("INSERT INTO tb_sopir
(kode, nama, biaya, telpon, alamat,
keterangan) " +
        " VALUES(@kode,
@nama, @biaya, @telpon,
@alamat,@keterangan)",
H.getConnection());
        H.idTambah =
TxtKode.Text;
    }
}

```

```

        private void
txtPelangganKode_KeyDown(object
sender, KeyEventArgs e)
        {
            dr =
H.openTable("tb_pelanggan", "kode="
+ txtPelangganKode.Text + "");
            if (dr.Read())
            {
                txtPelangganKode.Text
= dr["kode"].ToString();
                txtPelangganNama.Text
= dr["nama"].ToString();
                txtTelpon.Text =
dr["telpon"].ToString();
                txtAlamatS.Text =
dr["alamatsementara"].ToString();
                txtAlamatT.Text =
dr["alamattetap"].ToString();
                txtNegara.Text =
dr["negara"].ToString();
                txtKtp.Text =
dr["ktp"].ToString();
                txtSim.Text =
dr["sim"].ToString();
                txtCatatan.Text =
dr["keterangan"].ToString();

                txtCatatan.Focus();
            }
            dr.Close();
        }
    }
}

```

### FrmUtama.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace RentCar
{
    public partial class FrmUtama :
Form

```

```

cmd.Parameters.AddWithValue("kode",
    TxtKode.Text);

cmd.Parameters.AddWithValue("nama",
    TxtNama.Text.ToString());

cmd.Parameters.AddWithValue("biaya",
    TxtBiaya.Text.ToString());

cmd.Parameters.AddWithValue("telpon",
    TxtTelpon.Text.ToString());

cmdob.Parameters.AddWithValue("alamat",
    TxtAlamat.Text.ToString());

cmd.Parameters.AddWithValue("keterangan",
    TxtKeterangan.Text.ToString());
    H.executeCMD(cmd);
    H.msgInfo("Data tersimpan");
    this.DialogResult =
    DialogResult.Yes;
    this.Close();
}

private void
FrmTambahPelanggan_Load(object
sender, EventArgs e)
{
    if (editState)
    {
        dr =
        H.openTable("tb_sopir", "kode='" +
        H.IdEdit + "'");
        if (dr.Read())
        {
            TxtKode.Text =
            dr["kode"].ToString();
            TxtNama.Text =
            dr["nama"].ToString();
            TxtBiaya.Text =
            dr["biaya"].ToString();
            TxtTelpon.Text =
            dr["telpon"].ToString();
            TxtAlamat.Text =
            dr["alamat"].ToString();

            TxtKeterangan.Text =
            dr["keterangan"].ToString();
            TxtNama.Focus();
        }
    }
}

{
    public FrmUtama()
    {
        InitializeComponent();
    }

    private void
    tbMobil_Click(object sender,
    EventArgs e)
    {
        mnMobil_Click(null,
        null);
    }

    private void
    mnMobil_Click(object sender,
    EventArgs e)
    {
        H.openForm(new
        FrmMobil(), this);
    }

    private void
    FrmUtama_Load(object sender,
    EventArgs e)
    {
        sb1.Text = "Tanggal: " +
        DateTime.Now.ToString("dd MMMM yyyy
        HH:mm:ss");
        sb2.Text = "Operator: " +
        H.strOperator;

        mnMobil.Enabled =
        tbMobil.Enabled =
        H.isUserCan("Mobil");
        mnPelanggan.Enabled =
        tbPelanggan.Enabled =
        H.isUserCan("Pelanggan");

        mnSewa.Enabled =
        tbSewa.Enabled = H.isUserCan("sewa");
        mnSewaTambah.Enabled =
        tbSewaTambah.Enabled =
        H.isUserCan("sewatambah");
        mnSewaKembali.Enabled =
        tbSewaKembali.Enabled =
        H.isUserCan("sewakembali");

        mnPassword.Enabled =
        tbPassword.Enabled =
        H.isUserCan("password");
        mnPengaturan.Enabled =
        tbSetting.Enabled =

```

```

H.DsbControls(TxtKode);
        BtnAuto.Visible =
false;
    }
    else
        btnAuto_Click(null,
null);
}

private void
btnAuto_Click(object sender,
EventArgs e)
{
    TxtKode.Text =
H.kodeOto("tb_sopir", "kode", "S",
3);
}

private void
btnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}
}

```

### FrmTambahUser.cs :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class
FrmTambahUser : Form
    {
        public bool editState =
false;

```

```

H.isUserCan("pengaturan");
    }

private void
mnPelanggan_Click(object sender,
EventArgs e)
{
    H.openForm(new
FrmPelanggan(), this);
}

private void
mnSewaTambah_Click(object sender,
EventArgs e)
{
    H.openDialog(new
FrmSewaTambah());
}

private void
mnSewa_Click(object sender, EventArgs
e)
{
    H.openForm(new FrmSewa(),
this);
}

private void
mnPengaturan_Click(object sender,
EventArgs e)
{
    H.openForm(new
FrmPengaturan(), this);
}

private void
mnPassword_Click(object sender,
EventArgs e)
{
    H.openDialog(new
FrmPassword());
}

private void
mnKeluar_Click(object sender,
EventArgs e)
{
    this.Close();
}

private void
tbPelanggan_Click(object sender,
EventArgs e)

```

```

        public FrmTambahUser()
        {
            InitializeComponent();
        }

        private void
        btnKeluar_Click(object sender,
        EventArgs e)
        {
            this.Close();
        }

        private void
        btnSimpan_Click(object sender,
        EventArgs e)
        {
            if (txtUser.Text == "")
            {
                H.msgError("User
                tidak boleh kosong!");
                txtUser.Focus();
                return;
            }
            if
            (H.isKdExist(txtUser.Text, "tb_user",
            "user") && !editState)
            {
                H.msgError("User
                sudah terdaftar!");
                txtUser.Focus();
            }
            MySqlCommand cmd;
            if (editState)
            {
                cmd = new
                MySqlCommand("UPDATE tb_user SET " +
                " pass=@pass,
                status=@status, mobil=@mobil,
                pelanggan=@pelanggan,
                sewatambah=@sewatambah,
                sewakembali=@sewakembali, sewa=@sewa,
                password=@password,
                pengaturan=@pengaturan " +
                " WHERE user=@user",
                H.getConnection());
            }
            else
            {
                cmd = new
                MySqlCommand("INSERT INTO tb_user
                (user, pass, status, mobil,
                pelanggan, sewatambah, sewakembali,
                pengaturan, sewa, password)
                VALUES (@user, @pass, @status, @mobil,
                @pelanggan, @sewatambah, @sewakembali,
                @pengaturan, @sewa, @password)");
            }
            cmd.ExecuteNonQuery();
        }

        private void
        mnPelanggan_Click(null,
        null);
    }

    private void
    tbSewaTambah_Click(object sender,
    EventArgs e)
    {
        mnSewaTambah_Click(null,
        null);
    }

    private void
    tbSewa_Click(object sender, EventArgs
    e)
    {
        mnSewa_Click(null, null);
    }

    private void
    tbPassword_Click(object sender,
    EventArgs e)
    {
        mnPassword_Click(null,
        null);
    }

    private void
    tbKalkulator_Click(object sender,
    EventArgs e)
    {
        System.Diagnostics.Process.Start("cal
        c.exe");
    }

    private void
    tbSetting_Click(object sender,
    EventArgs e)
    {
        mnPengaturan_Click(null,
        null);
    }

    private void
    timer1_Tick(object sender, EventArgs
    e)
    {
        sb1.Text = "Tanggal: " +
        DateTime.Now.ToString("dd MMMM yyyy
        HH:mm:ss");
    }
}

```

```

sewa, password, pengaturan) " +
    " VALUES (@user,
@pass, @status, @mobil, @pelanggan,
@sewatambah, @sewakembali, @sewa,
@password, @pengaturan)",
H.getConnection());
    }

cmd.Parameters.AddWithValue("user",
txtUser.Text);

cmd.Parameters.AddWithValue("pass",
txtPass.Text);

cmd.Parameters.AddWithValue("status",
ckAktif.Checked);

cmd.Parameters.AddWithValue("mobil",
ckMobil.Checked);

cmd.Parameters.AddWithValue("pelanggan",
ckPelanggan.Checked);

cmd.Parameters.AddWithValue("sewatambah",
ckSewaBaru.Checked);

cmd.Parameters.AddWithValue("sewakembali",
ckSewaKembali.Checked);

cmd.Parameters.AddWithValue("sewa",
ckSewa.Checked);

cmd.Parameters.AddWithValue("password",
ckPassword.Checked);

cmd.Parameters.AddWithValue("pengaturan",
ckPengaturan.Checked);
    H.executeCMD(cmd);

    H.msgInfo("Data tersimpan");
    this.DialogResult = DialogResult.Yes;
    this.Close();
}

private void
frmTmbhUsr_KeyDown(object sender,
KeyEventArgs e)
{
    if (H.isClose(e))
btnKeluar_Click(null, null);
    if (H.isSave(e))
private void
mnSewaKembali_Click(object sender,
EventArgs e)
{
    H.openDialog(new
FrmSewaKembali());
}

private void
tbSewaKembali_Click(object sender,
EventArgs e)
{
    mnSewaKembali_Click(null,
null);
}

private void
tbSopir_Click(object sender,
EventArgs e)
{
    mnSopir_Click(null,
null);
}

private void
mnSopir_Click(object sender,
EventArgs e)
{
    H.openForm(new
FrmSopir(), this);
}
}
}

FrmTerms.cs :

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using MySql.Data.MySqlClient;

namespace RentCar
{
    public partial class FrmTerms :

```

```

btnSimpan_Click(null, null);
    }

    private void
    FrmTambahUser_Load(object sender,
    EventArgs e)
    {
        if (editState)
        {
            MySqlDataReader dr =
            H.openTable("tb_user", "user='" +
            H.IdEdit + "'");
            if (dr.Read())
            {
                txtUser.Text =
                dr["user"].ToString();
                txtPass.Text =
                dr["pass"].ToString();
                ckAktif.Checked =
                dr["status"].ToString() == "1";
                ckMobil.Checked =
                dr["mobil"].ToString() == "1";

                ckPelanggan.Checked =
                dr["pelanggan"].ToString() == "1";

                ckSewaBaru.Checked =
                dr["sewatambah"].ToString() == "1";

                ckSewaKembali.Checked =
                dr["sewakembali"].ToString() == "1";
                ckSewa.Checked =
                dr["sewa"].ToString() == "1";

                ckPassword.Checked =
                dr["password"].ToString() == "1";

                ckPengaturan.Checked =
                dr["pengaturan"].ToString() == "1";

                H.DsbControls(txtUser);
            }
        }
    }
}

Form
{
    public string term_taxonomy =
    "kategori";
    MySqlDataReader dr;
    public FrmTerms()
    {
        InitializeComponent();

        private void
        frmKat_Load(object sender, EventArgs
        e)
        {
            this.Text =
            term_taxonomy.ToUpper();
            dgv.Columns[0].HeaderText
            = term_taxonomy.ToUpper();
            isiGrid();
        }
        void isiGrid()
        {
            dr = H.OpenDr("SELECT
            term_name FROM tb_terms WHERE
            term_taxonomy='" + term_taxonomy + "'
            ORDER BY term_name");
            dgv.Rows.Clear();
            while (dr.Read())
            {
                dgv.Rows.Add(new
                object[] { dr[0].ToString() });
            }
        }

        private void
        dgv_CellDoubleClick(object sender,
        DataGridViewCellEventArgs e)
        {
            if (dgv.Rows.Count > 0)
            {
                H.IdCari =
                H.GetSelAt(dgv);
                this.DialogResult =
                DialogResult.Yes;
                this.Close();
            }
        }

        private void
        btnAdd_Click(object sender, EventArgs
        e)
        {
            if (txtNama.Text == "")

```

```

        {
            H.msgError("Nama
tidak boleh kosong");
            txtNama.Focus();
            return;
        }
        dr = H.OpenDr("SELECT *
FROM tb_terms WHERE term_taxonomy='
+ term_taxonomy + "' AND term_name='
+ txtNama.Text + "'");
        if (dr.Read())
        {
            H.msgError("Nama
sudah ada");
            txtNama.Focus();
            return;
        }

        H.execute("INSERT INTO
tb_terms(term_name, term_taxonomy)
VALUES ('" + txtNama.Text + "', '" +
term_taxonomy + "')");
        txtNama.Text = "";
        isiGrid();
    }

    private void
btnDel_Click(object sender, EventArgs
e)
    {
        if (H.msgAsk("Hapus
data?") == DialogResult.Yes)
        {
            string d =
H.GetSelAt(dgv);
            H.execute("DELETE
FROM tb_terms WHERE term_name='" + d
+ "' AND term_taxonomy='" +
term_taxonomy + "'");
            isiGrid();
        }
    }

    private void
FrmTerms_KeyDown(object sender,
KeyEventArgs e)
    {
        if (H.isClose(e))
        this.Close();
    }
}
}

```