

DAFTAR PUSTAKA

- Association Diabetes Association, (2010). Diagnosis and Classification of Diabetes. *care.diabetesjournals.org*, 54-71.
- Badan Penelitian dan Pengembangan Kesehatan Depkes RI, (2008). Riset Kesehatan Dasar (RISKESDAS) 2013 : Laporan Nasional 2013. Badan Litbangkes Depkes RI, Jakarta.
- Bennett, A., Zirrie, M., Daghash, M.H., Al-Hamaq, A.O.A.A., Daradkeh, G., Rikabi, A., et al. (2007). Lipids, Lipoprotein (a) Profile and HbA1c Among Arabian Type 2 Diabetic Patients. *Biomed Res* 18(2), 97-102.
- Boutithe. (2010). *Efek Ekstrak Rumput Laut Coklat (Sargasum duplication Bory) Terhadap Profil Radikal Bebas dan Protein Kinase C Paru Tikus (Rattus Novergicus) yang Dipapar Benz. Tesis*. Malang: Universitas Brawijaya.
- Cao, J., Zhang, Y., Chen, W., & Zhao, X. (2010). The relationship between fasting plasma concentrations of selected flavonoids and their ordinary dietary intake. *Br J Nutr* (103), 249-255.
- Christopher J Nolan, P. D. (2011). Type 2 diabetes across generations: from pathophysiology to prevention and management. *www.thelancet.com*, (hal. Vol 378).
- Detaille, D., Guigas, B., Leverve, X., Wiernsperger, N., & Devos, P. (2002) Obligatory role of membrane events in the regulatory effect of metformin on the respiratory chain function. *Biochem Pharmacol* (63):1259-1272.
- Dio Alvinda Pribowo (2015) Pengaruh Pemberian Ekstrak Etanol Kulit Buah Rambutan (*Nephelium Lappaceum*) Terhadap Kadar HDL dan LDL Mencit Diabetes.. Skripsi S1 Universitas Jember.
- Dorland, W.A.N (2010). *Kamus Kedokteran Dorland Edisi 31*. Jakarta : EGC.
- Duvnjak, L., & Duvnjak, M. (2009). The Metabolic syndrome-Anongoing story. *J Physiol Pharmacol* 60 (Suppl 7), 19-24.
- Dwi, N., & Istikhomah, M (2010). *wordpress*. Sirup Kersen (*Muntingia calabura L.*) sebagai Alternatif Minuman Kesehatan Keluarga. Diakses Maret 24 2016 dari <http://nugrahiniwijayanti.wordpress.com/2010/05/06/sirup-kersen-muntingia-calabura-l-sebagai-alternatif-minuman-kesehatan-keluarga-2/>.
- Fadillioglu, E., Kurcer, Z., Parlakpinar, H., Iraz, M. & Gursul, C. (2008). Melatonin treatment against remote open injury induced by renal ischemia reperfusion injury in Diabetes Melitus. *Arch. Pharm. Res*, 31(6), 705-12.
- Fauci, A.S., Kasper, D.L., Longo, D.L., Braunwald, E., Hauser, S.L., Jameson, J.L. et al. (2008). *Harrison's Principles of Internal Medicine, 17th Edition*. San Fransisco.: McGraw-Hill.

- Ghasemi, A. (2014). Streptozotocin-nicotinamide induced rat model of type 2 diabetes. Impact Factor: 0.73 · DOI: 10.1556/APhysiol.101.2014.4.2 ACTA PHYSIOLOGICA HUNGARICA
- Giannarelli, R., Aragona, M., Coppelli, A., & Del Prato, S. (2003). Reducing insulin resistance with metformin: the evidence today. *Diabetes Metab (29)*: 6S28-6S35.
- Guyton, A.C., Hall, J.E. (2007). *Buku Ajar Fisiologi Kedokteran Edisi 11*. Jakarta : EGC.
- Haas, M.J., Mooradian, A.D., (2010). Regulation of high-density lipoprotein by inflammatory cytokines: establishing links between immune dysfunction and cardiovascular disease. *Diabetes Metab Res Rev.*, 26:90–9.
- Hardie, D.G. (2007). AMP-activated protein kinase as a drug target. *Annu Rev Pharmacol Toxicol (47)*: 185-210.
- Hartoyo, A. N. (2008). Pengaruh Fraksi Karbohidrat Kacang Komak (Lablab Purpureus (L) Sweet). *Jurnal teknologi dan industri pangan*, 19:25-31.
- Haqim, R.M., (2015). Pengaruh Seduhan Daun Talok (*Muntingia calabura L*) Terhadap Kadar Glukosa Darah Tikus Putih Jantan (*Rattus Novergicus*) Diabetes Melitus yang Diinduksi Streptozotocin-Nicotinamide, Yogyakarta: Universitas Muhammadiyah Yogyakarta.
- Heinrich, M., Barner J., Gibbons S., & Williamson E.M. (2009). *Farmakognosi dan Fitoterapi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Hemmingsen, B.L.S. (2009). Oral Hypoglycaemic Agents, Insulin Resistance and Cardiovascular Disease in Patient with Type 2 Diabetes. *Eur J Endocrinol 161*, 1-9.
- Herwiyarirasanta, B. E. (2010). *Effect of Black Soybean Extract Supplementation in Low Density Lipoprotein Level of Rats (Rattus Norvegicus) with High Fat Diet*. Surabaya: Science Article Universitas Airlangga.
- IDF. (2013). *Clinical Guidelines Task Force : Global Guideline for type 2 Diabetes*. Diakses 23 Maret, 2016, dari International Diabetes Federation; 2013 <http://www.idf.org/sites/default/files/IDF%20T2DM%20Guideline.pdf>.
- Inal, M.E., Akgun, A., Kahraman, A.R., (2002). Radioprotective effects of exogenous glutathione against whole-body gamma-ray irradiation: age and gender-related changes in malondialdehyde levels, superoxide dismutase and catalase activities in rat live. *Methods Find Exp Clin Pharmacol* , 24:209–12.

- Inzucchi, S.E., Bergenstal, M.R., Buse, J.B., Diamant, M., Ferrannini, E., Nauck, M. et al. (2012). POSITION STATEMENT Management of hyperglycaemia in type 2 diabetes : a patient-centered approach. Position statement of the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). *Diabetologia*, 1577-1596.
- Jackerott, M., Moldrup, A., Thams, P., Galsgaard, E.D., Knudsen, J., Lee, Y.C., et al. (2006). STAT5 activity in pancreatic beta-cells influences the severity of diabetes in animal models of type 1 and 2 diabetes. *Diabetes*, 55(10), 2705-2712.
- Joe M. Chehade., M. G. (2013). *Dyslipidemia in Type 2 Diabetes: Prevalence, Pathophysiology*.. Switzerland: Springer International Publishing Switzerland 2013.
- Kobori M., Masumoto, S., Akimoto, Y., & Oike, H., (2011). Chronic dietary intake of quercetin alleviates hepatic fat accumulation associated with consumption of a western-style diet in C57/BL6J mice. *Mol Nutr Food Res* : 55 , 530-540.
- Lenzen, S. (2008). The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, 216-266.
- Li, F., Chong, Z.Z., & Maiese, K. (2006). Cell life versus cell longevity: the mysteries surrounding the NAD⁺ precursor nicotinamide. *Curr Med Chem*, 13:883-95.
- Lu, J., Wu, D.M., & Zheng, Y.L. (2010). Quercetin activates AMP-activated protein kinase by reducing PP2C expression protecting old mouse brain against high cholesterol-induced neurotoxicity. *J Pathol* (222): 199-212.
- Lim, T. (2012). Edible Medicinal and Non-Medicinal Plant. *Springer Dordrecht Heidelberg*, 489-491.
- Maise, K., Chong, Z.Z., Hou, J., & Shang, Y.C. (2009). The vitamin nicotinamide: translating nutrition into clinical care. *Molecules* 2009;14:3446 –85. *Molecules*, 14:3446-85.
- Manaf, A. (2009). Insulin : Mekanisme Sekresi dan Aspek Metabolisme. Dalam: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, K.M., Setiati, S, (Editor), *Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi V* (hal. 1896-1899). Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam .
- Maric, A. (2010). Metformin-More Than Gold Standard In The Treatment of Type 2 diabetes. *Diabetologia Croatica*, 39(3), 95-104.
- Masharani, U., & German, M.S. (2007). Pancreatic Hormone and Diabetes Melitus. Dalam D. S. Gardner, *Greenspan's Basic and Clinical Endocrinology 8th Edition* (hal. 661-747). San Fransisco: McGraw-Hill.

- Masiello, P, 2006, Animal models of type 2 diabetes with reduced pancreatic beta-cell mass. *Int. J. Biochem. Cell. Biol.* 38, 873–893
- Matthaei, S., Bierwirth, R., Fritsche, A., Gallwitz, B., Haring, H.U., Joost, H.G., et al. (2008). Medical Antihyperglycaemic Treatment of Diabetes Mellitus Type 2. Update of the evidence-based guideline. *German Diabetes Association*, 1-75.
- Meighs, J.B., (2007). Association of Oxidative Stress, Insulin Resistance, and Diabetes Risk Phenotypes. *Diabetes Care*, vol 30.
- Middleton, J.r., (1998). Effect of plant flavonoids on immune and inflammatory cell function. *Adv Exp Med Biol* 1998;439:175–82. Review. *Adv Exp Med Biol* , 439:175–82.
- Mooradian AD, H. M. (2008). Obesityrelated changes in high density lipoprotein metabolism. *Obesity*, 1152-60.
- Mooradian, A.D. (2009). Dyslipidemia in type 2 Diabetes Mellitus. *Nature Clin Pract Endocrinol Metab* 5(3), 150-159.
- Nathan, M.D., Buse, B.J., Davidson, B.M., Ferrannini, M., Holman, R.R., Sherwin, R., et al. (2009). Management of Hyperglycemia in Type 2 Diabetes : a Consensus Algorithm for Initiation and Adjustment of Therapy : a consensus statement of the American Diabetes Association and the Europe Association for the Study of Diabetes. *Diabetes Care* 32, 193-203.
- O. Benavente-García, J. Castillo, J. Agric (2008). *Food Chem.*
- Olsson A.G., S. G. (2005). High density lipoprotein, but not low density lipoprotein cholesterol levels influence short term prognosis after acute coronary syndrome: result from MIRACL trial. *Eur Heart J*, 26: 890-896.
- Omer Coskun., M. K. (2005). Quercetin, a flavonoid antioxidant, prevents and protects. *Pharmacological Research* 51 , 117-123.
- Ramprasad, Gadi, MD, and Frederick F. Samaha, MD (2007). Dyslipidemia in Type 2 Diabetes Mellitus. *Current Diabetes Reports* , 7:228–234.
- Tuomilehto, J., Lindstrom, J., Eriksson, J.G.,(2001). Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. *N Engl J Med*, 344; 1343-50.
- Vembriarto, J.P., Rahmad, S. (2014) Pengaruh Ekstrak Buah Kersen (*Muntingia calabura*) Terhadap Kadar Gula
- Pandya, K.G., Patel, M.R., & Lau-Cam, C.A. (2010). Comparative study of the binding characteristics to and inhibitory potencies towards PARP and in vivo antidiabetogenic potencies of taurine, 3-aminobenzamide and nicotinamide. *J Biomed Sci*, 17:16.

- Perkumpulan Endokrinologi Indonesia, (2011). Konsensus pengelolaan diabetes melitus tipe 2 di Indonesia, PB.PERKENI, Jakarta.
- Preethi, K., Vijayalakshmi, N., Shamna, R., & Sasikumar, J.M. (2010). In Vitro Antioxidant Activity of Extracts from Fruits of *Muntingia calabura* Linn. from India. *Pharmacognosy Journal Vol 2 Issue 14*, 11-18.
- Punithavathi, V.R., Anuthama, R., & Prince, P.S. (2008). Combined treatment with naringin and vitamin C ameliorates streptozotocin-induced diabetes in male Wistar rats. *J.Appl. Toxicol ; 28(6)*, 806-13.
- Purnamasari, D. (2009). Diagnosis dan Klasifikasi Diabetes Melitus. Dalam: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, K.M., Setiati, S., (Editor), *Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi V* (hal. 1880-1883). Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam.
- Puspitasari, A.P. (2015). *Pengaruh Pemberian Pisang Kepok (Musa paradisiaca forma typical) Terhadap Kadar Malondialdehyde (MDA) Tikus Sprague Dawley Pra-Sindrom Metabolik*. Tesis, Universitas Diponegoro, Semarang.
- Rahayu, M. (2011). *Pengaruh Pemberian Folat Terhadap Kadar Homosistein dan Profil Lipid Pada Tikus Diabetes*. Tesis S-2, Universitas Diponegoro, Semarang.
- Ramprasad, Gadi, MD, and Frederick F. Samaha, MD (2007). Dyslipidemia in Type 2 Diabetes Mellitus. *Current Diabetes Reports* , 7:228–234.
- Ross, J.A., & Kasum, C.M. (2002). Dietary flavonoids: bioavailability, metabolic effects, and safety. *Annu RevNut (22)*:19-34.
- Rukmanasari, R. (2010). *Efek Ekstrak Kulit Terong Ungu (Solanum melongena L.) Terhadap Kadar LDL dan HDL Darah Tikus Putih*. Skripsi strata satu, Universitas Sebelas Maret, Surakarta.
- Sibi, G., Naveen, R., Dhananjaya, K., Ravikumar, K.R., & Mallesha, H.(2012). Potential use of *Muntingia calabura* L. extracts against human and plant pathogens. *Pharmacognosy Journal*, 4(34), 44- 47.
- Sindhe, A.M., Bodke, Y.D., & Chandrashekar, A. (2013). Antioxidant and in vivo anti-hyperglycemic activity of *Muntingia calabura* Leaves extracts.
- Soegondo, S.P. (2009). Sindrom Metabolik . Dalam: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, K.M., Setiati, S., (Editor), *Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi V* (hal. 1865-1872). Jakarta : Pusat Penerbitan Ilmu Penyakit Dalam.
- Soewondo, P. (2009). Ketoasidosis Diabetik dan Koma Hiperosmolar Hiperqlikemik non Ketotik. Dalam: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, K.M., Setiati, S., (Editor), *Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi V* (hal. 1906-1916). Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam.

- Soewondo, P.H. (2009). Asidosis Laktat. Dalam: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, K.M., Setiati, S., (Editor), *Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi V* (hal. 1917-1921). Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam.
- Sónia, C., Carvalho, C., Santos, M.S., Seica, R., Oliveira, C.R., Moreira, P.I., et al. (2008). Mechanisms of Action of Metformin in Type 2 Diabetes and Associated Complications: An Overview. *Mini-Reviews in Medicinal Chemistry* (8): 1343-1354.
- Spellman, C.W. (2007). Islet Cell Dysfunction in Progression to Diabetes Melitus. *JAM Osteopath Assoc* 107 (Suppl. 3), S1-S5.
- Stewart, .L.K., Soileau, J.L., & Ribnicky, D. (2008). Quercetin transiently increases energy expenditure but persistently decreases circulating markers of inflammation in C57BL/6J mice fed a high-fat diet. *Metabolism* (57): S39-S46.
- Surjana, D., Halliday, G.M., & Damian, D.L. (2010). Role of nicotinamide in DNA damage, mutagenesis, and DNA repair. *J Nucleic Acids* .
- Suyono. (2009). Diabetes Melitus di Indonesia. Dalam: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, K.M., Setiati, S., (Editor), *Buku Ajar Ilmu Penyakit Dalam Jilid III, Edisi IV* (hal. 1852-1856). Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam.
- Szkudelski, T. (2001). The Mechanism Of Alloxan And Streptozotocin Action In β Cells Of The Rat Pancreas, *Physiology Research*, 50: 536-54. *Physiology Research*, 50, 536-54.
- Szkudelski, T. (2012). Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental Biology and Medicine*, 481-490.
- Tortora, G.J., & Derrickson, B., (2006). *Principles of Anatomy and Physiology, 11th Edition*. New Jersey: Wiley.
- Tuomilehto, J., Lindstrom, J., Eriksson, J.G.,(2001). Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. *N Engl J Med*, 344; 1343-50.
- Tushuizen, M.E., Diamant, M., & Heine, R.J. (2005). DiamaPostprandial Dysmetabolism and Cardiovascular Disease in Type 2 Diabetes. *Postgrad Med J* 81 :, 1-6.
- UK Prospective Diabetes Study Grup. *Effect of Intensive Blood Glucose Control with Metformin on Complications in Overweight Patient with Type 2 Diabetes*. 854-865.

- USDA Database for the Flavonoid Content of Selected Foods. Diakses tanggal 7 April 2016, dari <http://www.nal.usda.gov/fnic/foodcomp/Data/Flav/flav.pdf>.
- Vembriarto, J.P., Rahmad, S. (2014) Pengaruh Ekstrak Buah Kersen (*Muntingia calabura*) Terhadap Kadar Gula
- Wibowo, C.P. (2015). *Pengaruh Pemberian Jus Kersela Terhadap Kadar Glukosa Darah, HDL, LDL Tikus Wistar yang Diinduksi Sterptozotocin dan Nikotinamide (STZ-NA)*. Karya Tulis Ilmiah strata satu, Universitas Gajah Mada, Yogyakarta.
- Zafar, M., Naeem-ul-Hassan, N.S., Ahmed, M., & Kaim Khani, Z.A. (2009). Altered kidney morphology and enzymes in streptozotocin-induced diabetic rats. *Int. J. Morphol.*, 27 (3) , 783-90.
- Zafar, M., Naeem-ul-Hassan, N.S., Ahmed, M., & Kaim Khani, Z.A. (2009). Altered liver morphology and enzymes in streptozotocin-induced diabetic rats. *Int. J. Morphol.*, 27(3), 719-25.
- Zakaria, Z.A., Mohamed, A.M., Jamil, N.S., Rofiee, M.S., Hussain, M.K., Sulaiman, M.R., et al. (2011). In vitro antiproliferative and antioxidant activities of the extracts of *Muntingia calabura* Leaves. The American Journal of Chi. *The American Journal of Chinese Medicine*, 39,183.
- Zakaria, Z.A., Mohd, H.M.S., Manraj, S.C., Arifah, A.K., Teh, L.K., Mohd, Z.S., et al. (2014). Antinociceptive Activity of Methanolic Extract of *Muntingia calabura* Leaves : Further Elucidation of The Possible Mechanism. *BMC Complementary Altern Med*.
- Zhao, L., Wu, J., & Wang, Y. (2011). Cholesterol metabolism is modulated by quercetin in rats. *J Agric Food Chem* (59) :1104-1108.