

## LAMPIRAN

### A. Distribusi Kasus Kandidiasis Berdasarkan Jenis Kandidiasis

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kandidiasis intertrigo	6	6.7	6.7	6.7
Kandidiasis kulit dan kuku	3	3.4	3.4	10.1
Kandidiasis kutis	31	34.8	34.8	44.9
Kandidiasis oral	4	4.5	4.5	49.4
Kandidiasis unspecified	27	30.3	30.3	79.8
Kandidiasis vulvovaginal	18	20.2	20.2	100.0
Total	89	100.0	100.0	

#### Jenis Kandidiasis

	Observed N	Expected N	Residual
kandidiasis intertrigo	6	14.8	-8.8
kandidiasis kulit dan kuku	3	14.8	-11.8
kandidiasis kutis	31	14.8	16.2
kandidiasis unspecified	27	14.8	12.2
kandidiasis vulvovaginal	18	14.8	3.2
kandidiasis oral	4	14.8	-10.8
Total	89		

#### Test Statistics

	Jenis Kandidiasis
Chi-Square	50.888 <sup>a</sup>
df	5
Asymp. Sig.	.000

a. 0 cells (.0%) have expected frequencies less than 5.

The minimum expected cell frequency is 14.8.

## B. Kejadian Kandidiasis Berdasarkan Kelompok Umur Pasien

### Two-Sample Kolmogorov-Smirnov Test

#### Test Statistics<sup>a</sup>

		KUfix
Most Extreme Differences	Absolute	.446
	Positive	.446
	Negative	-.118
Kolmogorov-Smirnov Z		1.817
Asymp. Sig. (2-tailed)		.003

a. Grouping Variable: kutismukosa

#### KUfix \* kutismukosa Crosstabulation

			kutismukosa		Total
			kandidiasis kutis	kandidiasis mukosa	
KUfix	0-5 tahun	Count	36	2	38
		% of Total	40.4%	2.2%	42.7%
	12-25 tahun	Count	8	6	14
		% of Total	9.0%	6.7%	15.7%
	26-45 tahun	Count	9	12	21
		% of Total	10.1%	13.5%	23.6%
	46-65 tahun	Count	10	1	11
		% of Total	11.2%	1.1%	12.4%
	>65 tahun	Count	4	1	5
		% of Total	4.5%	1.1%	5.6%
Total		Count	67	22	89
		% of Total	75.3%	24.7%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	23.572 <sup>a</sup>	4	.000
Likelihood Ratio	24.362	4	.000
Linear-by-Linear Association	6.262	1	.012
N of Valid Cases	89		

a. 4 cells (40.0%) have expected count less than 5. The minimum expected count is 1.24.

### C. Kejadian Kandidiasis Berdasarkan Jenis Kelamin Pasien

#### Jenis Kelamin \* kutismukosa Crosstabulation

			kutismukosa		Total
			kandidiasis kutis	kandidiasis mukosa	
Jenis Kelamin	Perempuan	Count	51	22	73
		% of Total	57.3%	24.7%	82.0%
	Laki-laki	Count	16	0	16
		% of Total	18.0%	.0%	18.0%
Total		Count	67	22	89
		% of Total	75.3%	24.7%	100.0%

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.405 <sup>a</sup>	1	.011		
Continuity Correction <sup>b</sup>	4.888	1	.027		
Likelihood Ratio	10.188	1	.001		
Fisher's Exact Test				.009	.006
Linear-by-Linear Association	6.333	1	.012		
N of Valid Cases <sup>b</sup>	89				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.96.

b. Computed only for a 2x2 table

#### D. Kejadian Kandidiasis Berdasarkan Pekerjaan Pasien

Pekerjaan \* kutismukosa Crosstabulation

		kutismukosa		Total	
		kandidiasis kutis	kandidiasis mukosa		
Pekerjaan	Bawah umur	Count	36	2	38
		% of Total	40.4%	2.2%	42.7%
	Pelajar/Mahasiswa	Count	6	5	11
		% of Total	6.7%	5.6%	12.4%
	PNS	Count	2	2	4
		% of Total	2.2%	2.2%	4.5%
	Swasta/Wiraswasta	Count	12	7	19
		% of Total	13.5%	7.9%	21.3%
	Ibu Rumah Tangga	Count	6	6	12
		% of Total	6.7%	6.7%	13.5%
	Pensiunan	Count	4	0	4
		% of Total	4.5%	.0%	4.5%
	Tidak bekerja	Count	1	0	1
		% of Total	1.1%	.0%	1.1%
Total		Count	67	22	89
		% of Total	75.3%	24.7%	100.0%

Test Statistics<sup>a</sup>

		Pekerjaan
Most Extreme Differences	Absolute	.446
	Positive	.446
	Negative	-.075
Kolmogorov-Smirnov Z		1.817
Asymp. Sig. (2-tailed)		.003

a. Grouping Variable: kutismukosa

### E. Distribusi Kasus Kandidiasis Berdasarkan Faktor Predisposisi Pasien

Faktor Predisposisi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Benjolan di labia majora, Hamil	1	1.1	1.1	1.1
	Haid hari ke-2	1	1.1	1.1	2.2
	Hamil 28 minggu	1	1.1	1.1	3.4
	Hipertensi	1	1.1	1.1	4.5
	KB pil	1	1.1	1.1	5.6
	Menggunakan IUD	1	1.1	1.1	6.7
	Menggunakan pantyliner, KB pil	1	1.1	1.1	7.9
	Penggunaan kondom saat berhubungan seksual	1	1.1	1.1	9.0
	Riwayat DM	3	3.4	3.4	12.4
	Riwayat histerektomi	1	1.1	1.1	13.5
	Riwayat Limfadenitis servikal	1	1.1	1.1	14.6
	Tidak diketahui	76	85.4	85.4	100.0
	Total	89	100.0	100.0	

### F. Uji Normalitas

Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Jenis Kelamin	.499	89	.000	.466	89	.000
Usia	.222	89	.000	.862	89	.000
Pekerjaan	.247	89	.000	.796	89	.000
Diagnosis	.235	89	.000	.881	89	.000
Kelompok Usia	.210	89	.000	.878	89	.000

a. Lilliefors Significance Correction