

LAMPIRAN

1. Data Statistik Riwayat Terapi ESA pada Kelompok Kasus dan Kelompok Kontrol

Perlakuan * Gagal_Jantung Crosstabulation

			Gagal_Jantung		Total
			Positif	Negatif	
Perlakuan	Hemapo	Count	20	13	33
		% within Gagal_Jantung	100.0%	65.0%	82.5%
	Venofer	Count	0	7	7
		% within Gagal_Jantung	0.0%	35.0%	17.5%
Total		Count	20	20	40
		% within Gagal_Jantung	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.485 ^a	1	.004		
Continuity Correction ^b	6.234	1	.013		
Likelihood Ratio	11.200	1	.001		
Fisher's Exact Test				.008	.004
Linear-by-Linear Association	8.273	1	.004		
N of Valid Cases	40				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.50.

b. Computed only for a 2x2 table

2. Perbandingan Total Frekuensi ESA yang Diterima

Descriptives

Gagal_Jantung		Statistic	Std. Error		
Total_Epo	Positif	Mean	367.5000	25.05494	
		95% Confidence Interval for Mean	Lower Bound	315.0594	
			Upper Bound	419.9406	
		5% Trimmed Mean	366.3333		
		Median	372.0000		
		Variance	12555.000		
		Std. Deviation	112.04910		
		Minimum	216.00		
		Maximum	540.00		
		Range	324.00		
		Interquartile Range	217.50		
		Skewness	.161	.512	
		Kurtosis	-1.274	.992	
		Negatif	Mean	187.9500	37.38917
			95% Confidence Interval for Mean	Lower Bound	109.6936
	Upper Bound			266.2064	
5% Trimmed Mean	179.3333				
Median	202.5000				
Variance	27958.997				
Std. Deviation	167.20944				
Minimum	.00				
Maximum	531.00				
Range	531.00				
Interquartile Range	314.25				
Skewness	.282		.512		
Kurtosis	-.950		.992		

Tests of Normality

Gagal_Jantung		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Total_Epo	Positif	.122	20	.200*	.919	20	.096
	Negatif	.220	20	.013	.894	20	.032

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Group Statistics

Gagal_Jantung		N	Mean	Std. Deviation	Std. Error Mean
Total_Epo	Positif	20	367.5000	112.04910	25.05494
	Negatif	20	187.9500	167.20944	37.38917

Independent Samples Test										
		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
Total_Epo	Equal variances assumed	4.220	.047	3.989	38	.000	179.55000	45.00778	88.43652	270.66348
	Equal variances not assumed			3.989	33.200	.000	179.55000	45.00778	88.00199	271.09801

3. Perbandingan Total Frekuensi Hemodialisa pada Kelompok Kasus dan Kelompok Kontrol

Descriptives

Gagal_Jantung			Statistic	Std. Error	
Total_HD	Positif	Mean	406.8000	40.28122	
		95% Confidence Interval for Mean	Lower Bound	322.4904	
			Upper Bound	491.1096	
		5% Trimmed Mean	402.6667		
		Median	378.0000		
		Variance	32451.537		
		Std. Deviation	180.14310		
		Minimum	180.00		
		Maximum	708.00		
		Range	528.00		
		Interquartile Range	363.00		
		Skewness	.517	.512	
		Kurtosis	-1.093	.992	
			Negatif	Mean	289.8000
95% Confidence Interval for Mean	Lower Bound			218.8943	
	Upper Bound			360.7057	
5% Trimmed Mean	279.3333				
Median	240.0000				
Variance	22953.221				
Std. Deviation	151.50320				
Minimum	60.00				
Maximum	708.00				
Range	648.00				
Interquartile Range	183.00				
Skewness	1.107			.512	
Kurtosis	1.839			.992	

Tests of Normality

Gagal_Jantung		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Total_HD	Positif	.174	20	.115	.888	20	.025
	Negatif	.199	20	.038	.922	20	.106

a. Lilliefors Significance Correction

Group Statistics

Gagal_Jantung		N	Mean	Std. Deviation	Std. Error Mean
Total_HD	Positif	20	406.8000	180.14310	40.28122
	Negatif	20	289.8000	151.50320	33.87715

Independent Samples Test


		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
Total_HD									Lower	Upper
	Equal variances assumed	.952	.335	2.223	38	.032	117.00000	52.63305	10.44996	223.55004
	Equal variances not assumed			2.223	36.915	.032	117.00000	52.63305	10.34703	223.65297

4. Perbandingan Rata-Rata Durasi Hemodialisa**Test Statistics^a**

	Jam_HD
Mann-Whitney U	173.000
Wilcoxon W	383.000
Z	-1.104
Asymp. Sig. (2-tailed)	.270
Exact Sig. [2*(1-tailed Sig.)]	.478 ^b

a. Grouping Variable: Gagal_Jantung


b. Not corrected for ties.



Descriptives

Gagal_Jantung			Statistic	Std. Error	
Jam_HD	Positif	Mean	11.6000	.27530	
		95% Confidence Interval for Mean	Lower Bound	11.0238	
			Upper Bound	12.1762	
		5% Trimmed Mean	11.7778		
		Median	12.0000		
		Variance	1.516		
		Std. Deviation	1.23117		
		Minimum	8.00		
		Maximum	12.00		
		Range	4.00		
		Interquartile Range	.00		
		Skewness	-2.888	.512	
		Kurtosis	7.037	.992	
		Negatif	Mean	11.0550	.37637
			95% Confidence Interval for Mean	Lower Bound	10.2672
	Upper Bound			11.8428	
5% Trimmed Mean	11.1722				
Median	12.0000				
Variance	2.833				
Std. Deviation	1.68319				
Minimum	8.00				
Maximum	12.00				
Range	4.00				
Interquartile Range	2.55				
Skewness	-1.267		.512		
Kurtosis	-.420		.992		

5. Perbandingan Riwayat Tekanan Darah Sistole



Test Statistics^a

	Sistole
Mann-Whitney U	179.500
Wilcoxon W	389.500
Z	-.560
Asymp. Sig. (2-tailed)	.575
Exact Sig. [2*(1-tailed Sig.)]	.583 ^b

a. Grouping Variable: Gagal_Jantung

b. Not corrected for ties.

Descriptives

Gagal_Jantung			Statistic	Std. Error	
Sistole	Positif	Mean	163.1000	3.53769	
		95% Confidence Interval for Mean	Lower Bound	155.6955	
			Upper Bound	170.5045	
		5% Trimmed Mean	162.7778		
		Median	160.0000		
		Variance	250.305		
		Std. Deviation	15.82104		
		Minimum	142.00		
		Maximum	190.00		
		Range	48.00		
		Interquartile Range	28.50		
		Skewness	.457	.512	
		Kurtosis	-.891	.992	
		Negatif	Negatif	Mean	159.8000
95% Confidence Interval for Mean	Lower Bound			154.0227	
	Upper Bound			165.5773	
5% Trimmed Mean	159.3333				
Median	160.0000				
Variance	152.379				
Std. Deviation	12.34419				
Minimum	142.00				
Maximum	186.00				
Range	44.00				
Interquartile Range	15.50				
Skewness	.776			.512	
Kurtosis	.290			.992	