

Gatot suparmanto(2011) Hubungan Antara Tingkat Pengetahuan Siswi Tentang Keputihan Dengan Kebersihan Perineal Pada Siswi Kelas IX di SMPN 4 Gamping Sleman Yogyakarta

Pembimbing: Elsy Mariarosa SKM,M.KEP.

INTISARI

Dalam bahasa medis keputihan juga di sebut (leukore,flour albus,white discharge) adalah nama gejala yang diberikan kepada cairan yang keluar dari alat genital yang bukan berupa darah dan keputihan bukan penyakit tersendiri melainkan manifestasi dari gejala dari hampir semua penyakit kandungan. Sekitar 75% wanita didunia pasti akan mengalami keputihan paling tidak seumur hidup sekali dan sebanyak 45% wanita mengalami keputihan dua kali atau lebih sedangkan pada kaum wanita yang berada di Eropa angka keputihan sebesar 25% . Khusus di Indonesia data yang ada dari wanita yang mengalami keputihan sulit untuk di dapat, hal ini dapat di maklumi karena sedikit sekali wanita yang memeriksa kan masalah alat reproduksinya Khusus Pada masa remaja wanita, mereka harus mengetahui tentang keputihan dan penyebabnya secara dini, karena menurut badan kesehatan dunia pada masa peralihan anak-anak ke masa dewasa terdapat perubahan-perubahan fisiologis wanita khususnya, daerah organ reproduksi dan dapat menjadi masalah pada remaja jika tidak mengetahui permasalahan seputar organ reproduksinya dan hal tersebut merupakan pengalaman yang baru bagi remaja wanita.

Penelitian ini bertujuan untuk mengetahui hubungan antara pengetahuan siswi tentang keputihan dengan kebersihan perineal pada siswi kelas IX di SMPN 4 Gamping Sleman Yogyakarta. Metode dalam penelitian yang digunakan adalah penelitian deskriptif non eksperimen dengan pendekatan *cross sectional*. Subjek penelitian adalah Siswi SMPN 4 Gamping kelas IX. Sampel dalam penelitian ini berjumlah 74 responden dan tehnik pengambilan sampel menggunakan *Rumus slovin*. Penelitian ini dilakukan pada bulan Januari 2011. Cara pengumpulan data dalam penelitian ini dengan menggunakan kuisioner. Analisa data menggunakan *bivariate analisis*

Hasil penelitian hubungan antara tingkat pengetahuan tentang keputihan dengan kebersihan perineal menunjukkan bahwa Dari hasil di atas dapat di ketahui bahwa untuk pengetahuan tentang keputihan pada kategori rendah dengan kebersihan perineal pada kategori kurang adalah 11 siswi (14.9%); dan cukup sebanyak 1 siswi (1.4%) serta dengan kategori baik berjumlah nol (0%), totalnya adalah 16.2% atau 12 orang. Hasil untuk pengetahuan siswi tentang keputihan pada kategori sedang dengan kebersihan perineal pada kategori kurang adalah 6 siswi (8.1%), dan cukup sebanyak 24 orang siswi (32.4%) serta dengan kategori baik 2 (2.7%), totalnya adalah 32 orang atau (43.2%). Sedangkan Hasil untuk pengetahuan siswi tentang keputihan pada kategori tinggi dengan kebersihan perineal pada kategori kurang adalah 7 siswi (9.5%), dan cukup sebanyak 8 orang siswi (10.8%) serta dengan kategori baik 15 (20.3%), totalnya adalah 30 orang atau (40.5%)

Jadi dari hasil penelitian menunjukkan bahwa ada hubungan antara pengetahuan tentang keputihan dengan kebersihan perineal dengan Hasil uji statistik *Sparman Rank* menunjukkan nilai r korelasi sebesar 0,507 dan nilai signifikansi sebesar 0,000. Nilai signifikansi sebesar $0,000 < 0,05$ (taraf signifikan yang digunakan).

Kata Kunci : tingkat pengetahuan Keputihan, dan kebersihan perineal

Gatot Suparmanto (2011) Relationship Between Knowledge Level About Whitish With Cleaning perineal On Girls Class IX in SMPN 4 Gamping Sleman Yogyakarta

Advisor: Elsy Mariarosa SKM, M.KEP.

ABSTRACT

In medical language of whiteness is also called (leukore, flour albus, white discharge) is the name given to symptoms of discharge from the genitals are not a form of blood and vaginal discharge are not separate diseases but rather manifestation of a symptom of almost all diseases womb. About 75% of women in the world would have experienced vaginal discharge at least once a lifetime and as many as 45% of women experience vaginal discharge twice or more while in women who are in the European figure of 25% whiteness. Especially in Indonesia, the data available from women who experience vaginal discharge can be difficult to in, this can be understandable, as the little woman who checks her reproductive equipment problems Special In her adolescence, they need to know about early discharge and its cause, because, according to agency World health in transition of children into adulthood there are physiological changes women in particular, the area of reproductive organs and can be a problem in adolescents, if not know the context surrounding the reproductive organs and it is a new experience for young women.

This study aims to determine the relationship between students knowledge about whitish with perineal hygiene in class IX in SMPN 4 Gamping Sleman Yogyakarta. Metode in research is non-experimental descriptive study with cross sectional approach. The subject of research is Ms. SMPN 4 Gamping class IX. The sample in this study amounted to 74 respondents and sampling techniques using a formula slovin. This research was conducted in January 2011. The way of collecting data in this study by using questionnaires. Analysis of data using bivariate analysis

The results about relationship between knowledge level of whiteness with perineal hygiene show that From the above results can be in the know that for knowledge of whitish in lower categories with perineal hygiene in poor category were 11 female students (14.9%), and quite as much as 1 student (1.4%) and with good category numbered zero (0%), the total is 16.2% or 12 people. Results for students knowlegde about whiteness in the medium category with perineal hygiene in the poor category is 6 students (8.1%), and quite as many as 24 people girls (32.4%) and good category 2 (2.7%), the total is 32 people or (43.2 %). While the results for students knowledge about whiteness in the high category with perineal hygiene in the poor category is 7 students (9.5%), and quite as many as 8 people female students (10.8%) and with either category 15 (20.3%), the total is 30 people or (40.5%)

So from the results of research show that there is a relationship between knowledge about whiteness with perineal hygiene with Sperman Rank statistical test results showed a correlation r value of 0.507 and significance value of 0.000. Significance value of $0.000 < 0.05$ (significant