

LAMPIRAN

Source Code Website

1. *Source Code Index Admin*

```
<?php
include 'validateuser.php';
?>
<html>
<head>
    <title>Manajemen Arsip SK dan Sertifikat</title>
    <link rel="stylesheet" type="text/css" href="style1.css">
    <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700|Material+Icons">
    <link rel="stylesheet" href="https://unpkg.com/bootstrap-material-design@4.0.0-beta.3/dist/css/bootstrap-material-design.min.css" integrity="sha384-k5bjxeyx3S5yJJNRD1eKUMdngxuvfisWKku5dwHQq9Q/Lz6H8CyL89KF52ICpX4cL" crossorigin="anonymous">
</head>
<style>
.center {
    margin: auto;
    width:90%;
}
.rightd{
width: 30%;
display:inline-block;
margin: 0px;
float: right;
}
```

```
.colorgrey{
  color: #757575;
  margin-left: 20px;
}
.nav-margins{
  margin-right:25px;
}
</style>
<script>
function myFilter() {
  // Declare variables
  var input, filter, table, tr, td, i;
  input = document.getElementById("search_t");
  filter = input.value.toUpperCase();
  table = document.getElementById("table_sk");
  tr = table.getElementsByTagName("tr");
  // Loop through all table rows, and hide those who don't match the search query
  for (i = 0; i < tr.length; i++) {
    td = tr[i].getElementsByTagName("td")[1];
    if (td) {
      if (td.innerHTML.toUpperCase().indexOf(filter) > -1) {
        tr[i].style.display = "";
      } else {
        tr[i].style.display = "none";
      }
    }
  }
}
}
```

```

</script>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
  <a class="navbar-brand" href="#" style="margin-left:5%;">
    
  </a>
  <h4 class="colorgrey">Data Surat Keputusan </h4>
  <div class="collapse navbar-collapse justify-content-end"
  id="navbarNavDropdown">
    <ul class="navbar-nav " style="margin-right:35%;">
      <a class="nav-link nav-margins" href="form_simpan_super.php">Tambah
      Data</a>
      <a class="nav-link nav-margins" href="form_userbaru_super.php">Tambah
      User</a>
      <a class="nav-link nav-margins" href="daftaruser_super.php">Lihat Daftar
      User</a>
      <li class="nav-item dropdown ">
        <a class="nav-link dropdown-toggle" href="#"
        id="navbarDropdownMenuLink" data-toggle="dropdown" aria-haspopup="true"
        aria-expanded="false">
          
        </a>
        <div class="dropdown-menu" aria-
        labelledby="navbarDropdownMenuLink">
          <a class="dropdown-item" href="#">
            <?php
            include "koneksi.php";
            $query = "SELECT * FROM users WHERE NIK=". $_SESSION['NIK']. """;
            $sql = mysqli_query($connect, $query);

```

```

while($data = mysqli_fetch_array($sql))
{
    echo $data['username'];
} ?>
<?php include "koneksi.php";
$query = "SELECT * FROM users WHERE NIK=" .
$_SESSION['NIK']. "" ;
$sql = mysqli_query($connect, $query);
while($data = mysqli_fetch_array($sql))
{
    echo " / ";
    echo $data['hak_akses'];
}
?>
</a>
        <a class="dropdown-item" href="FormAwal.php">Home</a>
        <a class="dropdown-item" href="daftaruser_super.php">Data User</a>
        <a class="dropdown-item" href="index.php">Data Surat</a>
        <a class="dropdown-item" href="logout.php">Log Out</a>
    </div>
</li>
</ul>
</div>
</nav>
<div class="center">
    <br>
    <div class="rightd">
    <div class="form-group">

```

```

<input type="text" class="form-control" onkeyup="myFilter()" id="search_t"
placeholder="Pencarian berdasarkan nama data">

</div>

</div>

<table width="90%" id="table_sk" class="table table-striped">
<tr>
<th width="20%">Nama Dosen</th>
<th width="20%">Nama Data</th>
<th width="10%">Nomor Data</th>
<th width="10%">Tanggal Masuk</th>
<th width="25%">Perihal</th>
<th colspan="3">Aksi</th>
</tr>
<?php
// Load file koneksi.php
include "koneksi.php";

$query = "SELECT sk.id_sk, users.username, sk.nama_sk, sk.nomor_sk,
sk.tanggal_masuk, sk.keterangan, sk.foto_sk FROM users INNER JOIN sk ON
users.NIK=sk.NIDN"; // Query untuk menampilkan semua data siswa

$sql = mysqli_query($connect, $query); // Eksekusi/Jalankan query dari variabel
$query

while($data = mysqli_fetch_array($sql)){ // Ambil semua data dari hasil eksekusi
$sql

echo "<tr>";
echo "<td>".$data['username']."</td>";
echo "<td>".$data['nama_sk']."</td>";
echo "<td>".$data['nomor_sk']."</td>";
echo "<td>".$data['tanggal_masuk']."</td>";
echo "<td>".$data['keterangan']."</td>";

```

```

        echo          "<td><a          class='btn          btn-info'
href='detail_super.php?id=".$data['id_sk'].">Detail</a></td>";

        echo          "<td><a          class='btn          btn-primary'
href='form_ubah_super.php?id=".$data['id_sk'].">Ubah</a></td>";

        echo          "<td><a          class='btn          btn-danger'
href='proses_hapus.php?id=".$data['id_sk'].">Hapus</a></td>";

        echo "</tr>";
    }
?>
</table>
</div>

<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KChRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93h
XpG5KkN" crossorigin="anonymous"></script>

<script          src="https://unpkg.com/popper.js@1.12.5/dist/umd/popper.js"
integrity="sha384-
KIVcf2tswD0JOTQnzU4uwqXcbAy57PvV48YUiLjqpk/MJ2wExQhg9tuozn5A1i
Vw" crossorigin="anonymous"></script>

<script          src="https://unpkg.com/bootstrap-material-design@4.0.0-
beta.3/dist/js/bootstrap-material-design.js"          integrity="sha384-
hC7RwS0Uz+TOt6rNG8GX0xYcJ2EydZt1HeElNwQqW+3udRol4XwyBfISrN
DgQcGA" crossorigin="anonymous"></script>
</body>
</html>

```

2. Source Code Form User Baru

```

<?php
include 'validateuser.php';
?>
<html>
<head>
    <title>Manajemen Arsip SK dan Sertifikat</title>

```

```
<link rel="stylesheet" type="text/css" href="style1.css">
  <link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700|Material
+Icons">
  <link rel="stylesheet" href="https://unpkg.com/bootstrap-material-
design@4.0.0-beta.3/dist/css/bootstrap-material-design.min.css"
integrity="sha384-
k5bjxeyx3S5yJJNRD1eKUMdgxuvfisWKku5dwHQq9Q/Lz6H8CyL89KF52ICp
X4cL" crossorigin="anonymous">
  <script language="JavaScript" src="validjs.js"
type="text/javascript"></script>
</head>
<style>
body{ font: 14px sans-serif;
  background: url("http://4.bp.blogspot.com/-
TheELtJZ5R4/VLoz3cdidLI/AAAAAAAAATU/vb2qjAAVAZE/s1600/sportoriu
m_omy_by_tanziephotography-d33xlv3.jpg");
  background-attachment: fixed;
  background-position: center bottom;
  background-size:cover; }
.center {
  margin: auto;
  width:40%;
}
.right{
  position:relative;
  right: 0px;
  width: auto 0;
  margin: 10px;
}
```

```
select {
  border:0px;
  outline:0px;
  background: transparent;
  width: 200px;
  padding: 5px 35px 5px 5px;
  font-size: 16px;
  height: 34px;
  -webkit-appearance: none;
  -moz-appearance: none;
  appearance: none;
}
select::-ms-expand {
  display: none; /* remove default arrow on ie10 and ie11 */
}
/* target Internet Explorer 9 to undo the custom arrow */
@media screen and (min-width:0\0) {
  select {
    background:none\9;
    padding: 5px\9;
  }
}
</style>
<body>
  <div class="center">
    <h1>Tambah User</h1>
```



```

<form name="myform" method="post" action="proses_userbaru.php"
enctype="multipart/form-data">
<div class="card">
  <div class="card-body">
    <div class="form-group">
      <label for="NIK">NIK</label>
      <input type='number' class="form-control" name="NIK"
placeholder="Masukkan NIK User";>
    </div>
    <div class="form-group">
      <label for="username">Nama</label>
      <input type="text" class="form-control" name="username"
placeholder="Masukkan Nama User">
    </div>
    <div class="form-group">
      <label for="hak_akses">Hak Akses</label>
      <tr>
        <td>
          <br>
          <div style="border-bottom: 1px solid #BDBDBD;">
            <select name="hak_akses">
              <option value="">Pilih Hak Akses</option>
              <option value="Dosen">Dosen</option>
              <option value="Sekretariat">Sekretariat</option>
              <option value="Karyawan">Karyawan</option>
            </select>
          </div>
        </td>
      </tr>
      <div class="form-group">
        <label for="password">Password</label>

```

```

        <input type="password" class="form-control" name="password"
placeholder="Masukkan Password User">
    </div>
        <!--<div class="form-group">
            <label for="hak_akses">Hak Akses</label>
            <input type="text" class="form-control" name="hak_akses"
placeholder="Masukkan Hak Akses User">
        </div-->
        <div class="form-group">
            <div class="right">
                <a href="daftaruser.php"><input type="submit" class="btn btn-primary"
value="Simpan">
                    <input type="button" class="btn btn-secondary"
value="Batal"></a>
            </div>
        </div>
        <div id='myform_errorloc' style='color:red'>
            </div>
    </div>
</div>
</form>
<script language="JavaScript" type="text/javascript">
//You should create the validator only after the definition of the HTML form
var frmvalidator = new Validator("myform");
frmvalidator.EnableOnPageErrorDisplaySingleBox();
frmvalidator.EnableMsgsTogether();
frmvalidator.addValidation("NIK","req","NIK belum di isi");
frmvalidator.addValidation("NIK","maxlen=16","NIK wajib 16 angka");

```

```
frmvalidator.addValidation("NIK","minlen=16","NIK wajib 16 angka");
frmvalidator.addValidation("NIK","alnum","NIK tidak boleh mengandung
huruf");
frmvalidator.addValidation("username","req","Nama belum di isi");
frmvalidator.addValidation("username","alpha_s","Nama tidak boleh
mengandung angka atau symbol");
frmvalidator.addValidation("hak_akses","req","Hak Akses belum di pilih");
frmvalidator.addValidation("password","req","Password belum di isi");
</script>
</div>
</body>
</html>
```