

**LAMPIRAN 1**  
**DAFTAR SAMPEL PERUSAHAAN**

<b>No</b>	<b>Kode</b>	<b>Perusahaan</b>
1	ADES	Akasha Wira International Tbk
2	AKPI	Argha Karya Prima Industry Tbk
3	AKRA	AKR Corporindo Tbk
4	AMFG	Asahimas Flat Glass Tbk
5	APII	Arita Prima Indonesia Tbk
6	BATA	Sepatu BATA Tbk
7	BTON	Betonjaya Manunggal Tbk
8	DLTA	Delta Djakarta Tbk
9	DPNS	Duta Pertiwi Nusantara Tbk
10	DVLA	Darya-Varia Laboratoria Tbk
11	EKAD	Ekadharma International Tbk
12	FAST	Fast Food Indonesia Tbk
13	GGRM	Gudang Garam Tbk
14	ICBP	Indofood CBP Tbk
15	IGAR	Champion Pacific Indonesia Tbk
16	INAI	Indal alumunium Indusry Tbk
17	INDF	Indofood Tbk
18	INTP	Indocement Tunggul Prakarsa Tbk
19	KDSI	Kedawung Setia Industrial Tbk
20	KICI	Kedaung Indah Can Tbk
21	KLBF	Kalbe Farma Tbk
22	LION	Lion Metal Works Tbk
23	LMSH	Lionmesh Prima Tbk
24	MLBI	Multi Bintang Indonesia Tbk
25	MTDL	Metrodata Electronics Tbk
26	MYOR	Mayora Indah Tbk

27	NIPS	Nipress Tbk
28	PRAS	Prima Alloy Steel Universal Tbk
29	PYFA	Pyridam Farma Tbk
30	RDTX	Roda Vivatex Tbk
31	RICY	Ricky Putra Globalindo Tbk
32	ROTI	Nippon Indosari Corporindo Tbk
33	SIDO	Industri Jamu dan Farmasi Sido Muncul Tbk
34	SKBM	Sekarbumi Tbk
35	SMBR	Semen Baturaja Tbk
36	SMCB	Holcim Indonesia Tbk
37	SQBB	Taisho Pharmaceutal Indonesia Tbk
38	SRSN	Indo Acidatama Tbk
39	TBLA	Tunas Baru Lampung Tbk
40	TCID	Mandom Indonesia Tbk
41	TOTO	Surya Toto Indonesia Tbk
42	TRIS	Trisula International Tbk
43	TRST	Trias Sentosa Tbk
44	TSPC	Tempo Scan Tbk
45	ULTJ	Ultrajaya Milk Tbk
46	UNTR	United Tractors tbk
47	WIIM	Wisnilak Tbk

## LAMIPRAN 2

### DATA PERUSAHAAN SAMPEL

No	Tahun	Kode	Perusahaan	TH	KM	KA	UP	PL
1	2013	ADES	Akasha Wira International Tbk	0,3997	0,0000	0,1916	11,6445	0,3250
2	2013	AKPI	Argha Karya Prima Industry Tbk	0,5062	0,0000	0,0137	12,3190	0,4900
3	2013	AKRA	AKR	0,6335	0,0051	0,0335	13,1653	-

			Corporindo Tbk					0,1560
4	2013	AMFG	Asahimas Flat Glass Tbk	0,2200	0,0000	0,0419	12,5489	0,1960
5	2013	APII	Arita Prima Indonesia Tbk	0,3865	0,0248	0,3751	11,4764	0,9830
6	2013	BATA	Sepatu BATA Tbk	0,4170	0,0000	-0,1233	11,8329	-0,0730
7	2013	BTON	Betonjaya Manunggal Tbk	0,2119	0,0958	-0,1027	11,2458	0,4990
8	2013	DLTA	Delta Djakarta Tbk	0,2197	0,0000	-0,1375	11,9380	1,1500
9	2013	DPNS	Duta Pertiwi Nusantara Tbk	0,1285	0,0000	0,2038	11,4089	1,0170
10	2013	DVLA	Darya-Varia Laboratoria Tbk	0,2314	0,0000	-0,2187	12,0756	0,5940
11	2013	EKAD	Ekadharna International Tbk	0,3082	0,0000	0,0623	11,5361	0,6920
12	2013	FAST	Fast Food Indonesia Tbk	0,4571	0,0000	-0,0209	12,3071	0,1530
13	2013	GGRM	Gudang Garam Tbk	0,4206	0,0092	-0,0570	13,7056	0,2970
14	2013	ICBP	Indofood CBP Tbk	0,3762	0,0000	0,0077	13,3277	0,6100
15	2013	IGAR	Champion Pacific Indonesia Tbk	0,2828	0,0000	0,0041	11,4980	0,2100
16	2013	INAI	Indal alumunium Indusry Tbk	0,8351	0,0019	-0,5684	11,8842	0,2890

17	2013	INDF	Indofood Tbk	0,5086	0,0002	-0,1673	13,8926	0,3930
18	2013	INTP	Indocement Tunggul Prakarsa Tbk	0,1364	0,0000	0,0445	13,4250	0,8250
19	2013	KDSI	Kedawung Setia Industrial Tbk	0,5860	0,0000	-0,3995	11,9295	0,8700
20	2013	KICI	Kedaung Indah Can Tbk	0,2474	0,0023	0,0950	10,9925	-0,4070
21	2013	KLBF	Kalbe Farma Tbk	0,2488	0,0000	0,0775	13,0537	0,9520
22	2013	LION	Lion Metal Works Tbk	0,1660	0,0024	0,4970	11,6977	0,5430
23	2013	LMSH	Lionmesh Prima Tbk	0,2204	0,2558	0,0847	11,1514	0,0810
24	2013	MLBI	Multi Bintang Indonesia Tbk	0,4459	0,0000	0,1182	12,2509	1,0190
25	2013	MTDL	Metrodata Electronics Tbk	0,5950	0,0177	-0,0039	12,3612	0,6720
26	2013	MYOR	Mayora Indah Tbk	0,5990	0,0000	-0,0360	12,9872	1,2370
27	2013	NIPS	Nipress Tbk	0,7045	0,1240	-0,2848	11,9022	1,3770
28	2013	PRAS	Prima Alloy Steel Universal Tbk	0,4891	0,0496	0,0201	11,9007	0,4610
29	2013	PYFA	Pyridam Farma Tbk	0,4638	0,2308	-0,1773	11,2433	0,7210
30	2013	RDTX	Roda Vivatex Tbk	0,2597	0,0127	0,0522	12,1902	0,1380
31	2013	RICY	Ricky Putra Globalindo	0,6565	0,0000	-0,2177	12,0453	0,3160

			Tbk					
32	2013	ROTI	Nippon Indosari Corporindo Tbk	0,5680	0,0000	-0,2867	12,2607	0,7500
33	2013	SIDO	Industri Jamu dan Farmasi Sido Muncul Tbk	0,1105	0,8100	0,2806	12,4700	0,1760
34	2013	SKBM	Sekarbumi Tbk	0,5959	0,0172	-0,2696	11,6969	3,7960
35	2013	SMBR	Semen Baturaja Tbk	0,0902	0,0000	0,0609	12,4332	0,7960
36	2013	SMCB	Holcim Indonesia Tbk	0,4110	0,0000	-0,1393	13,1730	0,1380
37	2013	SQBB	Taisho Pharmaceutal Indonesia Tbk	0,1760	0,0000	0,0319	11,6245	0,0030
38	2013	SRSN	Indo Acidatama Tbk	0,2529	0,0941	0,2068	11,6241	-0,7050
39	2013	TBLA	Tunas Baru Lampung Tbk	0,7106	0,0010	-0,1659	12,7933	0,2410
40	2013	TCID	Mandom Indonesia Tbk	0,1930	0,0521	0,0345	12,1661	1,0370
41	2013	TOTO	Surya Toto Indonesia Tbk	0,4069	0,0000	0,0155	12,2421	0,3120
42	2013	TRIS	Trisula International Tbk	0,3713	0,0000	-0,0141	11,6523	-0,0940
43	2013	TRST	Trias Sentosa Tbk	0,4757	0,0150	-0,1028	12,5133	0,2610
44	2013	TSPC	Tempo Scan	0,2857	0,0010	0,0204	12,7330	0,8040

			Tbk					
45	2013	ULTJ	Ultrajaya Milk Tbk	0,2833	0,1780	0,0636	12,4490	0,1530
46	2013	UNTR	United Tractors tbk	0,3785	0,0006	-0,0778	13,7586	0,3930
47	2013	WIIM	Wismilak Tbk	0,3642	0,4752	0,4005	12,0896	0,4370
48	2014	ADES	Akasha Wira International Tbk	0,4121	0,0000	0,0007	11,7032	0,0580
49	2014	AKPI	Argha Karya Prima Industry Tbk	0,5349	0,0000	-0,0464	12,3477	0,4100
50	2014	AKRA	AKR Corporindo Tbk	0,5970	0,0073	0,0771	13,1700	-0,2720
51	2014	AMFG	Asahimas Flat Glass Tbk	0,1873	0,0000	-0,1340	12,5931	0,1450
52	2014	APII	Arita Prima Indonesia Tbk	0,5173	0,0248	-0,3420	11,6432	0,9960
53	2014	BATA	Sepatu BATA Tbk	0,4462	0,0000	-0,0341	11,8892	-1,0170
54	2014	BTON	Betonjaya Manunggal Tbk	0,1580	0,0958	0,4283	11,2409	9,8160
55	2014	DLTA	Delta Djakarta Tbk	0,2293	0,0000	0,0716	11,9965	1,0330
56	2014	DPNS	Duta Pertiwi Nusantara Tbk	0,1220	0,0000	0,0406	11,4296	-0,0010
57	2014	DVLA	Darya-Varia Laboratoria Tbk	0,2215	0,0000	0,0694	12,0921	0,1110
58	2014	EKAD	Ekadharma International Tbk	0,3358	0,0000	0,0028	11,6142	0,6550

59	2014	FAST	Fast Food Indonesia Tbk	0,4483	0,0000	0,1517	12,3350	0,5710
60	2014	GGRM	Gudang Garam Tbk	0,4293	0,0092	-0,0326	13,7651	0,0460
61	2014	ICBP	Indofood CBP Tbk	0,3962	0,0000	-0,1064	13,3964	0,2170
62	2014	IGAR	Champion Pacific Indonesia Tbk	0,2471	0,0000	0,1304	11,5439	-0,2420
63	2014	INAI	Indal alumunium Indusry Tbk	0,8375	0,0022	-0,1081	11,9529	-0,0160
64	2014	INDF	Indofood Tbk	0,5203	0,0002	0,0626	13,9342	0,0190
65	2014	INTP	Indocement Tunggul Prakarsa Tbk	0,1419	0,0000	0,0892	13,4607	0,8580
66	2014	KDSI	Kedawung Setia Industrial Tbk	0,5836	0,0000	0,0103	11,9787	0,8880
67	2014	KICI	Kedaung Indah Can Tbk	0,1867	0,0023	0,0827	10,9856	0,0880
68	2014	KLBF	Kalbe Farma Tbk	0,2099	0,0000	0,0891	13,0943	0,8750
69	2014	LION	Lion Metal Works Tbk	0,2602	0,0024	0,0305	11,7782	0,3150
70	2014	LMSH	Lionmesh Prima Tbk	0,1713	0,2518	0,0345	11,1459	0,0070
71	2014	MLBI	Multi Bintang Indonesia Tbk	0,7518	0,0000	-0,7383	12,3485	0,4250
72	2014	MTDL	Metrodata Electronics	0,5739	0,0177	-0,0640	12,4377	1,4820

			Tbk					
73	2014	MYOR	Mayora Indah Tbk	0,6015	0,0000	0,0930	13,0125	- 0,0330
74	2014	NIPS	Nipress Tbk	0,5228	0,0601	0,2604	12,0817	1,1430
75	2014	PRAS	Prima Alloy Steel Universal Tbk	0,4670	0,0496	0,0528	12,1095	0,2400
76	2014	PYFA	Pyridam Farma Tbk	0,4410	0,2308	0,0881	11,2374	- 0,4450
77	2014	RDTX	Roda Vivatex Tbk	0,1775	0,0127	0,1921	12,2158	0,3990
78	2014	RICY	Ricky Putra Globalindo Tbk	0,6615	0,0000	-0,0150	12,0685	- 0,1130
79	2014	ROTI	Nippon Indosari Corporindo Tbk	0,5520	0,0000	-0,0046	12,3310	0,4910
80	2014	SIDO	Industri Jamu dan Farmasi Sido Muncul Tbk	0,0662	0,8100	0,2359	12,4505	- 0,5090
81	2014	SKBM	Sekarbumi Tbk	0,5106	0,0313	0,0658	11,8126	1,4440
82	2014	SMBR	Semen Baturaja Tbk	0,0715	0,0000	0,0340	12,4663	0,7360
83	2014	SMCB	Holcim Indonesia Tbk	0,4906	0,0000	-0,1742	13,2354	0,1740
84	2014	SQBB	Taisho Pharmaceutal Indonesia Tbk	0,1970	0,0000	-0,3165	11,6621	0,6100
85	2014	SRSN	Indo Acidatama Tbk	0,2903	0,1159	-0,0516	11,6659	- 0,6360
86	2014	TBLA	Tunas Baru	0,6637	0,0008	0,1399	12,8650	-



			Lampung Tbk					0,4010
87	2014	TCID	Mandom Indonesia Tbk	0,3074	0,0520	-0,0627	12,2679	1,2100
88	2014	TOTO	Surya Toto Indonesia Tbk	0,3927	0,0000	0,1826	12,3069	1,2740
89	2014	TRIS	Trisula International Tbk	0,4092	0,0000	-0,0181	11,7192	-0,1530
90	2014	TRST	Trias Sentosa Tbk	0,4599	0,0119	0,0145	12,5134	0,8240
91	2014	TSPC	Tempo Scan Tbk	0,2611	0,0008	0,1306	12,7476	0,4280
92	2014	ULTJ	Ultrajaya Milk Tbk	0,2235	0,1791	-0,0279	12,4649	0,5020
93	2014	UNTR	United Tractors tbk	0,3602	0,0006	0,0114	13,7803	0,2240
94	2014	WIIM	Wismilak Tbk	0,3590	0,4752	0,0931	12,1248	0,2600
95	2015	ADES	Akasha Wira International Tbk	0,4973	0,0000	-0,1324	11,8151	-0,0220
96	2015	AKPI	Argha Karya Prima Industry Tbk	0,6158	0,0000	-0,1935	12,4599	0,4980
97	2015	AKRA	AKR Corporindo Tbk	0,5207	0,0068	0,0669	13,1819	-0,4920
98	2015	AMFG	Asahimas Flat Glass Tbk	0,2061	0,0000	0,0835	12,6305	-0,2360
99	2015	APII	Arita Prima Indonesia Tbk	0,4771	0,0248	0,2048	11,6252	0,5160
100	2015	BATA	Sepatu BATA Tbk	0,3119	0,0000	0,2428	11,9005	0,8290

101	2015	BTON	Betonjaya Manunggal Tbk	0,1857	0,0958	-0,2555	11,2627	0,2520
102	2015	DLTA	Delta Djakarta Tbk	0,1817	0,0000	0,1940	12,0163	0,4280
103	2015	DPNS	Duta Pertiwi Nusantara Tbk	0,1209	0,0000	-0,0791	11,4385	-0,0130
104	2015	DVLA	Darya-Varia Laboratoria Tbk	0,2926	0,0000	-0,1375	12,1387	0,1640
105	2015	EKAD	Ekadharna International Tbk	0,2508	0,0000	0,1836	11,5907	1,1220
106	2015	FAST	Fast Food Indonesia Tbk	0,5175	0,0000	0,1709	12,3637	-0,4550
107	2015	GGRM	Gudang Garam Tbk	0,4015	0,0092	-0,0019	13,8028	1,1080
108	2015	ICBP	Indofood CBP Tbk	0,3830	0,0000	0,0622	13,4242	1,1150
109	2015	IGAR	Champion Pacific Indonesia Tbk	0,1914	0,0000	0,0240	11,5843	-0,0350
110	2015	INAI	Indal alumunium Indusry Tbk	0,8197	0,0050	-0,2439	12,1239	-0,2110
111	2015	INDF	Indofood Tbk	0,5304	0,0002	-0,0205	13,9630	-0,8040
112	2015	INTP	Indocement Tunggul Prakarsa Tbk	0,1365	0,0000	0,0776	13,4415	0,4220
113	2015	KDSI	Kedawung Setia Industrial Tbk	0,6781	0,0000	-0,2766	12,0708	-0,2330
114	2015	KICI	Kedaung Indah Can	0,3023	0,0023	0,1071	11,1266	0,2350

			Tbk					
115	2015	KLBF	Kalbe Farma Tbk	0,2014	0,0001	-0,0113	13,1366	0,8630
116	2015	LION	Lion Metal Works Tbk	0,2889	0,0024	0,0864	11,8057	0,1480
117	2015	LMSH	Lionmesh Prima Tbk	0,1595	0,2558	0,0854	11,1264	0,0090
118	2015	MLBI	Multi Bintang Indonesia Tbk	0,6352	0,0000	0,1432	12,3224	0,0090
119	2015	MTDL	Metrodata Electronics Tbk	0,5570	0,0177	-0,0184	12,5437	1,1710
120	2015	MYOR	Mayora Indah Tbk	0,5420	0,0000	0,0395	13,0547	-0,6600
121	2015	NIPS	Nipress Tbk	0,6065	0,0337	-0,2638	12,1897	0,4780
122	2015	PRAS	Prima Alloy Steel Universal Tbk	0,5296	0,0496	-0,0444	12,1852	0,2820
123	2015	PYFA	Pyridam Farma Tbk	0,3672	0,2308	0,1137	11,2040	0,0570
124	2015	RDTX	Roda Vivatex Tbk	0,1509	0,0103	0,0052	12,2723	0,7840
125	2015	RICY	Ricky Putra Globalindo Tbk	0,6661	0,0000	-0,0363	12,0785	-0,6040
126	2015	ROTI	Nippon Indosari Corporindo Tbk	0,5608	0,0000	-0,1652	12,4324	1,5610
127	2015	SIDO	Industri Jamu dan Farmasi Sido Muncul Tbk	0,0707	0,8100	0,1356	12,4466	0,6340
128	2015	SKBM	Sekarbumi Tbk	0,5499	0,0311	-0,0708	11,8834	0,4400

129	2015	SMBR	Semen Baturaja Tbk	0,0977	0,0000	0,3187	12,5144	0,5890
130	2015	SMCB	Holcim Indonesia Tbk	0,5122	0,0000	-0,0220	13,2386	0,0060
131	2015	SQBB	Taisho Pharmaceutal Indonesia Tbk	0,2370	0,0000	0,1807	11,6665	0,6610
132	2015	SRSN	Indo Acidatama Tbk	0,4076	0,1159	-0,1699	11,7590	-0,4110
133	2015	TBLA	Tunas Baru Lampung Tbk	0,6899	0,0008	-0,2223	12,9677	-0,5050
134	2015	TCID	Mandom Indonesia Tbk	0,1781	0,0014	0,2344	12,3143	8,3030
135	2015	TOTO	Surya Toto Indonesia Tbk	0,3886	0,0000	0,0710	12,3873	0,6560
136	2015	TRIS	Trisula International Tbk	0,4268	0,0108	-0,0482	11,7592	-0,2250
137	2015	TRST	Trias Sentosa Tbk	0,4171	0,0286	0,0792	12,5260	0,5030
138	2015	TSPC	Tempo Scan Tbk	0,3099	0,0007	-0,0887	12,7983	0,1830
139	2015	ULTJ	Ultrajaya Milk Tbk	0,2097	0,1791	0,2191	12,5490	0,5200
140	2015	UNTR	United Tractors tbk	0,3640	0,0000	-0,0709	13,7904	-0,6600
141	2015	WIIM	Wisnilak Tbk	0,2972	0,2460	0,1446	12,1280	-0,2270

**LAMPIRAN 3**  
**HASIL REGRESI PERSISTENSI LABA**

**TAHUN 2013**

**1. ADES**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	34170838 842,533	14489677 749,135		2,358	,100
	Xit-1	,336	,325	,512	1,033	,378

a Dependent Variable: Xit

## 2. AKPI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	25918946 166,775	38792823 558,811		,668	,552
	Xit-1	,490	,570	,445	,861	,453

a Dependent Variable: Xit

## 3. AKRA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	95980156 9764,397	59208083 1680,425		1,621	,203
	Xit-1	-,156	,545	-,163	-,287	,793

a Dependent Variable: Xit

## 4. AMFG

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	23258481 0815,203	16339040 1515,696		1,423	,250
	Xit-1	,196	,578	,193	,340	,756

a Dependent Variable: Xit

### 5. APII

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	49055992	49055992		1,000	,391
	Xit-1	50,000 ,983	50,000 ,559	,713	1,759	,177

a Dependent Variable: Xit

### 6. BATA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	62653472	10109750		6,197	,008
	Xit-1	470,584 ,073	282,208 ,114	-,347	-,640	,568

a Dependent Variable: Xit

### 7. BTON

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	92866948	10523620		,882	,443
	Xit-1	64,567 ,499	674,608 ,594	,436	,840	,463

a Dependent Variable: Xit

### 8. DLTA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	15123222	46696021		,324	,767
	Xit-1	827,807 ,150	157,075 ,308	,907	3,728	,034

a Dependent Variable: Xit

## 9. DPNS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	15101516	13919874		1,085	,357
	Xit-1	993,538 1,017	361,615 1,110	,468		

a Dependent Variable: Xit

## 10. DVLA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	53564550	37347585		1,434	,247
	Xit-1	610,944 ,594	602,261 ,343	,707		

a Dependent Variable: Xit

## 11. EKAD

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	13821346	41916639		3,297	,046
	Xit-1	259,931 ,692	71,556 ,173	,918		

a Dependent Variable: Xit

## 12. FAST

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	16567994	75190654		2,203	,115
	Xit-1	8043,828 ,153	167,661 ,392	,220		



a Dependent Variable: Xit

### 13. GGRM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	31160745 89310,175	78521000 9465,350		3,968	,029
	Xit-1	,297	,203	,645	1,462	,240

a Dependent Variable: Xit

### 14. ICBP

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	93100401 8315,679	53433455 7223,689		1,742	,180
	Xit-1	,610	,333	,727	1,834	,164

a Dependent Variable: Xit

### 15. IGAR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	36752595 505,417	11163329 408,159		3,292	,046
	Xit-1	,210	,257	,426	,817	,474

a Dependent Variable: Xit

### 16. INAI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	84231007 49,594	97017278 29,668		,868	,449
	Xit-1	,289	,534	,299	,542	,626

a Dependent Variable: Xit

### 17. INDF

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	25416781 15895,750	11816911 74607,980		2,151	,121
	Xit-1	,393	,308	,593	1,275	,292

a Dependent Variable: Xit

### 18. INTP

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	12174662 68056,645	61989368 6074,645		1,964	,144
	Xit-1	,825	,184	,933	4,478	,021

a Dependent Variable: Xit

### 19. KDSI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	84984779 84,016	48926650 09,462		1,737	,181
	Xit-1	,870	,226	,912	3,848	,031

a Dependent Variable: Xit

### 20. KICI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	19111635 99,701	23287788 51,624		,821	,472
	Xit-1	-,407	,717	-,311	-,567	,610

a Dependent Variable: Xit

## 21. KLBF

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	29130609	87268033		3,338	,044
	Xit-1	4919,739 ,952	046,745 ,065	,993	14,687	,001

a Dependent Variable: Xit

## 22. LION

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	28056796	25204984		1,113	,347
	Xit-1	012,681 ,543	310,616 ,475	,551	1,144	,336

a Dependent Variable: Xit

## 23. LMSH

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	14110362	11233606		1,256	,298
	Xit-1	664,782 ,081	463,952 ,566	,082	,143	,895

a Dependent Variable: Xit

## 24. MLBI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	13708694	42670999		,321	,769
	Xit-1	3591,540 1,019	5240,347 1,051	,489	,970	,404

a Dependent Variable: Xit

## 25. MTDL

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	45724939 695,311	88252518 882,622		,518	,640
	Xit-1	,672	1,000	,362	,672	,550

a Dependent Variable: Xit

## 26. MYOR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	61650592 448,255	17402924 4447,879		,354	,747
	Xit-1	1,237	,352	,897	3,518	,039

a Dependent Variable: Xit

## 27. NIPS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	31506446 98,737	46919109 41,278		,672	,550
	Xit-1	1,377	,339	,920	4,063	,027

a Dependent Variable: Xit

## 28. PRAS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	19582787 65,210	10329676 862,385		,190	,862
	Xit-1	,461	,548	,437	,841	,462

a Dependent Variable: Xit

### 29. PYFA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	19346327 06,309	78664867 3,610		2,459	,091
	Xit-1	,721	,183	,915	3,936	,029

a Dependent Variable: Xit

### 30. RDTX

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	12638857 2386,920	67951132 296,708		1,860	,160
	Xit-1	,138	,568	,139	,243	,824

a Dependent Variable: Xit

### 31. RICY

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	83130322 23,721	23529387 30,427		3,533	,039
	Xit-1	,316	,206	,664	1,538	,222

a Dependent Variable: Xit

### 32. ROTI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	49811488 893,201	28900752 333,769		1,724	,183
	Xit-1	,750	,302	,820	2,481	,089

a Dependent Variable: Xit

### 33. SIDO

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	45531223 21,404	25013688 56,762		1,820	,166
	Xit-1	,176	,470	,212	,375	,733

a Dependent Variable: Xit

### 34. SKBM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	31873667 9,809	66482910 62,440		,048	,965
	Xit-1	3,796	1,006	,909	3,776	,033

a Dependent Variable: Xit

### 35. SMBR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	74628130 750,000	74628130 750,000		1,000	,391
	Xit-1	,796	,559	,635	1,424	,250

a Dependent Variable: Xit

### 36. SMCB

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	89952325 2733,366	27359983 9106,970		3,288	,046
	Xit-1	,138	,287	,267	,481	,664

a Dependent Variable: Xit

### 37. SQBB

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	12545695	70740247			
		9595,719	869,306		1,773	,174
	Xit-1	,003	,609	,002	,004	,997

a Dependent Variable: Xit

### 38. SRSN

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	30128376	31785501			
		698,022	30,827		9,479	,002
	Xit-1	-,705	,175	-,919	-4,030	,027

a Dependent Variable: Xit

### 39. TBLA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	17395491	13482346			
		3794,935	4129,760		1,290	,287
	Xit-1	,241	,532	,253	,453	,681

a Dependent Variable: Xit

### 40. TCID

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	41033959	72690777			
		11,948	45,432		,565	,612
	Xit-1	1,037	,055	,996	18,958	,000

a Dependent Variable: Xit

#### 41. TOTO

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	15771767 7106,877	19666665 555,637		8,020	,004
	Xit-1	,312	,104	,865	2,992	,058

a Dependent Variable: Xit

#### 42. TRIS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	96107762 839,485	94927616 563,660		1,012	,386
	Xit-1	-,094	,560	-,097	-,169	,877

a Dependent Variable: Xit

#### 43. TRST

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	75408740 908,095	76640518 226,454		,984	,398
	Xit-1	,261	,661	,222	,395	,719

a Dependent Variable: Xit

#### 44. TSPC

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	15646291 6250,254	92381793 683,878		1,694	,189
	Xit-1	,804	,186	,928	4,316	,023



a Dependent Variable: Xit

#### 45. ULTJ

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	16119153 7293,404	13050124 3752,408		1,235	,305
	Xit-1	,153	,592	,147	,258	,813

a Dependent Variable: Xit

#### 46. UNTR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	31007235 22688,180	15759927 47882,749		1,967	,144
	Xit-1	,393	,344	,551	1,143	,336

a Dependent Variable: Xit

#### 47. WIIM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	49734410 395,652	39415317 661,475		1,262	,296
	Xit-1	,437	,584	,397	,749	,508

a Dependent Variable: Xit

## TAHUN 2014

### 1. ADES

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	43042096	25153230		1,711	,186
	Xit-1	476,323	870,794			
		,058	,514	,065	,113	,917

a Dependent Variable: Xit

### 2. AKPI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	19725694	79581107		2,479	,089
	Xit-1	220,596	36,164			
		,410	,126	,882	3,242	,048

a Dependent Variable: Xit

### 3. AKRA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	11582336	58215550		1,990	,141
	Xit-1	25644,504	0238,250			
		-,272	,522	-,288	-,521	,638

a Dependent Variable: Xit

### 4. AMFG

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	32125913	74122666		4,334	,023

Xit-1	7447,252 ,145	295,236 ,244	,324	,593	,595
-------	------------------	-----------------	------	------	------

a Dependent Variable: Xit

## 5. APII

### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	64294044 58,755	53751699 21,506		1,196	,318
	Xit-1	,996	,386	,830	2,581	,082

a Dependent Variable: Xit

## 6. BATA

### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	11825079 4352,472	18208519 263,647		6,494	,007
	Xit-1	-1,017	,317	-,880	-3,210	,049

a Dependent Variable: Xit

## 7. BTON

### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	- 91549008 453,370	14483602 5229,236		-,632	,572
	Xit-1	9,816	7,616	,597	1,289	,288

a Dependent Variable: Xit

## 8. DLTA

### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	25194985 581,434	49040993 836,393		,514	,643

Xit-1	1,033	,258	,918	4,002	,028
-------	-------	------	------	-------	------

a Dependent Variable: Xit

## 9. DPNS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	21892243	18015345		1,215	,311
	Xit-1	574,155	222,221			
		-,001	,560	-,001	-,002	,998

a Dependent Variable: Xit

## 10. DVLA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	10480245	59285918		1,768	,175
	Xit-1	0188,378	450,088			
		,111	,501	,127	,221	,839

a Dependent Variable: Xit

## 11. EKAD

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	14883034	68322490		2,178	,118
	Xit-1	623,107	25,714			
		,655	,228	,857	2,875	,064

a Dependent Variable: Xit

## 12. FAST

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	77519406	12247262		,633	,572
	Xit-1	077,953	2125,851			
		,571	,624	,467	,914	,428

a Dependent Variable: Xit

### 13. GGRM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	44112536	25613549		1,722	,184
	Xit-1	55458,932 ,046	51300,470 ,603	,044		

a Dependent Variable: Xit

### 14. ICBP

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	18266443	16424030		11,122	,002
	Xit-1	35281,270 ,217	6769,553 ,087	,823		

a Dependent Variable: Xit

### 15. IGAR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	59594202	25091148		2,375	,098
	Xit-1	519,109 ,242	671,151 ,547	-,248		

a Dependent Variable: Xit

### 16. INAI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	18756220	56301678		3,331	,045
	Xit-1	947,263 ,016	18,838 ,308	-,030		

a Dependent Variable: Xit

## 17. INDF

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	42103420	16411220		2,566	,083
	Xit-1	53579,108 ,019	17982,600 ,405	,027		

a Dependent Variable: Xit

## 18. INTP

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	10581073	81498294		1,298	,285
	Xit-1	88670,451 ,858	3456,286 ,205	,924		

a Dependent Variable: Xit

## 19. KDSI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	98223713	67079847		1,464	,239
	Xit-1	09,531 ,888	89,274 ,250	,899		

a Dependent Variable: Xit

## 20. KICI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	34573430	14550520		2,376	,098
	Xit-1	12,645 ,088	98,365 ,328	,154		

a Dependent Variable: Xit

## 21. KLBF

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	40529441	92011691			
	Xit-1	8372,630 ,875	967,738 ,059	,993	4,405 14,897	,022 ,001

a Dependent Variable: Xit

## 22. LION

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	40685966	26743951			
	Xit-1	409,122 ,315	089,496 ,460	,367	1,521 ,684	,226 ,543

a Dependent Variable: Xit

## 23. LMSH

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	16195304	11063529			
	Xit-1	418,290 ,007	108,240 ,541	,008	1,464 ,013	,239 ,990

a Dependent Variable: Xit

## 24. MLBI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	40021971	28991389			
	Xit-1	7458,969 ,425	2656,868 ,502	,439	1,380 ,847	,261 ,459

a Dependent Variable: Xit

## 25. MTDL

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	-	60456752			
		75780668	308,770		-,125	,908
	Xit-1	1,482	,547	,843	2,713	,073

a Dependent Variable: Xit

## 26. MYOR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	66064414	38214599			
		2397,041	8599,533		1,729	,182
	Xit-1	-,033	,563	-,034	-,059	,957

a Dependent Variable: Xit

## 27. NIPS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	65774305	49892765			
		93,252	69,848		1,318	,279
	Xit-1	1,143	,225	,947	5,091	,015

a Dependent Variable: Xit

## 28. PRAS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	86308599	25707973			
		68,343	42,821		3,357	,044
	Xit-1	,240	,138	,708	1,738	,181

a Dependent Variable: Xit



## 29. PYFA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	69024622 48,184	38477208 15,985		1,794	,171
	Xit-1	-,445	,769	-,317	-,579	,603

a Dependent Variable: Xit

## 30. RDTX

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	11136091 1585,027	97683565 709,491		1,140	,337
	Xit-1	,399	,666	,327	,600	,591

a Dependent Variable: Xit

## 31. RICY

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	13961868 682,127	43936634 51,375		3,178	,050
	Xit-1	-,113	,387	-,166	-,291	,790

a Dependent Variable: Xit

## 32. ROTI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	90924253 628,153	17992388 689,648		5,053	,015
	Xit-1	,491	,151	,882	3,244	,048

a Dependent Variable: Xit

### 33. SIDO

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	80198707	27802711			
	Xit-1	63,465 -,509	82,406 ,462		2,885 -1,101	,063 ,351

a Dependent Variable: Xit

### 34. SKBM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	11043442	10454542			
	Xit-1	059,282 1,444	871,780 ,389		1,056 3,713	,368 ,034

a Dependent Variable: Xit

### 35. SMBR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	99401903	81295494			
	Xit-1	503,545 ,736	980,372 ,421		1,223 1,749	,309 ,179

a Dependent Variable: Xit

### 36. SMCB

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	79571108	75460424			
	Xit-1	9790,993 ,174	4716,422 ,727		1,054 ,239	,369 ,827

a Dependent Variable: Xit

### 37. SQBB

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	55770547	84628225			
	Xit-1	219,587 ,610	798,226 ,665	,468	,659 ,916	,557 ,427

a Dependent Variable: Xit

### 38. SRSN

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	27958609	55262903			
	Xit-1	976,781 ,636	30,923 ,287	-,788	5,059 -2,218	,015 ,113

a Dependent Variable: Xit

### 39. TBLA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	37842605	15513275			
	Xit-1	7846,817 ,401	1369,297 ,608	-,356	2,439 -,659	,093 ,557

a Dependent Variable: Xit

### 40. TCID

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	-	81868454			
	Xit-1	19463880 813,824 1,210	53,530 ,058	,997	-2,377 20,976	,098 ,000

a Dependent Variable: Xit

#### 41. TOTO

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	-	10797070			
		35824688 609,089	7149,113		-,332	,762
	Xit-1	1,274	,503	,825	2,531	,085

a Dependent Variable: Xit

#### 42. TRIS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	10929143	95040183			
		8460,416	533,673		1,150	,334
	Xit-1	-,153	,556	-,157	-,275	,801

a Dependent Variable: Xit

#### 43. TRST

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	-	43272566			
		45084976 27,171	888,344		-,104	,924
	Xit-1	,824	,380	,782	2,172	,118

a Dependent Variable: Xit

#### 44. TSPC

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	35549914	79362102			
		3263,139	417,735		4,479	,021
	Xit-1	,428	,143	,865	2,985	,058

a Dependent Variable: Xit

#### 45. ULTJ

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	13905830	93771365		1,483	,235
		4203,882	238,218			
	Xit-1	,502	,414	,573	1,211	,313

a Dependent Variable: Xit

#### 46. UNTR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	39492058	22844634		1,729	,182
		06615,009	25969,725			
	Xit-1	,224	,465	,268	,482	,663

a Dependent Variable: Xit

#### 47. WIIM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta	B	Std. Error
1	(Constant)	72690418	41269549		1,761	,176
		636,795	988,773			
	Xit-1	,260	,460	,310	,564	,612

a Dependent Variable: Xit

### TAHUN 2015

#### 1. ADES

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	46763289	288759198		1,619	,204
		022,513	82,326			
	Xit-1	-,022	,573	-,022	-,038	,972

a Dependent Variable: Xit

## 2. AKPI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	14681762 804,869	131086582 38,227		1,120	,344
	Xit-1	,498	,292	,702	1,705	,187

a Dependent Variable: Xit

## 3. AKRA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1637634 564312,1 57	513121039 579,919		3,192	,050
	Xit-1	-,492	,431	-,550	-1,140	,337

a Dependent Variable: Xit

## 4. AMFG

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	45132247 4328,460	200793464 638,129		2,248	,110
	Xit-1	-,236	,547	-,242	-,432	,695

a Dependent Variable: Xit

## 5. APII

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	136658103 07,391	931892959 8,892		1,466	,239
	Xit-1	,516	,391	,606	1,318	,279

a Dependent Variable: Xit

## 6. BATA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	240570909	102918111		,234	,830
	Xit-1	85,290 829	438,806 1,679	,274	,494	,655

a. Dependent Variable: Xit

## 7. BTON

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	130203224	10866398		1,198	,317
	Xit-1	34,993 252	608,615 ,571	,247	,441	,689

a. Dependent Variable: Xit

## 8. DLTA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	153681007	107937224		1,424	,250
	Xit-1	039,503 428	855,737 ,436	,493	,983	,398

a. Dependent Variable: Xit

## 9. DPNS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	213232419	19119974		1,115	,346
	Xit-1	91,251 -013	856,857 ,585	-,013	-,023	,983

a. Dependent Variable: Xit

## 10. DVLA

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	977830936	68833142		1,421	,251
	Xit-1	31,762 <b>,164</b>	296,925 ,575	,162	,284	,795

a Dependent Variable: Xit

## 11. EKAD

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	344774799	12243901		,282	,797
	Xit-1	2,374 <b>1,122</b>	054,622 ,312	,901	3,594	,037

a Dependent Variable: Xit

## 12. FAST

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	278394125	166177477		1,675	,192
	Xit-1	086,898 <b>-,455</b>	137,206 ,823	-,304	-,552	,619

a Dependent Variable: Xit

## 13. GGRM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	349652734	3101801551		,113	,917
	Xit-1	729,233 <b>1,108</b>	795,323 ,608	,725	1,821	,166

a Dependent Variable: Xit



### 14. ICBP

**Coefficients(a)**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	-396147383 33,618	7489640600 78,308		-,053	,961
Xit-1	1,115	,338	,885	3,298	,046

a Dependent Variable: Xit

### 15. IGAR

**Coefficients(a)**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	500061167 09,887	2777549671 8,547		1,800	,170
Xit-1	-,035	,563	-,036	-,063	,954

a Dependent Variable: Xit

### 16. INAI

**Coefficients(a)**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	250309282 22,155	1252820677 1,329		1,998	,140
Xit-1	-,211	,625	-,191	-,338	,758

a Dependent Variable: Xit

### 17. INDF

**Coefficients(a)**

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	798455027 0122,350	1790460683 249,519		4,459	,021
Xit-1	-,804	,398	-,759	-2,022	,136

a Dependent Variable: Xit

### 18. INTP

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	275847892	1507965779		1,829	,165
	Xit-1	7356,905 ,422	395,119 ,339	,584		

a Dependent Variable: Xit

### 19. KDSI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	381227676	219892726		1,734	,181
	Xit-1	61,082 ,233	99,521 ,658	-,200		

a Dependent Variable: Xit

### 20. KICI

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	289244822	268327583		1,078	,360
	Xit-1	6,725 ,235	2,187 ,570	,232		

a Dependent Variable: Xit

### 21. KLBF

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	531716962	611830200		,869	,449
	Xit-1	585,510 ,863	354,975 ,316	,845		

a Dependent Variable: Xit

### 22. LION

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	509222288 22,390	30875108 711,080		1,649	,198
	Xit-1	,148	,513	,164	,288	,792

a Dependent Variable: Xit

### 23. LMSH

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	150819364 95,454	1280190883 5,975		1,178	,324
	Xit-1	,009	,619	,008	,014	,990

a Dependent Variable: Xit

### 24. MLBI

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	582237906 079,249	363437366 518,866		1,602	,207
	Xit-1	,091	,550	,095	,166	,879

a Dependent Variable: Xit

### 25. MTDL

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	35159174 989,362	7308369870 9,023		,481	,663
	Xit-1	1,171	,382	,870	3,063	,055

a Dependent Variable: Xit

### 26. MYOR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	121121283 9253,327	4685680731 78,600		2,585	,081
	Xit-1	-,660	,687	-,485	-,961	,407

a Dependent Variable: Xit

**27. NIPS****Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	223456264 46,685	1609501272 0,230		1,388	,259
	Xit-1	,478	,430	,540	1,111	,348

a Dependent Variable: Xit

**28. PRAS****Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	815691297 7,206	477146446 2,638		1,710	,186
	Xit-1	,282	,420	,361	,671	,550

a Dependent Variable: Xit

**29. PYFA****Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	304894860 8,930	226252608 4,215		1,348	,271
	Xit-1	,057	,567	,058	,100	,927

a Dependent Variable: Xit

**30. RDTX****Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	546607429 44,470	909665415 84,680		,601	,590
	Xit-1	,784	,499	,672	1,571	,214

a Dependent Variable: Xit

### 31. RICY

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	2101493724 4,574	552846545 5,757		3,801	,032
	Xit-1	-,604	,421	-,637	-1,432	,248

a Dependent Variable: Xit

### 32. ROTI

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	-45664009862 ,354	493246594 80,001		-,926	,423
	Xit-1	1,561	,338	,936	4,612	,019

a Dependent Variable: Xit

### 33. SIDO

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	1946371459 82,934	158778635 491,560		1,226	,308
	Xit-1	,634	,445	,636	1,426	,249

a Dependent Variable: Xit

### 34. SKBM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2689971085 1,975	211355834 15,171		1,273	,293
	Xit-1	,440	,436	,504	1,009	,387

a Dependent Variable: Xit

**35. SMBR**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	148695071 280,851	8623271274 0,123		1,724	,183
	Xit-1	,589	,352	,694	1,671	,193

a Dependent Variable: Xit

**36. SMCB**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	9386963680 33,297	1152446058 304,931		,815	,475
	Xit-1	,006	1,092	,003	,005	,996

a Dependent Variable: Xit

**37. SQBB**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	6988334458 8,356	5230483336 0,843		1,336	,274
	Xit-1	,661	,349	,738	1,892	,155

a Dependent Variable: Xit

**38. SRSN**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	2409428740	5995027652		4,019	,028
	Xit-1	0,595 -,411	,438 ,355			
				-,556	-1,158	,331

a Dependent Variable: Xit

### 39. TBLA

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	4730656857	174273222		2,715	,073
	Xit-1	88,137 -,505	578,412 ,494			
				-,508	-1,021	,382

a Dependent Variable: Xit

### 40. TCID

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	-	496103276		-2,065	,131
	Xit-1	102432959 8008,126 8,303	660,491 3,256			
				,827	2,550	,084

a Dependent Variable: Xit

### 41. TOTO

#### Coefficients(a)

Model		Unstandardized Coefficients		Standardized Coefficients		
		B	Std. Error	Beta	t	Sig.
1	(Constant)	99408327	8557076775		1,162	,329
	Xit-1	116,088 ,656	7,694 ,359			
				,726	1,829	,165

a Dependent Variable: Xit

### 42. TRIS

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	126832157 943,661	9310224037 5,632		1,362	,266
	Xit-1	-,225	,542	-,233	-,415	,706

a Dependent Variable: Xit

**43. TRST**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	2643313570 0,646	396926998 81,195		,666	,553
	Xit-1	,503	,404	,584	1,245	,301

a Dependent Variable: Xit

**44. TSPC**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	487110773 375,081	2549717952 59,992		1,910	,152
	Xit-1	,183	,432	,238	,425	,700

a Dependent Variable: Xit

**45. ULTJ**

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	195537380 142,823	1691945906 94,465		1,156	,331
	Xit-1	,520	,656	,416	,792	,486

a Dependent Variable: Xit



#### 46. UNTR

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	9008425828 086,690	192476021 4042,460		4,680	,018
	Xit-1	<b>-,660</b>	,352	-,735	-1,876	,157

a. Dependent Variable: Xit

#### 47. WIIM

**Coefficients(a)**

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1371133487 43,834	212959968 52,278		6,438	,008
	Xit-1	<b>-,227</b>	,207	-,535	-1,098	,352

a. Dependent Variable: Xit

### LAMPIRAN 4

#### HASIL UJI ASUMSI KLASIK

#### Hasil Uji Statistik Deskriptif

#### Descriptive Statistics

	N	Minimu m	Maximu m	Mean	Std. Deviation
--	---	-------------	-------------	------	-------------------

TH	116	,0662	,8375	,380660	,1842115
KM	116	,0000	,8100	,046469	,1393513
KA	116	-,7383	,4970	-,002945	,1654490
UP	116	10,9856	13,9342	12,3007 76	,7162528
PL	116	-,6600	1,2740	,339397	,4642185
Valid N (listwise)	116				

## Hasil Uji Normalitas

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		116
Normal Parameters(a,b)	Mean	,0000000
	Std. Deviation	,44354912
Most Extreme Differences	Absolute	,056
	Positive	,056
	Negative	-,045
Kolmogorov-Smirnov Z		,601
Asymp. Sig. (2-tailed)		,863

a Test distribution is Normal.

b Calculated from data.

## Hasil Uji Multikolinieritas

### Coefficients

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	-,456	,733		-,622	,535		

TH	-,690	,272	-,274	-2,536	,013	,705	1,418
KM	-,654	,321	-,196	-2,040	,044	,887	1,127
KA	-,062	,291	-,022	-,214	,831	,766	1,306
UP	,088	,060	,137	1,468	,145	,950	1,052

a Dependent Variable: PL

### Hasil Uji Autokorelasi

#### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,295(a)	,087	,054	,4514703	2,148

a Predictors: (Constant), UP, KA, KM, TH

b Dependent Variable: PL

### Hasil Uji Heteroskedastisitas

#### Coefficients

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	,313	,409		,767	,445
	TH	,228	,152	,168	1,503	,136
	KM	,048	,179	,027	,268	,789
	KA	,229	,162	,151	1,414	,160
	UP	-,003	,034	-,009	-,090	,928

a Dependent Variable: Abs\_Resid

## LAMPIRAN 5

### HASIL ANALISIS REGRESI LINIER BERGANDA DAN HASIL UJI HIPOTESIS

#### Hasil Analisis Regresi Berganda

#### Coefficients

Model	Unstandardized Coefficients	Standardized Coefficients	t	Sig.	Collinearity Statistics
-------	-----------------------------	---------------------------	---	------	-------------------------

		B	Std. Error	Beta		Tolerance		VIF
1	(Constant)	-,456	,733		-,622	,535		
	TH	-,690	,272	-,274	-2,536	,013	,705	1,418
	KM	-,654	,321	-,196	-2,040	,044	,887	1,127
	KA	-,062	,291	-,022	-,214	,831	,766	1,306
	UP	,088	,060	,137	1,468	,145	,950	1,052

### Hasil Uji Statistik F

#### ANOVA

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,190	4	,048	,751	,560(a)
	Residual	7,036	111	,063		
	Total	7,227	115			

a Predictors: (Constant), UP, KA, KM, TH

b Dependent Variable: Abs\_Resid

### Hasil Uji Koefisien Determinasi

#### Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	,295(a)	,087	,054	,4514703	2,148

a Predictors: (Constant), UP, KA, KM, TH

b Dependent Variable: PL

### Hasil Uji t

#### Coefficients

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
1 (Constant)	-,456	,733		-,622	,535		

TH	-,690	,272	-,274	-2,536	,013	,705	1,418
KM	-,654	,321	-,196	-2,040	,044	,887	1,127
KA	-,062	,291	-,022	-,214	,831	,766	1,306
UP	,088	,060	,137	1,468	,145	,950	1,052

a Dependent Variable: PL