

```

REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE
/CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y1 /METHOD=ENTER X1 X2
X3 X4 /RESIDUALS DURBIN.

```

Regression

Notes

	Output Created	21-Nov-2017 23:22:37
	Comments	
Input	Data	D:\Tugas Akhir\TA Hakim\SPSS.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	8
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
	Syntax	<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y1 /METHOD=ENTER X1 X2 X3 X4 /RESIDUALS DURBIN. </pre>
Resources	Processor Time	0:00:00.032
	Elapsed Time	0:00:00.046
	Memory Required	2308 bytes
	Additional Memory Required for Residual Plots	0 bytes

[DataSet1] D:\Tugas Akhir\TA Hakim\SPSS.sav

Warnings

For the final model with dependent variable Kendaraan Keluar, the variance-covariance matrix is singular. Influence statistics cannot be computed.

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	Jumlah Paramedis, Jumlah Poliklinik ^a		Enter

a. Tolerance = .000 limits reached.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	1.000 ^a	1.000	.	.

a. Predictors: (Constant), Jumlah Paramedis, Jumlah Poliklinik

b. Dependent Variable: Kendaraan Keluar

Model Summary^b

Model	Change Statistics					Durbin-Watson
	R Square Change	F Change	df1	df2	Sig. F Change	
1	1.000	.	2	0	.	.246

b. Dependent Variable: Kendaraan Keluar

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	17976.500	2	8988.250	.	. ^a
	Residual	.000	0	.	.	.
	Total	17976.500	2			

a. Predictors: (Constant), Jumlah Paramedis, Jumlah Poliklinik

b. Dependent Variable: Kendaraan Keluar

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-1444.931	.000		.	.
	Jumlah Poliklinik	115.939	.000	.706	.	.
	Jumlah Paramedis	-.390	.000	-.776	.	.

a. Dependent Variable: Kendaraan Keluar

Excluded Variables^b

Model						Collinearity Statistics
		Beta In	t	Sig.	Partial Correlation	Tolerance
1	Jumlah TT	. ^a000
	Luas Bangunan	. ^a000

a. Predictors in the Model: (Constant), Jumlah Paramedis, Jumlah Poliklinik

b. Dependent Variable: Kendaraan Keluar

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	66.0000	243.5000	135.5000	94.80638	3
Residual	.00000	.00000	.00000	.00000	3
Std. Predicted Value	-.733	1.139	.000	1.000	3
Std. Residual	0

a. Dependent Variable: Kendaraan Keluar

```

REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE
/CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y1 /METHOD=ENTER X1 X2
X3 X4 /RESIDUALS DURBIN /SAVE RESID.

```

Regression

Notes

	Output Created	21-Nov-2017 23:25:34
	Comments	
Input	Data	D:\Tugas Akhir\TA Hakim\SPSS.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	8
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
	Syntax	<pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA CHANGE /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Y1 /METHOD=ENTER X1 X2 X3 X4 /RESIDUALS DURBIN /SAVE RESID. </pre>
Resources	Processor Time	0:00:00.031
	Elapsed Time	0:00:00.046
	Memory Required	2308 bytes
	Additional Memory Required for Residual Plots	0 bytes
	Variables Created or Modified	RES_1 Unstandardized Residual

[DataSet1] D:\Tugas Akhir\TA Hakim\SPSS.sav

Warnings

For the final model with dependent variable Kendaraan Masuk, the variance-covariance matrix is singular. Influence statistics cannot be computed.

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	Jumlah Paramedis, Jumlah Poliklinik ^a		Enter

a. Tolerance = .000 limits reached.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	1.000 ^a	1.000	.	.

a. Predictors: (Constant), Jumlah Paramedis, Jumlah Poliklinik

b. Dependent Variable: Kendaraan Masuk

Model Summary^b

Model	Change Statistics					Durbin-Watson
	R Square Change	F Change	df1	df2	Sig. F Change	
1	1.000	.	2	0	.	.003

b. Dependent Variable: Kendaraan Masuk

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	19941.500	2	9970.750	.	. ^a
	Residual	.000	0	.	.	.
	Total	19941.500	2			

a. Predictors: (Constant), Jumlah Paramedis, Jumlah Poliklinik

b. Dependent Variable: Kendaraan Masuk

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-906.420	.000		.	.
	Jumlah Poliklinik	82.891	.000	.479	.	.
	Jumlah Paramedis	-.488	.000	-.923	.	.

a. Dependent Variable: Kendaraan Masuk

Excluded Variables^b

Model						Collinearity Statistics
		Beta In	t	Sig.	Partial Correlation	Tolerance
1	Jumlah TT	. ^a000
	Luas Bangunan	. ^a000

a. Predictors in the Model: (Constant), Jumlah Paramedis, Jumlah Poliklinik

b. Dependent Variable: Kendaraan Masuk

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	90.0000	273.5000	159.0000	99.85364	3
Residual	.00000	.00000	.00000	.00000	3
Std. Predicted Value	-.691	1.147	.000	1.000	3
Std. Residual	0

a. Dependent Variable: Kendaraan Masuk