

BAB V

KESIMPULAN DAN SARAN

A. Kesimpulan

Pemberian parasetamol sebelum sirkumsisi memiliki pengaruh yang signifikan terhadap rasa nyeri selama sirkumsisi.

B. Saran

1. Penelitian ini hanya menilai pengaruh pemberian parasetamol sebelum sirkumsisi terhadap rasa nyeri dan denyut nadi, diharapkan pada penelitian selanjutnya dapat menilai variabel lain.
2. Penelitian selanjutnya dapat dilakukan dengan menggunakan metode sirkumsisi konvensional.
3. Penelitian selanjutnya dapat dilakukan penilaian durasi dari awal pemberian parasetamol sampai efek parasetamol selesai.

DAFTAR PUSTAKA

- American Academy of Pediatrics (AAP).(2012). Circumcision Policy Statement, Task Force onCircumcision.*Pediatrics*.
- Antigona H , Marija S, Muharrem J, Serpil. (2011). Preemptive analgesic effects of midazolam and diclofenac in rat model. *BosnianJournal of Basic Medical Sciences*. 11(2):113-118.
- Bachsinar, B. (1993). *Sirkumsisi* (Edisi Keempat). Jakarta : Hipokrates.
- Baskin LS, Ebbers MB. Hypospadias: anatomy, etiology, and technique.
- Becker, D., Phero, J. (2005). Drug Therapy in Dental Practice: Nonopioid and Opioid Analgesics. *American Dental Society of Anesthesiologi*.
- Bernstein D. (2011). Evaluation of the cardiovascular system: history and physical evaluation. *Nelson Textbook of Pediatrics*.Philadelphia: Elsevier Saunders.
- Bertram G. Katzung, Susan B. Masters, Anthony J Trevor. (2005). Basic And Clinical Pharmacology : Opioid and Antagonist. 11th Ed. Mac Graw Hill Lange p 628-670.
- Bijur, P., Silver, W., Gallagher, J. (2001). Reliability of the Visual Analog Scale for Measurement of Acute Pain. *Academic Emergency Medicine* 8:1153-7.
- Boulton, T.B. (2004).*Anestesiologi*(10th ed.). Jakarta: EGC.
- Brunner & Suddarth. (2001). *Keperawatan Medikal Bedah*. Volume 1. Jakarta: EGC.
- Cairns, J. (2007). "Circumcision: a minor procedure?". *Paediatrics and Child Health* , Volume 12: 311-312.
- Cliff, K. (2010).Combining Paracetamol (Acetaminophen) with Nonsteroidal Antiinflammatory Drugs. *Anesth Analg*, 110:1170–9.
- Cunliffe, M., Roberts, S. (2004). Pain management in children. *Current Anaesthesia & Critical Care* 15: 272-283.
- Dewall, C.N., Masten, C., Baumeister R.F., Powell C. (2010). Acetaminophen reduces social pain: behavioral and neural evidence. *Psychology Sciene*, 121-125
Dorland. (2008). *Kamus Kedokteran*. Jakarta : EGC.

- Down, D., Alander, S.W., Bratton. S., Kearns, G.(2000).Pediatric acetaminophen overdose: risk factors associated with hepatocellular injury. *Archives Pediatric and Adolescent Medicine*,154:346–350.
- Gehdoo, RP. (2004). Post Operative Pain Management in Paediatric Patients.*Indian J. Anaesthesia*, 48(5): 406-414.
- Guyton & Hall. (2008). Fisiologi Manusia: Sensasi *Somatik* (Edisi 11). Jakarta: EGC.
- Harahap, I. A. (2007). The Relationships among pain intensity, Pain acceptance, and pain behaviors in patients with chronic cancer pain in Medan, Indonesia.Hatyai: Prince of Songkla University.
- Hermana, A. (2000). *Teknik Khitan Panduan Lengkap, Sistematis dan Praktis*. Jakarta: Widya Medika.
- Hutcheson JC. (2004). Male Neonatal Circumcision: Indications, Controversies, and Complications. *Urologic Clinics of North America* 31; 461-467.
- Jensen MP, Chen C, Brugger AM. (2003). Interpretation of visual analog scale ratings and change scores : a reanalysis of two clinical trial of postoperative pain. *The Journal of Pain*, 4(7), 401-7.
- Jensen MP, Martin SA, Cheung R. (2005). The meaning of pain relief in a clinical trial.*The Journal of Pain*, 6 (6), 400-6.
- Kelly, D.J., Ahmad, M., Sorin, J., Brull, M.D. (2001) Preemptive analgesia II: recent advances and current trends. *Canadian Journal of Anesthesia*, 48(11), 1091-1101.
- Krill, E. A. (2011). Complications of Circumcision. *The Scientific World Journal* , 2462-2466.
- Manakijisirisuthi, W. (2005). Circumcisor: An Instrument fo Circumcision. *The Thai Journal of Surgery* , Volume 26: 123-126.
- Mansjoer, A. (2000). *Kapita Selekt Kedokteran* (Edisi 3). Jakarta: Medica Aesculpalus FKUI.
- Maren Mayhew, M. A. (2007). Acetaminophen Toxicity. *Journal for Nurse Practitioners* , 186-188.
- Mathew, P. J. (2003). Assessment and management of pain in infant.*Postgrad Medical Journal*, 79,438-43.

- Mattia, C., & Coluzzi. (2009) What anesthesiologist should know about paracetamol (acetaminophen)? *Minerva anesthesiologica*, 644-653.
- Miller, G. (2007). The Circumcision Reference Library. *Virginia Journal Of Social Policy and The Law* , Volume 9: 497-585.
- Morris, B., Waskett, J., Banerjee J., Wamarii, R.G., Tobian, A.A., Gray, R.H., Bailis, S.A., et al. (2012). A 'snip' in time: what is the best age to circumcise? *Biomed Central Pediatrics*. 6-10.
- Nursalam. (2008). *Konsep dan penerapan metodologi penelitian keperawatan*. Jakarta : Info Medika.
- Patel, M. K. (2001). Genitourinary injuries in the newborn. *Journal of Pediatric Surgery* , Volume 36: 235-239.
- Potter & Perry . (2005). *Fundamental Keperawatan*. Vol: 2. Jakarta : EGC.
- Price, SA & Wilson, LM. (2005). Gangguan sistem kardiovaskular. *Patofisiologi Konsep Klinis Proses-Proses Penyakit (6^{ed})*. Jakarta : EGC.
- Purnomo, B. (2003). *Dasar-dasar Urologi (Edisi Kedua)*. Jakarta : Sagung Seto.
- Regina, B. (2006). COX-1 and COX-3 inhibitors. The William Harvey Research Institute, St. Bartholomew's and the Royal London School of Medicine, Charterhouse Square. London.
- Ridho. (2010). Elektrocauter. *The Journalist template*. Diakses pada 4 April 2014 dari <http://flasgcauter.blogspot.com/2008/09/evaluasi-kelayakan-prakhitan.html>
- Riyanto, A. (2011). *Aplikasi Metode Penelitian Kesehatan*. Yogyakarta: Nuha Medika.
- Sandkuhler, R. R. (2005). Opioid and Central Sensitisation. *European Journal of Pain* , 145-148.
- Sean, T., Lesley, J. (2009). Intravenous paracetamol (acetaminophen). *Adis drugs profile*, 69, 101-113.
- Seno, H., Nugroho, D., Wahyudi, I., Rodjani, A. (2012). Faktor-faktor yang Berhubungan dengan Keluaran dan Komplikasi Sirkumsisi. *Journal of the Indonesian Medical Association*, Volume 62, 24-26.
- Sherwood, L. (2001). *Fisiologi Manusia: Dari Sel ke Sistem (Edisi 2)*. Jakarta: EGC.

- Silvignanam, G. (2014). An Evolving Curse on Paracetamol Use in Children. *Journal of Pharmacology and Pharmacotherapeutics*, Volume 5, 72-73.
- Smelthzer & Bare. (2002). *Buku Ajar Keperawatan Medikal Bedah Brunner and Suddart* (Edisi 8). Jakarta : EGC.
- Solso, & Maclin, R. L. (2002). *Cognitive Psychologi*. New York: Pearson.
- Sudoyo AW, Setiyohadi B, Alwi I, dkk. (2006). *Buku Ajar Ilmu Penyakit Dalam*. Ed 4. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FK UI. 749-754.
- Sugiarto. (2001). *Teknik Sampling*. Jakarta : PT. Gramedia Pustaka Utama.
- Supranto, J. (2000). *Statistik Teori dan Aplikasi*, Edisi 6. Jakarta : Erlangga.
- Suza, D. E. (2007). Comparison of pain experiences between Javanese and Batak. *Songkla Medical Journal*, 249-253.
- Taddio, A. (2000). Combined Analgesia and Local Anesthesia to Minimize Pain During Circumcision. *American Medical Association*, Volume 154, 620-623.
- Tamsuri, A. (2007). *Konsep dan penatalaksanaan nyeri*. Jakarta : EGC. Hlm 1-63
- Urban, K. L. (2001). Mechanisms of inflammatory pain. *British Journal of Anaesthesia* , 3-5.
- Wiess, E. A. (2010). Complications of circumcision in male neonates, infants and children: a systematic review. *BMC Urology* , 133-139.
- Wilmana, P.F., & Gan, S.G.(2007) . Analgesik-Antipiretik Analgesik Anti-Inflamasi Nonsteroid dan Obat Gangguan Sendi Lainnya. Dalam *Farmakologi dan Terapi*. Edisi 5. Jakarta: Gaya Baru, 230-240.
- World Health Organization. (2007). Male circumcision: global trends and determinants of prevalence, safety and acceptability. Diakses pada 25 Maret 2014 dari <http://www.who.int/reproductivehealth/publications/rtis/9789241596169/en/>