

LAMPIRAN

Descriptives

		Statistic	Std. Error	
HbPre	Mean	12.2632	.43805	
	95% Confidence Interval for Mean	Lower Bound	11.3429	
		Upper Bound	13.1835	
	5% Trimmed Mean	12.2313		
	Median	12.0000		
	Variance	3.646		
	Std. Deviation	1.90940		
	Minimum	9.20		
	Maximum	15.90		
	Range	6.70		
	Interquartile Range	2.90		
	Skewness	.252	.524	
	Kurtosis	-.880	1.014	
	HbPost	Mean	13.1426	.56834
95% Confidence Interval for Mean		Lower Bound	11.9486	
		Upper Bound	14.3367	

5% Trimmed Mean	12.9751	
Median	13.0100	
Variance	6.137	
Std. Deviation	2.47732	
Minimum	8.80	
Maximum	20.50	
Range	11.70	
Interquartile Range	2.60	
Skewness	1.139	.524
Kurtosis	3.632	1.014

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
HbPre	.114	19	.200	.963	19	.629
HbPost	.148	19	.200	.908	19	.069

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.



Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 HbPre - HbPost	-.87947	1.70552	.39127	-1.70151	-.05744	-2.248	18	.037

Ranks

		N	Mean Rank	Sum of Ranks
HbPost - HbPre	Negative Ranks	6 ^a	7.25	43.50
	Positive Ranks	13 ^b	11.27	146.50
	Ties	0 ^c		
	Total	19		

a. HbPost < HbPre

b. HbPost > HbPre

c. HbPost = HbPre