

LAMPIRAN

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Hasil Akhir * Faktor Resiko	61	100.0%	0	.0%	61	100.0%

Faktor Resiko * Hasil Akhir Crosstabulation

Count

		Hasil Akhir		Total
		Pass	Refer	
Faktor Resiko	Normal	15	5	20
	Prematur	17	24	41
Total		32	29	61

Hasil Akhir * Faktor Resiko Crosstabulation

Count

		Faktor Resiko		Total
		Normal	Prematur	
Hasil Akhir	Pass	15	17	32
	Refer	5	24	29
Total		20	41	61

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.062 ^b	1	.014		
Continuity Correction ^a	4.792	1	.029		
Likelihood Ratio	6.286	1	.012		
Fisher's Exact Test				.016	.013
Linear-by-Linear Association	5.963	1	.015		
N of Valid Cases	61				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.51.

Mantel-Haenszel Common Odds Ratio Estimate

Estimate			4.235
ln(Estimate)			1.443
Std. Error of ln(Estimate)			.606
Asy mp. Sig. (2-sided)			.017
Asy mp. 95% Confidence	Common Odds	Lower Bound	1.292
Interv al	Ratio	Upper Bound	13.889
	ln(Common	Lower Bound	.256
	Odds Ratio)	Upper Bound	2.631

The Mantel-Haenszel common odds ratio estimate is asymptotically normally distributed under the common odds ratio of 1.000 assumption. So is the natural log of the estimate.