

DAFTAR PUSTAKA

- Abe, F. R., Coleone, A. C., et al. (2014). Ecotoxicity and Environmental Risk Assessment of Larvicides Used in the Control of *Aedes sp.* to *Daphnia magna* (Crustacea, Cladocera). *Journal of Toxicology and Environmental Health, Part A*, 77(1-3), 37-45. doi:10.1080/15287394.2014.865581
- Achmadi, U. F., Sudjana, D., et al. (2010, Agustus). Buletin Jendela Epidemiologi. *Demam Berdarah Dengue*, 2.
- Ahmad, I., Astari, S., et al. (2007). Resistance of *Aedes sp.* (Diptera: Culicidae) in 2006 to Pyrethroid Insecticides. *Pakistan Journal of Biological Sciences*, 10(20), 3688-3692.
- Alfiah, S. (2011). Dikloro Difenil Trikoloetan (Ddt). *Vektora: Jurnal Vektor dan Reservoir Penyakit*, 3(2 Okt), 143-149.
- Amer, A., dan Mehlhorn, H. (2006). Larvicidal effects of various essential oils against *Aedes*, *Anopheles*, and *Culex* larvae (Diptera, Culicidae). *Parasitology research*, 99(4), 466-472.
- Ananya, B., dan Andrew, J. (2013). Morphology and Morphometry of *Aedes sp.* Larvae.
- Andrew, J., dan Bar, A. (2013). Morphology and Morphometry of *Aedes sp.* Adult Mosquito.
- Arya, V., Thakur, N., et al. (2012). Preliminary phytochemical analysis of the extracts of *Psidium* leaves. *Journal of Pharmacognosy and Phytochemistry*, 1(1).
- Assti Runia, Y. (2008). *Faktor-faktor yang berhubungan dengan keracunan pestisida organofosfat, karbamat dan kejadian anemia pada petani*

hortikultura di Desa Tejosari Kecamatan Ngablak Kabupaten Magelang.
Program Pasca Sarjana Universitas Diponegoro.

- Azwanida, N. N. (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Med Aromat Plants*, 4(196), 2167-0412.
- Ba-Omar, T., Al-Jardani, S., et al. (2011). Effects of pesticide temephos on the gills of *Aphanius dispar* (Pisces: Cyprinodontidae). *Tissue and Cell*, 43(1), 29-38.
- Becker, N., Petric, D., et al. (2010). *Mosquitoes and Their Controls* (Vol. II). Berlin: Springer-Verlag Berlin Heidelberg.
- Benitez-Trinidad, A., Herrera-Moreno, J., et al. (2015). Cytostatic and genotoxic effect of temephos in human lymphocytes and HepG2 cells. *Toxicology in Vitro*, 29(4), 779-786.
- Burke, R., Barrera, R., et al. (2010). Septic tanks as larval habitats for the mosquitoes *Aedes sp.* and *Culex quinquefasciatus* in Playa- Playita, Puerto Rico. *Med Vet Entomol*, 24(2), 117-123.
- Carey, J. L., Dunn, C., et al. (2013). Central respiratory failure during acute organophosphate poisoning. *Respiratory Physiology & Neurobiology*, 189(2), 403-410.
- Cavalcanti, E. S. B., Morais, S. M. d., et al. (2004). Larvicidal activity of essential oils from Brazilian plants against *Aedes sp.* L. *Memórias do Instituto Oswaldo Cruz*, 99(5), 541-544.
- Chantraine, J. M., Laurent, D., et al. (1998). Insecticidal activity of essential oils on *Aedes sp.* larvae. *Phytotherapy Research*, 12(5), 350-354.

- Chuansumrit, A., dan Tangnararatchakit, K. (2006). Pathophysiology and management of dengue hemorrhagic fever. *Transfusion Alternatives in Transfusion Medicine*, 8(s1), 3-11.
- Devi, Sim, et al. (2011). Spasmolytic effect of citral and extracts of *Cymbopogon citratus* on isolated rabbit ileum. *J. Smooth Muscle Res*(47 (5): 143-156).
- Dharmagadda, V., Naik, S., et al. (2005). Larvicidal activity of *Tagetes patula* essential oil against three mosquito species. *Bioresource Technology*, 96(11), 1235-1240.
- Dissanayake, D., Dissanayake, A., et al. (2014). Renal Toxicity Due to Acute Organophosphate Poisoning.
- Djoar, D. W., Sahari, P., et al. (2010). *Studi Morfologi dan Analisis Korelasi Antar Karakter Komponen Hasil Tanaman Sereh Wangi (Cymbopogon sp.) dalam Upaya Perbaikan Produksi Minyak*. Retrieved from Semarang:
- Dung, N. T., Kim, J. M., et al. (2008). Chemical composition, antimicrobial and antioxidant activities of the essential oil and the ethanol extract of *Cleistocalyx operculatus* (Roxb.) Merr and Perry buds. *Food and chemical Toxicology*, 46(12), 3632-3639.
- Ebe, T., Mgbemena, I., et al. (2015). Larvicidal effect of *Cymbopogon citratus* root and leaf on the first instar larval stage of *Anopheles gambiae*, *Culex quinquefasciatus* and *Aedes egypti*. *Journal of Environmental Toxicology and Public Health*, 1, 41-43.
- Eddleston, M., Buckley, N. A., et al. (2008). Management of acute organophosphorus pesticide poisoning. *The Lancet*, 371(9612), 597-607.
doi:[http://dx.doi.org/10.1016/S0140-6736\(07\)61202-1](http://dx.doi.org/10.1016/S0140-6736(07)61202-1)

- Garcia, G. A., David, M. R., et al. (2018). The impact of insecticide applications on the dynamics of resistance: The case of four *Aedes sp.* populations from different Brazilian regions. *PLoS Negl Trop Dis*, 12(2), e0006227. doi:10.1371/journal.pntd.0006227
- Gholib, D. (2016). EFEKTIVITAS ANTIFUNGI EKSTRAK ETANOL DAN MINYAK ATSIRI DAUN SIRIH (*Piper betle*) TERHADAP *Trichophyton verrucosum* SECARA IN VITRO. *Buletin Penelitian Tanaman Rempah dan Obat*, 25(2), 119-126.
- Grisales, N., Poupardin, R., et al. (2013a). Temephos Resistance in *Aedes sp.* in Colombia. *Department of Vector Biology*.
- Grisales, N., Poupardin, R., et al. (2013b). Temephos resistance in *Aedes sp.* in Colombia compromises dengue vector control. *PLoS neglected tropical diseases*, 7(9), e2438.
- Gubler, D. J., Ooi, E. E., et al. (2014). *Dengue and Dengue Hemorrhagic Fever, 2nd Edition*: CABI.
- Joy, P. P. (2006). *Lemongrass*.
- Kamaluddin, M. H., Lutfi, M., et al. (2014). Analisa Pengaruh Microwave Assisted Extraction (MAE) Terhadap Ekstraksi Senyawa Antioksidan Catechin Pada Daun Teh Hijau (*Camellia Sinensis*)(Kajian Waktu Ekstraksi Dan Rasio Bahan: Pelarut). *Jurnal Keteknik Pertanian Tropis dan Biosistem*, 2(2).
- Kardinan, A. (2001). *Pestisida Nabati Ramuan dan Aplikasi*. Jakarta: PT.Penebar Swadaya.

- Karunamoorthi, K., dan Ilango, K. (2010). Larvicidal activity of *Cymbopogon citratus*. *European review for medical and pharmacological sciences*, 14, 57-62.
- Komansilan, A., Abadi, A. L., et al. (2012). Isolation and identification of biolarvicide from soursop (*Annona muricata* Linn) seeds to mosquito (*Aedes sp.*) larvae. *Int J Eng Technol*, 12(03), 28-32.
- Lee, D. C., dan Ahn, Y.-J. (2013). Laboratory and Simulated Field Bioassays to Evaluate Larvicidal Activity of *Pinus densiflora* Hydrodistillate, Its Constituents and Structurally Related Compounds against *Aedes albopictus*, *Aedes sp.* and *Culex pipiens pallens* in Relation to Their Inhibi. *Insects*, 217-229.
- Mehlhorn, H. (2010). *Encyclopedia of Parasitology*. Berlin: Springer.
- Mgbemena, I. (2010). Comparative evaluation of larvicidal potentials of three plant extracts on *Aedes sp.*. *Journal of American Science*, 6(10), 435-440.
- Montella, I. R., Martins, A. J., et al. (2007). Insecticide resistance mechanisms of Brazilian *Aedes sp.* populations from 2001 to 2004. *Am J Trop Med Hyg*, 77(3), 467-477.
- Mulyatno, K. C., Yamanaka, A., et al. (2012). Resistance of *Aedes sp.* (L.) larvae to temephos in Surabaya, Indonesia. *Southeast Asian Journal of Tropical Medicine and Public Health*, 43(1), 29.
- Noshirma, M., dan Willa, R. W. (2016). LARVASIDA HAYATI YANG DIGUNAKAN DALAM UPAYA PENGENDALIAN VEKTOR PENYAKIT DEMAM BERDARAH DI INDONESIA. *Sel Jurnal Penelitian Kesehatan*, 3(1), 31-40.

- Ntonga, P. A., Baldovini, N., et al. (2014). Activity of *Ocimum basilicum*, *Ocimum canum*, and *Cymbopogon citratus* essential oils against *Plasmodium falciparum* and mature-stage larvae of *Anopheles funestus* s.s. *Parasite*, 21-33.
- Nugroho, A. D. (2011). Kematian larva *Aedes sp.* setelah pemberian abate dibandingkan dengan pemberian serbuk serai. *Jurnal Kesehatan Masyarakat*, 7(1), 91-96.
- Pan, X., Niu, G., et al. (2002). Comparison of microwave-assisted extraction and conventional extraction techniques for the extraction of tanshinones from *Salvia miltiorrhiza bunge*. *Biochemical Engineering Journal*, 12(1), 71-77.
- Perdana, A. P., Ardiansyah, H., et al. (2009). Geospatial Learning in Combating Dengue Fever Project Study Site: The City of Yogyakarta. *South East Asian Survey Congress*.
- Pitasawat, B., Champakaew, D., et al. (2007). Aromatic plant-derived essential oil: An alternative larvicide.
- Prapanthadara, L., Koottathep, S., et al. (2000). Correlation of glutathione S-transferase and DDT dehydrochlorinase activities with DDT susceptibility in *Anopheles* and *Culex* mosquitos from northern Thailand. *Southeast Asian J Trop Med Public Health*, 31 Suppl 1, 111-118.
- Pratiwi, A. (2012). Penerimaan masyarakat terhadap larvasida alami. *Jurnal Kesehatan Masyarakat*, 8(1), 88-93.
- Putra, R. E., Ahmad, I., et al. (2016). Detection of insecticide resistance in the larvae of some *Aedes sp.* (Diptera: Culicidae) strains from Java, Indonesia to Temephos, Malathion and Permethrin. *Int J Mosq Res*, 3(3), 23-28.

- Rašić, G., Endersby-Harshman, N., et al. (2015). *Aedes sp.* has spatially structured and seasonally stable populations in Yogyakarta, Indonesia. *Parasites & Vectors*.
- Riza Zainuddin Ahmad, G. D. (2014). Pengujian Ekstrak Etanol, Etil Asetat dan Minyak Atsiri Daun Beluntas (*Pluchea indica* (L) Lees.) terhadap *Trichophyton mentagrophytes* dan *Cryptococcus neoformans* Secara In Vitro. *JITV*, 19(2).
- Rodriguez, M. M., Bisset, J., et al. (2002). Cross-resistance to pyrethroid and organophosphorus insecticides induced by selection with temephos in *Aedes sp.* (Diptera: Culicidae) from Cuba. *J Med Entomol*, 39(6), 882-888. doi:10.1603/0022-2585-39.6.882
- Rumengan, A. P. (2010). Uji Larvasida Nyamuk (*Aedes sp.*) Dari Ascidian (*Didemnum Molle*). *Jurnal Perikanan dan Kelautan Tropis*, 6(2), 83-86.
- Sastriawan, A. (2015). *EFEKTIVITAS SERAI DAPUR (Cymbopogon citratus) SEBAGAI LARVASIDA PADA LARVA NYAMUK Aedes sp INSTAR III/IV*. (Program Studi Pendidikan Dokter), Universitas Islam Negeri Syarif Hidayatullah, Jakarta. (0115-06-23344; 1413 PSPD k)
- Senthilkumar, N., Varma, P., et al. (2009). Larvicidal and adulticidal activities of some medicinal plants against the malarial vector, *Anopheles stephensi* (Liston). *Parasitology research*, 104(2), 237-244.
- Shah, G., Shri, R., et al. (2011). Scientific basis for the therapeutic use of *Cymbopogon citratus*, stapf (Lemon grass). *J Adv Pharm Technol Res*, 3-8.
- Soegijanto, S. (2003). *Demam berdarah dengue : tinjauan dan temuan baru di era 2003*. Surabaya: Airlangga University.

- Soonwera, M., dan Phasomkusolsil, S. (2016). Effect of *Cymbopogon citratus* (lemongrass) and *Syzygium aromaticum* (clove) oils on the morphology and mortality of *Aedes sp.* and *Anopheles dirus* larvae. *Parasitol Res*, 115(4), 1691-1703. doi:10.1007/s00436-016-4910-z
- Velki, M., Stepić, S., et al. (2010). *Effect of organophosphates malathion and temephos on cholinesterase activity in the earthworm Eisenia fetida (Oligochaeta, Lumbricidae)*. Paper presented at the NATO SFP 982590 project workshop.
- Vera, S. S., Zambrano, D. F., et al. (2014). Essential oils with insecticidal activity against larvae of *Aedes sp.* (Diptera: Culicidae). *Parasitol Res*, 113(7), 2647-2654. doi:10.1007/s00436-014-3917-6
- Vongsak, B., Sithisarn, P., et al. (2013). Maximizing total phenolics, total flavonoids contents and antioxidant activity of *Moringa oleifera* leaf extract by the appropriate extraction method. *Industrial Crops and Products*, 44, 566-571. doi:<http://dx.doi.org/10.1016/j.indcrop.2012.09.021>
- WHO. (2011). Dengue haemorrhagic fever: diagnosis, treatment, prevention and control.
- WHO. (2012). *Dengue and severe dengue*. Retrieved from
- Yang, M. L., Zhang, J. Z., et al. (2009). Mechanisms of organophosphate resistance in a field population of oriental migratory locust, *Locusta migratoria manilensis* (Meyen). *Arch Insect Biochem Physiol*, 71(1), 3-15. doi:10.1002/arch.20254

Zarred, K., Laarif, A., et al. (2017). Anticholinesterase Potential of Monoterpenoids on the Whitefly *Bemisia tabaci* and Their Kinetic Studies. *Journal of Agricultural Science and Technology*, 19(3), 643-652.

