

Lampiran

Kuisisioner

Identifikasi Responden

Nama:.....

Tempat tinggal : Bekasi Lain lain

Jenis Kelamin : Laki-laki Perempuan

Usia : < 20 tahun 20-35 tahun
 > 35 tahun

Pendidikan terakhir : SD SMP SMA
 Sarjana Pascasarjana

Status : Belum menikah Menikah

Frekuensi Kunjungan : < 3 kali sebulan

3 kali dalam sebulan

> 3 kali sebulan

Petunjuk Pengisian

1. Bacalah setiap pertanyaan dengan seksama sebelum menjawab
2. Anda hanya dapat memberikan satu jawaban di setiap pertanyaan.
3. Isilah kuisisioner dengan memberi tanda (V) pada kolom yang tersedia dan pilih sesuai dengan keadaan sesungguhnya.

Kriteria jawaban:

Sangat tidak setuju : STS

Tidak setuju : TS

Normal : N

Setuju : S

Sangat Setuju : SS

Tampak Luar

| NO | Pertanyaan | STS | TS | N | S | SS |
|----|--|-----|----|---|---|----|
| 1 | Papan nama Fadhilah Fashion terlihat jelas | | | | | |
| 2 | Papan nama Fadhilah Fashion memiliki desain yang menarik | | | | | |

| | | | | | | |
|---|--|--|--|--|--|--|
| 3 | Pencahayaan toko terlihat jelas pada bagian luar di malam hari | | | | | |
| 4 | Akses pintu masuk dan keluar yang mudah | | | | | |
| 5 | Tempat parkir yang memadai dan nyaman | | | | | |

Keterangan: STS: Sangat Tidak Setuju TS: Tidak Setuju
 N: Normal S: Setuju SS: Sangat Setuju

Suasana Toko

| No | Pertanyaan | STS | TS | N | S | SS |
|----|------------|-----|----|---|---|----|
|----|------------|-----|----|---|---|----|

| | | | | | | |
|----|---|--|--|--|--|--|
| 6 | Pencahayaan di dalam toko sudah memadai | | | | | |
| 7 | Suhu udara di dalam toko terasa nyaman | | | | | |
| 8 | Fasilitas yang ada terlihat rapi dan bersih | | | | | |
| 9 | Aroma di toko yang baik | | | | | |
| 10 | Luas area toko yang memadai | | | | | |

Keterangan: STS: Sangat Tidak Setuju TS: Tidak Setuju
N: Normal S: Setuju SS: Sangat Setuju

Tata Letak Toko

| No | Pertanyaan | STS | TS | N | S | SS |
|----|--|-----|----|---|---|----|
| 11 | Pengelompokan barang di lakukan dengan baik | | | | | |
| 12 | Penataan rak barang terlihat rapi | | | | | |
| 13 | Infomasi mengenai tempat atau lokasi barang terlihat jelas | | | | | |
| 14 | Jarak antar rak barang memudahkan akses pelanggan dalam memilih barang | | | | | |
| 15 | Penempatan meja kasir yang memudahkan dalam bertransaksi | | | | | |

Keterangan: STS: Sangat Tidak Setuju TS: Tidak Setuju
 N: Normal S: Setuju SS: Sangat Setuju

Keputusan Pembelian

| No. | Pertanyaan | STS | TS | N | S | SS |
|-----|---|-----|----|---|---|----|
| 16 | Lokasi toko mudah untuk di jangkau atau cukup strategis | | | | | |
| 17 | Jenis atau ragam produk yang di jual cukup lengkap | | | | | |
| 18 | Jenis barang yang di jual merupakan barang yang berkualitas dan bagus | | | | | |
| 19 | Harga yang di jual adalah harga yang sesuai dengan barang yang di jual dan harga cukup terjangkau | | | | | |
| 20 | Berbelanja di Fadhilah Fashion merupakan pilihan yang tepat | | | | | |

Keterangan: STS: Sangat Tidak Setuju TS: Tidak Setuju
N: Normal S: Setuju SS: Sangat Setuju

Kepuasan Pelanggan

| No | Pertanyaan | STS | TS | N | S | SS |
|----|--|-----|----|---|---|----|
| 21 | Saya merasa puas berbelanja di Fadhilah Fashion | | | | | |
| 22 | Pelayanan yang di lakukan oleh karyawan cukup ramah dan baik | | | | | |
| 23 | Penjelasan tentang informasi produk cukup baik | | | | | |
| 24 | Pemberitahuan tentang barang promo dan diskon secara rutin dan jelas | | | | | |
| 25 | Saya selalu mendapatkan barang yang saya inginkan dan jika tidak ada saya di berikan saran oleh karyawan tentang produk lain | | | | | |

Keterangan: STS: Sangat Tidak Setuju TS: Tidak Setuju
N: Normal S: Setuju SS: Sangat Setuju

Olah Data

RELIABILITY

/VARIABLES=x1 x2 x3 x4 x5 x6 x7 x8 x9 x10 x11 x12 x13 x14 x15 z1 z2 z3 z4 z5 y1 y2 y3
y4 y5

/SCALE('ALL VARIABLES') ALL

/MODEL=ALPHA

/STATISTICS=CORR

/SUMMARY=TOTAL.

Reliability

Notes

| | | |
|------------------------|--------------------------------|--|
| Output Created | | 29-JUL-2017 08:54:52 |
| Comments | | |
| | Data | D:\Untitled1.sav |
| | Active Dataset | DataSet1 |
| | Filter | <none> |
| Input | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data File | 100 |
| | Matrix Input | |
| | Definition of Missing | User-defined missing values are treated as missing. |
| Missing Value Handling | Cases Used | Statistics are based on all cases with valid data for all variables in the procedure. |
| | | RELIABILITY |
| | | /VARIABLES=x1 x2 x3 x4 x5 x6 x7 x8 x9 x10 x11 x12 x13 x14 x15 z1 z2 z3 z4 z5 y1 y2 y3 y4 y5 |
| Syntax | | /SCALE('ALL VARIABLES') ALL |
| | | /MODEL=ALPHA |
| | | /STATISTICS=CORR |
| | | /SUMMARY=TOTAL. |
| Resources | Processor Time | 00:00:00,03 |
| | Elapsed Time | 00:00:00,03 |

[DataSet1] D:\Untitled1.sav

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|-----|-------|
| Cases | Valid | 100 | 100,0 |
| | Excluded ^a | 0 | ,0 |
| | Total | 100 | 100,0 |

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

| Cronbach's Alpha | Cronbach's Alpha Based on Standardized Items | N of Items |
|------------------|--|------------|
| ,773 | ,782 | 25 |

Inter-Item Correlation Matrix

| | x1 | x2 | x3 | x4 | x5 | x6 | x7 | x8 |
|----|-------|-------|-------|-------|------|------|------|------|
| x1 | 1,000 | ,305 | ,240 | -,002 | ,026 | ,229 | ,062 | ,205 |
| x2 | ,305 | 1,000 | ,224 | ,184 | ,070 | ,139 | ,176 | ,198 |
| x3 | ,240 | ,224 | 1,000 | ,064 | ,119 | ,301 | ,219 | ,383 |
| x4 | -,002 | ,184 | ,064 | 1,000 | ,258 | ,048 | ,234 | ,101 |

| | | | | | | | | |
|-----|------|-------|------|-------|-------|-------|-------|-------|
| x5 | ,026 | ,070 | ,119 | ,258 | 1,000 | ,178 | -,098 | ,053 |
| x6 | ,229 | ,139 | ,301 | ,048 | ,178 | 1,000 | ,008 | ,164 |
| x7 | ,062 | ,176 | ,219 | ,234 | -,098 | ,008 | 1,000 | ,279 |
| x8 | ,205 | ,198 | ,383 | ,101 | ,053 | ,164 | ,279 | 1,000 |
| x9 | ,180 | ,245 | ,141 | ,086 | -,140 | ,162 | ,198 | ,087 |
| x10 | ,243 | ,065 | ,237 | ,124 | ,187 | ,256 | ,025 | ,249 |
| x11 | ,019 | ,198 | ,217 | -,040 | ,296 | ,086 | ,084 | ,084 |
| x12 | ,033 | ,221 | ,275 | -,044 | ,025 | ,013 | ,198 | ,062 |
| x13 | ,086 | -,003 | ,114 | ,231 | ,199 | ,205 | ,145 | ,063 |
| x14 | ,078 | ,257 | ,330 | -,127 | -,070 | ,125 | ,052 | ,336 |
| x15 | ,144 | ,245 | ,003 | ,104 | ,038 | ,151 | ,107 | ,156 |
| z1 | ,091 | ,135 | ,080 | -,124 | -,039 | ,205 | -,015 | -,022 |
| z2 | ,097 | ,239 | ,135 | ,034 | ,106 | ,039 | ,083 | ,127 |
| z3 | ,090 | ,237 | ,125 | ,206 | ,106 | ,058 | -,006 | ,091 |
| z4 | ,148 | ,201 | ,077 | ,122 | ,089 | ,345 | -,052 | ,050 |
| z5 | ,216 | ,268 | ,206 | ,162 | ,213 | ,298 | ,066 | -,001 |
| y1 | ,342 | ,321 | ,353 | ,090 | ,017 | ,031 | ,207 | ,305 |
| y2 | ,119 | ,286 | ,261 | ,131 | ,076 | ,240 | ,163 | ,115 |
| y3 | ,169 | ,312 | ,221 | ,257 | ,160 | ,234 | ,113 | ,183 |
| y4 | ,141 | ,259 | ,340 | ,000 | -,041 | ,242 | ,071 | ,066 |
| y5 | ,129 | ,411 | ,139 | ,153 | ,099 | ,138 | ,062 | ,213 |

Inter-Item Correlation Matrix

| | | | | | | | | |
|--|----|-----|-----|-----|-----|-----|-----|----|
| | x9 | x10 | x11 | x12 | x13 | x14 | x15 | z1 |
|--|----|-----|-----|-----|-----|-----|-----|----|

| | | | | | | | | |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| x1 | ,180 | ,243 | ,019 | ,033 | ,086 | ,078 | ,144 | ,091 |
| x2 | ,245 | ,065 | ,198 | ,221 | -,003 | ,257 | ,245 | ,135 |
| x3 | ,141 | ,237 | ,217 | ,275 | ,114 | ,330 | ,003 | ,080 |
| x4 | ,086 | ,124 | -,040 | -,044 | ,231 | -,127 | ,104 | -,124 |
| x5 | -,140 | ,187 | ,296 | ,025 | ,199 | -,070 | ,038 | -,039 |
| x6 | ,162 | ,256 | ,086 | ,013 | ,205 | ,125 | ,151 | ,205 |
| x7 | ,198 | ,025 | ,084 | ,198 | ,145 | ,052 | ,107 | -,015 |
| x8 | ,087 | ,249 | ,084 | ,062 | ,063 | ,336 | ,156 | -,022 |
| x9 | 1,000 | ,061 | ,121 | ,275 | ,038 | ,163 | ,079 | ,251 |
| x10 | ,061 | 1,000 | ,040 | -,132 | ,120 | -,028 | ,095 | ,098 |
| x11 | ,121 | ,040 | 1,000 | ,155 | ,172 | ,048 | ,041 | ,168 |
| x12 | ,275 | -,132 | ,155 | 1,000 | ,068 | -,014 | ,097 | ,109 |
| x13 | ,038 | ,120 | ,172 | ,068 | 1,000 | ,031 | ,034 | -,057 |
| x14 | ,163 | -,028 | ,048 | -,014 | ,031 | 1,000 | -,007 | ,015 |
| x15 | ,079 | ,095 | ,041 | ,097 | ,034 | -,007 | 1,000 | ,256 |
| z1 | ,251 | ,098 | ,168 | ,109 | -,057 | ,015 | ,256 | 1,000 |
| z2 | -,103 | -,110 | ,050 | ,228 | ,105 | ,162 | ,121 | ,024 |
| z3 | -,034 | ,107 | ,010 | ,181 | ,181 | -,023 | ,251 | ,157 |
| z4 | ,313 | ,254 | -,094 | ,040 | ,046 | -,028 | -,021 | ,121 |
| z5 | ,046 | ,147 | ,115 | ,117 | ,074 | ,121 | ,096 | ,117 |
| y1 | ,175 | ,189 | ,137 | ,140 | -,043 | ,262 | ,027 | ,167 |
| y2 | ,299 | ,242 | ,122 | ,137 | ,101 | ,039 | -,022 | ,094 |
| y3 | ,036 | ,136 | ,033 | -,100 | ,077 | ,017 | ,099 | ,078 |
| y4 | ,105 | ,104 | -,059 | ,102 | -,075 | ,116 | ,256 | ,147 |

| | | | | | | | | |
|----|------|------|------|-------|------|------|------|------|
| y5 | ,050 | ,159 | ,064 | -,063 | ,023 | ,202 | ,211 | ,072 |
|----|------|------|------|-------|------|------|------|------|

Inter-Item Correlation Matrix

| | z2 | z3 | z4 | z5 | y1 | y2 | y3 | y4 |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| x1 | ,097 | ,090 | ,148 | ,216 | ,342 | ,119 | ,169 | ,141 |
| x2 | ,239 | ,237 | ,201 | ,268 | ,321 | ,286 | ,312 | ,259 |
| x3 | ,135 | ,125 | ,077 | ,206 | ,353 | ,261 | ,221 | ,340 |
| x4 | ,034 | ,206 | ,122 | ,162 | ,090 | ,131 | ,257 | ,000 |
| x5 | ,106 | ,106 | ,089 | ,213 | ,017 | ,076 | ,160 | -,041 |
| x6 | ,039 | ,058 | ,345 | ,298 | ,031 | ,240 | ,234 | ,242 |
| x7 | ,083 | -,006 | -,052 | ,066 | ,207 | ,163 | ,113 | ,071 |
| x8 | ,127 | ,091 | ,050 | -,001 | ,305 | ,115 | ,183 | ,066 |
| x9 | -,103 | -,034 | ,313 | ,046 | ,175 | ,299 | ,036 | ,105 |
| x10 | -,110 | ,107 | ,254 | ,147 | ,189 | ,242 | ,136 | ,104 |
| x11 | ,050 | ,010 | -,094 | ,115 | ,137 | ,122 | ,033 | -,059 |
| x12 | ,228 | ,181 | ,040 | ,117 | ,140 | ,137 | -,100 | ,102 |
| x13 | ,105 | ,181 | ,046 | ,074 | -,043 | ,101 | ,077 | -,075 |
| x14 | ,162 | -,023 | -,028 | ,121 | ,262 | ,039 | ,017 | ,116 |
| x15 | ,121 | ,251 | -,021 | ,096 | ,027 | -,022 | ,099 | ,256 |
| z1 | ,024 | ,157 | ,121 | ,117 | ,167 | ,094 | ,078 | ,147 |
| z2 | 1,000 | ,188 | -,120 | ,022 | ,047 | -,005 | ,147 | ,043 |
| z3 | ,188 | 1,000 | ,125 | ,280 | ,077 | ,093 | ,208 | ,151 |
| z4 | -,120 | ,125 | 1,000 | ,368 | ,255 | ,200 | ,205 | ,060 |
| z5 | ,022 | ,280 | ,368 | 1,000 | ,221 | ,134 | ,221 | ,221 |

| | | | | | | | | |
|----|-------|------|-------|------|-------|-------|-------|-------|
| y1 | ,047 | ,077 | ,255 | ,221 | 1,000 | ,044 | ,178 | ,252 |
| y2 | -,005 | ,093 | ,200 | ,134 | ,044 | 1,000 | ,219 | ,216 |
| y3 | ,147 | ,208 | ,205 | ,221 | ,178 | ,219 | 1,000 | ,344 |
| y4 | ,043 | ,151 | ,060 | ,221 | ,252 | ,216 | ,344 | 1,000 |
| y5 | ,190 | ,161 | -,041 | ,011 | ,180 | ,213 | ,236 | ,324 |

Inter-Item Correlation Matrix

| | y5 |
|-----|-------|
| x1 | ,129 |
| x2 | ,411 |
| x3 | ,139 |
| x4 | ,153 |
| x5 | ,099 |
| x6 | ,138 |
| x7 | ,062 |
| x8 | ,213 |
| x9 | ,050 |
| x10 | ,159 |
| x11 | ,064 |
| x12 | -,063 |
| x13 | ,023 |
| x14 | ,202 |
| x15 | ,211 |
| z1 | ,072 |

| | |
|----|-------|
| z2 | ,190 |
| z3 | ,161 |
| z4 | -,041 |
| z5 | ,011 |
| y1 | ,180 |
| y2 | ,213 |
| y3 | ,236 |
| y4 | ,324 |
| y5 | 1,000 |

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Squared Multiple Correlation | Cronbach's Alpha if Item Deleted |
|-----|----------------------------|--------------------------------|----------------------------------|------------------------------|----------------------------------|
| x1 | 82,9700 | 60,615 | ,345 | ,317 | ,764 |
| x2 | 82,8900 | 59,149 | ,524 | ,484 | ,753 |
| x3 | 83,4300 | 57,157 | ,510 | ,475 | ,751 |
| x4 | 82,2700 | 63,290 | ,233 | ,358 | ,770 |
| x5 | 82,7200 | 62,062 | ,214 | ,311 | ,772 |
| x6 | 83,3100 | 58,176 | ,403 | ,386 | ,760 |
| x7 | 82,8100 | 62,095 | ,238 | ,285 | ,770 |
| x8 | 83,1300 | 60,357 | ,375 | ,375 | ,762 |
| x9 | 82,6800 | 63,513 | ,281 | ,421 | ,768 |
| x10 | 83,4300 | 60,773 | ,299 | ,305 | ,767 |
| x11 | 82,5000 | 61,808 | ,226 | ,329 | ,772 |

| | | | | | |
|-----|---------|--------|------|------|------|
| x12 | 82,8400 | 62,338 | ,211 | ,397 | ,772 |
| x13 | 82,6200 | 62,420 | ,216 | ,226 | ,772 |
| x14 | 82,6000 | 64,323 | ,212 | ,417 | ,770 |
| x15 | 82,3300 | 62,526 | ,272 | ,292 | ,768 |
| z1 | 82,0700 | 63,096 | ,211 | ,256 | ,771 |
| z2 | 82,3100 | 63,408 | ,202 | ,241 | ,771 |
| z3 | 82,2500 | 62,028 | ,308 | ,285 | ,766 |
| z4 | 82,5100 | 63,667 | ,258 | ,465 | ,769 |
| z5 | 82,5700 | 62,652 | ,386 | ,377 | ,764 |
| y1 | 82,5700 | 62,591 | ,408 | ,439 | ,763 |
| y2 | 82,5800 | 62,630 | ,373 | ,296 | ,764 |
| y3 | 82,9500 | 61,503 | ,389 | ,337 | ,762 |
| y4 | 83,0700 | 61,844 | ,341 | ,418 | ,764 |
| y5 | 82,9100 | 61,032 | ,339 | ,349 | ,764 |

REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT z

/METHOD=ENTER x

/SCATTERPLOT=(*SRESID ,*ZPRED)

/RESIDUALS NORMPROB(ZRESID).

Regression

Notes

| | |
|--------------------------------|---|
| Output Created | 29-JUL-2017 08:55:19 |
| Comments | |
| Data | D:\Untitled1.sav |
| Active Dataset | DataSet1 |
| Filter | <none> |
| Input | |
| Weight | <none> |
| Split File | <none> |
| N of Rows in Working Data File | 100 |
| Definition of Missing | User-defined missing values are treated as missing. |
| Missing Value Handling | |
| Cases Used | Statistics are based on cases with no missing values for any variable used. |

| | | |
|--|-----------------------------------|-------------|
| Syntax | REGRESSION | |
| | /MISSING LISTWISE | |
| Resources | /STATISTICS COEFF OUTS R ANOVA | |
| | /CRITERIA=PIN(.05) POUT(.10) | |
| | /NOORIGIN | |
| | /DEPENDENT z | |
| | /METHOD=ENTER x | |
| | /SCATTERPLOT=(*SRESID ,*ZPRED) | |
| | /RESIDUALS NORMPROB(ZRESID). | |
| | Processor Time | 00:00:00,98 |
| | Elapsed Time | 00:00:00,95 |
| | Memory Required | 1876 bytes |
| Additional Memory Required for Residual Plots | 568 bytes | |

[DataSet1] D:\Untitled1.sav

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^b | . | Enter |

a. Dependent Variable: z

b. All requested variables entered.

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | ,429 ^a | ,184 | ,176 | ,34887 |

a. Predictors: (Constant), x

b. Dependent Variable: z

ANOVA^a

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 2,688 | 1 | 2,688 | 22,082 | ,000 ^b |
| | Residual | 11,928 | 98 | ,122 | | |
| | Total | 14,616 | 99 | | | |

a. Dependent Variable: z

b. Predictors: (Constant), x

Coefficients^a

| Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|-------|-----------------------------|------------|---------------------------|---|------|
| | B | Std. Error | Beta | | |
| | | | | | |

| | | | | | | |
|---|------------|-------|------|------|-------|------|
| 1 | (Constant) | 2,398 | ,308 | | 7,775 | ,000 |
| | x | ,431 | ,092 | ,429 | 4,699 | ,000 |


a. Dependent Variable: z


Residuals Statistics^a

| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|----------|---------|--------|----------------|-----|
| Predicted Value | 3,5734 | 4,5507 | 3,8380 | ,16477 | 100 |
| Std. Predicted Value | -1,606 | 4,326 | ,000 | 1,000 | 100 |
| Standard Error of Predicted Value | ,035 | ,156 | ,047 | ,016 | 100 |
| Adjusted Predicted Value | 3,5724 | 4,4391 | 3,8366 | ,16029 | 100 |
| Residual | -,97615 | ,76634 | ,00000 | ,34711 | 100 |
| Std. Residual | -2,798 | 2,197 | ,000 | ,995 | 100 |
| Stud. Residual | -2,875 | 2,268 | ,002 | 1,009 | 100 |
| Deleted Residual | -1,03029 | ,82022 | ,00141 | ,35720 | 100 |
| Stud. Deleted Residual | -2,989 | 2,318 | ,001 | 1,020 | 100 |
| Mahal. Distance | ,001 | 18,711 | ,990 | 2,089 | 100 |
| Cook's Distance | ,000 | ,257 | ,015 | ,040 | 100 |
| Centered Leverage Value | ,000 | ,189 | ,010 | ,021 | 100 |

a. Dependent Variable: z

Charts

Normal P-P Plot of Regression Standardized Residual**Dependent Variable: z**



REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT y

```

/METHOD=ENTER x

/SCATTERPLOT=(*SRESID,*ZPRED)

/RESIDUALS NORMPROB(ZRESID).

```

Regression

Notes

| | | |
|------------------------|--------------------------------|---|
| Output Created | | 29-JUL-2017 08:55:45 |
| Comments | | |
| | Data | D:\Untitled1.sav |
| | Active Dataset | DataSet1 |
| | Filter | <none> |
| Input | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data File | 100 |
| Missing Value Handling | Definition of Missing | User-defined missing values are treated as missing. |

| | | |
|-----------|---|---|
| Syntax | Cases Used | <p>Statistics are based on cases with no missing values for any variable used.</p> <p>REGRESSION</p> <p>/MISSING LISTWISE</p> <p>/STATISTICS COEFF OUTS R ANOVA</p> <p>/CRITERIA=PIN(.05) POUT(.10)</p> <p>/NOORIGIN</p> <p>/DEPENDENT y</p> <p>/METHOD=ENTER x</p> <p>/SCATTERPLOT=(*SRESID ,*ZPRED)</p> <p>/RESIDUALS NORMPROB(ZRESID).</p> |
| | <p>Processor Time</p> <p>Elapsed Time</p> <p>Memory Required</p> <p>Additional Memory Required for Residual Plots</p> | <p>00:00:00,94</p> <p>00:00:01,01</p> <p>1876 bytes</p> <p>568 bytes</p> |
| Resources | | |

[DataSet1] D:\Untitled1.sav

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | x ^b | . | Enter |

a. Dependent Variable: y

b. All requested variables entered.

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | ,505 ^a | ,255 | ,247 | ,37760 |

a. Predictors: (Constant), x

b. Dependent Variable: y

ANOVA^a

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1 | Regression | 4,777 | 1 | 4,777 | 33,505 | ,000 ^b |
| | Residual | 13,973 | 98 | ,143 | | |
| | Total | 18,750 | 99 | | | |

a. Dependent Variable: y

b. Predictors: (Constant), x

Coefficients^a

| Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. |
|--------------|-----------------------------|------------|---------------------------|-------|------|
| | B | Std. Error | Beta | | |
| 1 (Constant) | 1,444 | ,334 | | 4,326 | ,000 |
| x | ,574 | ,099 | ,505 | 5,788 | ,000 |

a. Dependent Variable: y


Residuals Statistics^a


| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|---------|---------|--------|----------------|-----|
| Predicted Value | 3,0112 | 4,3142 | 3,3640 | ,21967 | 100 |
| Std. Predicted Value | -1,606 | 4,326 | ,000 | 1,000 | 100 |
| Standard Error of Predicted Value | ,038 | ,168 | ,050 | ,018 | 100 |
| Adjusted Predicted Value | 2,9967 | 4,2929 | 3,3624 | ,21781 | 100 |
| Residual | -,61482 | 1,10481 | ,00000 | ,37569 | 100 |
| Std. Residual | -1,628 | 2,926 | ,000 | ,995 | 100 |

| | | | | | |
|-------------------------|---------|---------|--------|--------|-----|
| Stud. Residual | -1,673 | 3,032 | ,002 | 1,007 | 100 |
| Deleted Residual | -,64892 | 1,18678 | ,00157 | ,38523 | 100 |
| Stud. Deleted Residual | -1,688 | 3,169 | ,004 | 1,017 | 100 |
| Mahal. Distance | ,001 | 18,711 | ,990 | 2,089 | 100 |
| Cook's Distance | ,000 | ,341 | ,013 | ,036 | 100 |
| Centered Leverage Value | ,000 | ,189 | ,010 | ,021 | 100 |

a. Dependent Variable: y

Charts

Normal P-P Plot of Regression Standardized Residual**Dependent Variable: y**



REGRESSION

/MISSING LISTWISE

/STATISTICS COEFF OUTS R ANOVA

/CRITERIA=PIN(.05) POUT(.10)

/NOORIGIN

/DEPENDENT y

/METHOD=ENTER z

/SCATTERPLOT=(*SRESID,*ZPRED)

/RESIDUALS NORMPROB(ZRESID).

Regression

Notes

| | | |
|------------------------|--------------------------------|---|
| Output Created | | 29-JUL-2017 08:56:10 |
| Comments | | |
| | Data | D:\Untitled1.sav |
| | Active Dataset | DataSet1 |
| | Filter | <none> |
| Input | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data File | 100 |
| | Definition of Missing | User-defined missing values are treated as missing. |
| Missing Value Handling | Cases Used | Statistics are based on cases with no missing values for any variable used. |

| | |
|-----------|--|
| Syntax | <pre> REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT y /METHOD=ENTER z /SCATTERPLOT=(*SRESID ,*ZPRED) /RESIDUALS NORMPROB(ZRESID). </pre> |
| Resources | <pre> Processor Time 00:00:00,95 Elapsed Time 00:00:01,03 Memory Required 1876 bytes Additional Memory Required for Residual Plots 568 bytes </pre> |

[DataSet1] D:\Untitled1.sav

Variables Entered/Removed^a

| Model | Variables Entered | Variables Removed | Method |
|-------|-------------------|-------------------|--------|
| 1 | z ^b | . | Enter |

a. Dependent Variable: y

b. All requested variables entered.

Model Summary^b

| Model | R | R Square | Adjusted R Square | Std. Error of the Estimate |
|-------|-------------------|----------|-------------------|----------------------------|
| 1 | ,356 ^a | ,127 | ,118 | ,40872 |

a. Predictors: (Constant), z

b. Dependent Variable: y

ANOVA^a

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|-------|------------|----------------|----|-------------|--------|-------------------|
| | Regression | 2,379 | 1 | 2,379 | 14,242 | ,000 ^b |
| 1 | Residual | 16,371 | 98 | ,167 | | |
| | Total | 18,750 | 99 | | | |

a. Dependent Variable: y

b. Predictors: (Constant), z

Coefficients^a

| Model | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | |
|-------|-----------------------------|------------|---------------------------|------|-------|------|
| | B | Std. Error | Beta | | | |
| 1 | (Constant) | 1,816 | ,412 | | 4,403 | ,000 |
| | z | ,403 | ,107 | ,356 | 3,774 | ,000 |

a. Dependent Variable: y


Residuals Statistics^a


| | Minimum | Maximum | Mean | Std. Deviation | N |
|-----------------------------------|----------|---------|--------|----------------|-----|
| Predicted Value | 3,0259 | 3,8328 | 3,3640 | ,15502 | 100 |
| Std. Predicted Value | -2,181 | 3,024 | ,000 | 1,000 | 100 |
| Standard Error of Predicted Value | ,041 | ,131 | ,055 | ,018 | 100 |
| Adjusted Predicted Value | 3,0275 | 3,7681 | 3,3616 | ,15081 | 100 |
| Residual | -,99074 | 1,16718 | ,00000 | ,40665 | 100 |
| Std. Residual | -2,424 | 2,856 | ,000 | ,995 | 100 |
| Stud. Residual | -2,463 | 3,014 | ,003 | 1,010 | 100 |
| Deleted Residual | -1,02308 | 1,30031 | ,00244 | ,41923 | 100 |

| | | | | | |
|-------------------------|--------|-------|------|-------|-----|
| Stud. Deleted Residual | -2,530 | 3,148 | ,004 | 1,020 | 100 |
| Mahal. Distance | ,010 | 9,146 | ,990 | 1,593 | 100 |
| Cook's Distance | ,000 | ,518 | ,016 | ,055 | 100 |
| Centered Leverage Value | ,000 | ,092 | ,010 | ,016 | 100 |

a. Dependent Variable: y

Charts

Normal P-P Plot of Regression Standardized Residual**Dependent Variable: y**



Lampiran

Tampak depan



Tampak Dalam



Tampak Dalam

