

PEMERINTAH KABUPATEN TASIKMALAYA
RUMAH SAKIT UMUM DAERAH

Jl. Rumah Sakit No. 39 Tasikmalaya, Telp. (0265) 331747, Fax. (0265) 331747

SURAT KETERANGAN

Nomor 420/RSUD/MIL/2009

Yang bertanda tangan di bawah ini Direktur Rumah Sakit Umum Daerah Kota Tasikmalaya, menerangkan dengan sesungguhnya bahwa:

Nama : CITRA RESNA PRAMITHA
 NIM : 20050310072
 Status : Mahasiswa Fakultas Kedokteran
 Universitas Muhammadiyah Yogyakarta

Telah melaksanakan Penelitian di RSUD Kota Tasikmalaya pada bulan Agustus s.d Oktober 2008 dengan judul "Pengaruh Penggunaan antibiotik Terhadap Jumlah Koloni Jamur Pasien Demam Rawat Inap"

Demikian Surat Keterangan ini kami buat untuk dapat dipergunakan sebagaimana mestinya.

Tasikmalaya, 1 Agustus 2009
 an. Direktur Rumah Sakit Umum Daerah
 Kota Tasikmalaya
 (Ditandatangani Direktur Pelayanan)



Dr. H. CECELIAINAL KHOLIS, MM.K.
 Perabina Ick
 NIP. 195903051983011002

mpiran 2

Frequency Table

Umur

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 10 - 20 th	9	13.6	13.6	13.6
31 - 40 th	27	40.9	40.9	54.5
41 - 50 th	22	33.3	33.3	87.9
51 - 60 th	8	12.1	12.1	100.0
Total	66	100.0	100.0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Laki-laki	30	45.5	45.5	45.5
Perempuan	36	54.5	54.5	100.0
Total	66	100.0	100.0	

Jenis Penyakit

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tifoid	21	31.8	31.8	31.8
Infeksi Saluran Napas	12	18.2	18.2	50.0
ISK	10	15.2	15.2	65.2
Susp DHF	10	15.2	15.2	80.3
Amubiasis	4	6.1	6.1	86.4
Disentri Basiler	2	3.0	3.0	89.4
ISPA	4	6.1	6.1	95.5
OMA	1	1.5	1.5	97.0
Sinusitis	1	1.5	1.5	98.5
Artritis	1	1.5	1.5	100.0
Total	66	100.0	100.0	

Pemberian Antibiotik

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	10	15.2	15.2	15.2
Ya	56	84.8	84.8	100.0
Total	66	100.0	100.0	

Nama Obat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak diberi	10	15.2	15.2	15.2
	Kloramfenikol	22	33.3	33.3	48.5
	Amoxicilin	10	15.2	15.2	63.6
	Ampicilin	5	7.6	7.6	71.2
	Tetrasiklin	6	9.1	9.1	80.3
	Erythromycin	4	6.1	6.1	86.4
	Ciprofloxasin	3	4.5	4.5	90.9
	Cefadrosil	3	4.5	4.5	95.5
	Kotrimoksazol	3	4.5	4.5	100.0
	Total	66	100.0	100.0	

Lama Pemberian Obat

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak diberi	10	15.2	15.2	15.2
	3 hr	21	31.8	31.8	47.0
	4 hr	6	9.1	9.1	56.1
	5 hr	15	22.7	22.7	78.8
	7 hr	14	21.2	21.2	100.0
	Total	66	100.0	100.0	

Nama Jamur Sebelum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada jamur	34	51.5	51.5	51.5
	Aspergillus Fumigatus	10	15.2	15.2	66.7
	Actino Myces SP	10	15.2	15.2	81.8
	Candida Albicans	12	18.2	18.2	100.0
	Total	66	100.0	100.0	

Nama Jamur Sesudah

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada jamur	11	16.7	16.7	16.7
	Aspergillus Fumigatus	14	21.2	21.2	37.9
	Actino Myces SP	13	19.7	19.7	57.6
	Candida Albicans	28	42.4	42.4	100.0
	Total	66	100.0	100.0	

Crosstabs

Pemberian Antibiotik * Pertumbuhan jamur Crosstabulation

			Pertumbuhan jamur		Total
			Tetap	Tumbuh	
Pemberian Antibiotik	Tidak	Count	4	6	10
		% within Pemberian Antibiotik	40.0%	60.0%	100.0%
		% within Pertumbuhan jamur	9.3%	26.1%	15.2%
		% of Total	6.1%	9.1%	15.2%
	Ya	Count	39	17	56
		% within Pemberian Antibiotik	69.6%	30.4%	100.0%
		% within Pertumbuhan jamur	90.7%	73.9%	84.8%
Total	Count	43	23	66	
	% within Pemberian Antibiotik	65.2%	34.8%	100.0%	
	% within Pertumbuhan jamur	100.0%	100.0%	100.0%	
	% of Total	65.2%	34.8%	100.0%	

Par Tests
Wilcoxon Signed Ranks Test

Ranks

		N	Mean Rank	Sum of Ranks
Sesudah Pemberian Antibiotik - Sebelum Pemberian Antibiotik	Negative Ranks	0 ^a	.00	.00
	Positive Ranks	23 ^b	12.00	276.00
	Ties	43 ^c		
	Total	66		

- a. Sesudah Pemberian Antibiotik < Sebelum Pemberian Antibiotik
- b. Sesudah Pemberian Antibiotik > Sebelum Pemberian Antibiotik
- c. Sebelum Pemberian Antibiotik = Sesudah Pemberian Antibiotik

Test Statistics^b

	Sesudah Pemberian Antibiotik - Sebelum Pemberian Antibiotik
	-4.796 ^a
Asymp. Sig. (2-tailed)	.000

- a. Based on negative ranks.
- b. Wilcoxon Signed Ranks Test

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	66	100.0
	Missing Cases	0	.0
	Total	66	100.0
Unselected Cases		0	.0
Total		66	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Tetap	0
Tumbuh	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		
			Pertumbuhan jamur		Percentage Correct
			Tetap	Tumbuh	
Step 0	Pertumbuhan jamur	Tetap	43	0	100.0
		Tumbuh	23	0	.0
Overall Percentage					65.2

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	-.626	.258	5.866	1	.015	.535

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables PEM_ANTI	3.286	1	.070
Overall Statistics	3.286	1	.070

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	3.126	1	.077
	Block	3.126	1	.077
	Model	3.126	1	.077

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	82.213	.046	.064

Hosmer and Lemeshow Test

Contingency Table for Hosmer and Lemeshow Test

		Pertumbuhan jamur = Tetap		Pertumbuhan jamur = Tumbuh		Total
		Observed	Expected	Observed	Expected	
Step 1	1	39	39.000	17	17.000	56
	2	4	4.000	6	6.000	10

Classification Table^a

Observed		Predicted			
		Pertumbuhan jamur		Percentage Correct	
		Tetap	Tumbuh		
Step 1	Pertumbuhan jamur	Tetap	39	4	90.7
		Tumbuh	17	6	26.1
	Overall Percentage				68.2

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)		
							Lower	Upper	
Step 1	PEM_ANTI	-1.236	.708	3.048	1	.081	.291	.073	1.164
	Constant	.405	.645	.395	1	.530	1.500		

a. Variable(s) entered on step 1: PEM_ANTI.