

DAFTAR PUSTAKA

- Albert, S. M., Colombi, A., & Hanlon, J. (2010). Potentially inappropriate medications and risk of hospitalization in retirees. *Drugs & aging*, 27(5), 407-415.
- American Geriatrics Society 2015 Beers Criteria Update Expert Panel, Fick, D. M., Semla, T. P., Beizer, J., Brandt, N., Dombrowski, R., & Giovannetti, E. (2015). American Geriatrics Society 2015 updated beers criteria for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 63(11), 2227-2246.
- Anjum, S. M., Jacob, C., & Benchamin, A., (2017). Asian Journal of Pharmaceutical and Clinical Research : *A Prospective Study on Geriatric Prescribing Pattern and Medication Adherence in a Tertiary Care Hospital.*, 10, 220-225
- AS, A. N. M. S., Darmawan, E., & Mustofa, M. (2015). Penggunaan Potentially Inappropriate Medications (PIMs) pada pasien geriatri rawat inap osteoarthritis di RS PKU Muhammadiyah Yogyakarta. *Pharmaciana*, 5(1).
- Astutik, W., & Hasmono, D. (2013). Penggunaan Obat Golongan Diuretik Pada Pasien Stroke Iskemik Di Instalasi Rawat Inap RSU DR. Saiful Anwar Malang. *Media Farmasi*, 10(2).
- Bergen, D. C., & Silberberg, D. (2002). Nervous system disorders: a global epidemic. *Archives of neurology*, 59(7), 1194-1196.
- Busa, G., Burlina, A., Damuzzo, V., Chiumente, M., & Palozzo, A. C. (2018). Comorbidity, Polytherapy, and Drug Interactions in a Neurological Context: An Example of a Multidisciplinary Approach to Promote the Rational Use of Drugs. *Journal of pharmacy practice*, 31(1), 58-65.
- Corsonello, A., Onder, G., Abbatecola, A. M., Guffanti, E. E., Gareri, P., & Lattanzio, F. (2012). Explicit criteria for potentially inappropriate medications to reduce the risk of adverse drug reactions in elderly people. *Drug safety*, 35(1), 21-28.

- David K. McCulloch, MD., Avra Cohen, MN., Chris Amante., Beth Arnold., Nipali Bharani, MD., Karen Birmingham., et al. (2012). Dementia and Cognitive Impairment Diagnosis and Treatment Guideline. Group Health.
- Davies, E. A., & O'mahony, M. S. (2015). Adverse drug reactions in special populations—the elderly. *British journal of clinical pharmacology*, 80(4), 796-807.
- Departemen Kesehatan Republik Indonesia. (2006). Pharmaceutical Care untuk Penyakit Hipertensi. Jakarta.
- Diansiana, K., (2016). Penggunaan *Potentially Inappropriate Medications* pada Pasien Geriatri Rawat Inap dengan Gagal Jantung di RS Panti Nugroho Yogyakarta, *Tesis*, Program Pascasarjana Program Studi Ilmu Farmasi Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Duerden, M., & Payne, R. (2014). Polypharmacy—what is it and how common is it?. *Prescriber*, 25(21), 44-47.
- Endres, H. G., Kaufmann-Kolle, P., Steeb, V., Bauer, E., Böttner, C., & Thürmann, P. (2016). Association between potentially inappropriate medication (PIM) use and risk of hospitalization in older adults: an observational study based on routine data comparing PIM use with use of PIM alternatives. *PLoS one*, 11(2), e0146811.
- Fatimah. (2010). Merawat Manusia Lanjut Usia Suatu Pendekatan Proses Keperawatan Gerontik. Jakarta : Trans Info Media.
- Febriyanto, D. I. (2015). *Perbedaan Efektivitas Terapi Betahistin Dan Kombinasi Dengan Difenhidramin Pada Pasien Vertigo Perifer Di RSUD Sukoharjo* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Hanlon, J. T., Handler, S. M., Maher, R. L., & Schmader, K. E. (2010). Geriatric pharmacotherapy and polypharmacy. In *Brocklehurst's Textbook of Geriatric Medicine and Gerontology (Seventh Edition)* (pp. 880-885).
- Harugeri, A., Joseph, J., Parthasarathi, G., Ramesh, M., & Guido, S. (2010). Potentially inappropriate medication use in elderly patients: a study of prevalence and predictors in two teaching hospitals. *Journal of postgraduate medicine*, 56(3), 186.

- Holmes, H. (2012). *Polypharmacy, An Issue of Clinics in Geriatric Medicine-E-Book* (Vol. 28, No. 2). Elsevier Health Sciences.
- Holt, S., Schmiedl, S., & Thürmann, P. A. (2010). Potentially inappropriate medications in the elderly: the PRISCUS list. *Deutsches Ärzteblatt International*, 107(31-32), 543.
- Ikawati, Z., (2014). *Farmakoterapi Penyakit Sistem Syaraf Pusat* (1st ed), Cetakan V, 104 – 151, Bursa Ilmu, Yogyakarta.
- James, P. A., Oparil, S., Carter, B. L., Cushman, W. C., Dennison-Himmelfarb, C., Handler, J., & Smith, S. C. (2014). 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *Jama*, 311(5), 507-520.
- Kementerian Kesehatan Republik Indonesia. (2014). Presiden Resmikan RS Pusat Otak Nasional, Artikel. Diakses 26 Mei 2018, dari <http://www.depkes.go.id/article/view/201407200001/presiden-resmikan-rs-pusat-otak-nasional.html>
- Kim, H. A., Shin, J. Y., Kim, M. H., & Park, B. J. (2014). Prevalence and predictors of polypharmacy among Korean elderly. *PloS one*, 9(6), e98043.
- Koda-Kimble, Mary Anne, & Brian K. Alldredge, (2013). *Applied Therapeutics: The Clinical Use of Drugs*. 10th Ed. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins.
- Laura J. Martin., David Zieve., Isla Ogilvie., (2018). Sleep Disorder in Older Adult. Medline Plus, Diakses 31 Mei 2018, dari <https://www.nlm.nih.gov/medlineplus/ency/article/000064.htm>
- Lonergan, E., Luxenberg, J., Colford, J. M., & Birks, J. (2002). Haloperidol for agitation in dementia [Abstract]. *The Cochrane Library*. Diakses 31 Mei 2018, dari <https://www.ncbi.nlm.nih.gov/pubmed/12076456/>

- Martono, H. H., & Pranarka, K. (2011). Buku Ajar Boedhi-Darmojo Geriatri (Ilmu Kesehatan Usia Lanjut) Edisi 4 cetakan ke-3. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Maust, D. T., Kim, H. M., Seyfried, L. S., Chiang, C., Kavanagh, J., Schneider, L. S., & Kales, H. C. (2015). Antipsychotics, other psychotropics, and the risk of death in patients with dementia: number needed to harm. *JAMA psychiatry*, 72(5), 438-445.
- Mazhar, F., Akram, S., Malhi, S. M., & Haider, N. (2018). A prevalence study of potentially inappropriate medications use in hospitalized Pakistani elderly. *Aging clinical and experimental research*, 30(1), 53-60.
- Melani, C., (2011). Pharmacist's Letter/Prescriber's Letter. *STARTing and STOPPing Medications in the Elderly*. 270906. 4 – 11
- Menteri Kesehatan Republik Indonesia (2016). Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 Tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019.
- Motter, F. R., Fritzen, J. S., Hilmer, S. N., Paniz, É. V., & Paniz, V. M. V. (2018). Potentially inappropriate medication in the elderly: a systematic review of validated explicit criteria. *European journal of clinical pharmacology*, 1-22.
- Narvekar, R. S., BhaNdaRe, N. N., Gouveia, J. J., & Bhandare, P. N. (2017). Utilization Pattern of Potentially Inappropriate Medications in Geriatric Patients in a Tertiary Care Hospital: A Retrospective Observational Study. *Journal of clinical and diagnostic research: JCDR*, 11(4), FC04.
- Negara, Y. R., Machlaurin, A., & Rachmawati, E. (2016). Potensi Penggunaan Obat yang Tidak Tepat pada Peresepan Pasien Geriatri Rawat Jalan di RSD dr. Soebandi Jember Berdasarkan Beers Criteria (Potentially Inappropriate Medication Based on Beers Criteria in Geriatric Outpatients of dr. Soebandi District Hosp. *Pustaka Kesehatan*, 4(1), 14-19.
- Novaes, P. H., Cruz, D. T., Lucchetti, A. L. G., Leite, I. C. G., & Lucchetti, G. (2017). Comparison of four criteria for potentially inappropriate medications in Brazilian community-dwelling older adults. *Geriatrics & gerontology international*, 17(10), 1628-1635.

- Nugroho, A. E., (2014). *Farmakologi Obat-obat Penting dalam Pembelajaran Ilmu Farmasi dan Dunia Kesehatan*, Cetakan IV, 33 – 64, Pustaka Pelajar, Yogyakarta.
- Pionas, (2018). Antiinflamasi Non Steroid, Diakses 31 Mei 2018, dari <http://pionas.pom.go.id/ioni/bab-10-otot-skelet-dan-sendi/101-obat-reumatik-dan-gout/1011-antiinflamasi-nonsteroid-ains>
- Pionas, (2018). Antimuskarinik. Diakses 19 Mei 2018, dari <http://pionas.pom.go.id/ioni/bab-1-sistem-saluran-cerna-0/12-antispasmodik-dan-obat-obat-lain-yang-mempengaruhi-motilitas-0>
- Pionas, (2018). Klonidin, Diakses 31 Mei 2018, dari <http://pionas.pom.go.id/ioni/bab-2-sistem-kardiovaskuler-0/23-antihipertensi/237-antihipertensi-kerja-sentral>
- Pionas, (2018). Manitol, Diakses 28 Mei 2018, dari <http://pionas.pom.go.id/ioni/bab-2-sistem-kardiovaskuler-0/25-diureтика/254-diureтика-osmotik>
- Pionas, (2018). Ranitidin, Diakses 31 Mei 2018, dari <http://pionas.pom.go.id/ioni/bab-1-sistem-saluran-cerna-0/13-antitukak/131-antagonis-reseptor-h2>
- Press, Y., Punchik, B., & Freud, T. (2016). Orthostatic hypotension and drug therapy in patients at an outpatient comprehensive geriatric assessment unit. *Journal of hypertension*, 34(2), 351-358.
- Purnomo, A. M., Sengkey, L. S., & Damopolii, C. A. (2016). Angka kejadian afasia pada stroke di Instalasi Rehabilitasi Medik RSUP Prof. Dr. RD Kandou Manado tahun 2015. *e-CliniC*, 4(2).
- Rahajeng, B., (2007). Drug-Related Problems Pada Penatalaksanaan Pasien Stroke Rawat Inap di RSAL Dr. Ramelan Surabaya Periode 1 September – 31 Oktober 2006, *Tesis*, Sekolah Pascasarjana Universitas Gadjah Mada, Yogyakarta.
- Rahmah Y. S., (2016). Evaluasi *Potentially Inappropriate Medications* (Pims) Berdasarkan Kriteria Beers dan Stopp pada Pasien Geriatri di RSUD Dr.

Zainoel Abidin Banda Aceh [Abstract], *Tugas Akhir*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Syiah Kuala Darussalam, Banda Aceh. Diakses 28 Mei 2018, dari http://etd.unsyiah.ac.id/baca/abstrak.php?biblio_id=27125

Roceanu, A., Muresanu, D. F., Popescu, B. O., Anghel, D., Georgescu, M., Cozma, S., & Bajenaru, O. (2014). Taking history for vertigo and dizziness—a practical approach. *Romanian Journal of Neurology*, 13(3), 108.

Rolland, Y., Morley. J.E., dan Vellas, B., (2015). Frailty and Polipharmacy. The journal of nutrition, helath &aging, 1-3

Ryan, C., O'Mahony, D., Kennedy, J., Weedle, P., Barry, P., Gallagher, P., & Byrne, S. (2009). Appropriate prescribing in the elderly: an investigation of two screening tools, Beers criteria considering diagnosis and independent of diagnosis and improved prescribing in the elderly tool to identify inappropriate use of medicines in the elderly in primary care in Ireland. *Journal of clinical pharmacy and therapeutics*, 34(4), 369-376.

Semla, T. P., Beizer, J. L., & Higbee, M. D. (2011). Lexi-Comps Geriatric Dosage Handbook. *Baker & Taylor Company, Charlotte, North Carolina*. 469.

Shawkat, H., Westwood, M. M., & Mortimer, A. (2012). Mannitol: a review of its clinical uses. *Continuing Education in Anaesthesia, Critical Care and Pain*, 12(2), 82-85.

Sielski, G., Sielska, M., Podhorecka, M., Gębka, D., Sucharska-Szymkowiak, M., Ciesielska, N., & Kędziora-Kornatowska, K. (2015). Dizziness in older people.

Supadmi, W. (2013). Evaluasi Penggunaan Obat Anti Hipertensi Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis. *Pharmaciana*, 1(1).

Tridente, G., (2013). Adverse event with biomedicines: prevention through understanding. Springer science & business media, 15-24.

Waranugraha, Y., Suryana, B. P., & Pratomo, B. (2013). Hubungan pola penggunaan OAINS dengan gejala klinis gastropati pada pasien reumatik. *Jurnal Kedokteran Brawijaya*, 26(2), 107-112.

- Wright, R. M., Roumani, Y. F., Boudreau, R., Newman, A. B., Ruby, C. M., Studenski, S. A., & Hanlon, J. T. (2009). Effect of central nervous system medication use on decline in cognition in community-dwelling older adults: Findings from the Health, Aging and Body Composition Study. *Journal of the American Geriatrics Society*, 57(2), 243-250.
- Yuniadi, Y., Tondas, A. E., Hanafy, D. A., Hermanto, D. Y., Maharani, E., & Munawar, M. (2014). Pedoman Tata Laksana Fibrilasi Atrial. *Perhimpunan Dokter Spesialis Kardiovaskular Indonesia*, (1st ed), 10.