

Lampiran 1. Lembar Informed Consent

PERSETUJUAN MENJADI RESPONDEN

Yang bertanda tangan di bawah ini, saya:

Nama :

Umur :

Jenis Kelamin :

No. HP pengawas :

Dengan ini saya menyatakan telah diberi penjelasan tentang jalannya penelitian dan bersedia menjadi responden pada penelitian ini yang berjudul “Pengaruh Pemberian Antibiotik Secara Parenteral Terhadap Kejadian *Plebitis* di rawat inap RSUD Panembahan Senopati Bantul?” secara sukarela. Data yang saya berikan benar adanya dan akan dipergunakan hanya untuk kepentingan penelitian. Demikian surat persetujuan ini saya buat dengan sebenarnya.

Yogyakarta,

Responden

(.....)

Lampiran 3. Hasil Output SPSS

UJI UNIVARIAT

Statistics

		Jenis Kelamin	Usia	Diagnosis	Jenis CairanInfus	Jenis Antibiotik	Indikasi Antibiotik	Ukuran Kanula	Tempat Penusukan	Jenis Pelarut	Kejadian <i>Plebitis</i>	GejalaKlinis <i>Plebitis</i>
N	Valid	60	60	60	60	60	60	60	60	60	60	60
	Missing	0	0	0	0	0	0	0	0	0	0	0
Mean		1.3833	2.4167	4.4500	1.8000	2.2333	1.2667	2.0833	1.0000	1.0000	1.9167	1.1667
Median		1.0000	2.5000	5.0000	2.0000	2.0000	1.0000	2.0000	1.0000	1.0000	2.0000	1.0000
Mode		1.00	3.00	5.00	2.00	1.00	1.00	3.00	1.00	1.00	2.00	1.00
Std. Deviation		.49030	.86928	1.12634	.73184	1.58774	.44595	.94406	.00000	.00000	.27872	.55744
Sum		83.00	145.00	267.00	108.00	134.00	76.00	125.00	60.00	60.00	115.00	70.00

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	16-35 tahun	10	16.7	16.7	16.7
	36-55 tahun	20	33.3	33.3	50.0
	56 - 75 tahun	25	41.7	41.7	91.7
	>75 tahun	5	8.3	8.3	100.0
Total		60	100.0	100.0	

	B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I.for EXP(B)	
							Lower	Upper
Step 1 ^a Usia	1.109	.619	3.215	1	.073	3.031	.902	10.189
Constant	-1.656	2.075	.637	1	.425	.191		

a. Variable(s) entered on step 1: Usia.

JenisKelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	37	61.7	61.7	61.7
	Perempuan	23	38.3	38.3	100.0
Total		60	100.0	100.0	

	B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I.for EXP(B)	
							Lower	Upper
Step 1 ^a JenisKelamin	.981	1.151	.726	1	.394	2.667	.279	25.472
Constant	1.129	1.472	.589	1	.443	3.094		

a. Variable(s) entered on step 1: JenisKelamin.

Diagnosis

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ulkus DM	2	3.3	3.3	3.3
Anemia	4	6.7	6.7	10.0
CKD	6	10.0	10.0	20.0
DHF	1	1.7	1.7	21.7
Lain-lain	47	78.3	78.3	100.0
Total	60	100.0	100.0	

	B	S.E.	Wald	Df	Sig.	Exp(B)	95,0% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a Diagnosis	1.070	.525	4.152	1	.042	2.915	1.042	8.160
Constant	-2.517	2.341	1.156	1	.282	.081		

a. Variable(s) entered on step 1: Diagnosis.

JenisCairanInfus

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid RL	20	33.3	33.3	33.3
NaCl	35	58.3	58.3	91.7
Asering	2	3.3	3.3	95.0
Kombinasi	3	5.0	5.0	100.0
Total	60	100.0	100.0	

		B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I.for EXP(B)	
								Lower	Upper
								Step 1 ^a	JenisCairanInfus
	Constant	-17.619	8.039E3	.000	1	.998	.000		

a. Variable(s) entered on step 1: JenisCairanInfus.

JenisAntibiotik

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ceftriaxon	29	48.3	48.3	48.3
	Cefotaxim	13	21.7	21.7	70.0
	Ciprofloxacin	4	6.7	6.7	76.7
	Ceftazidime	7	11.7	11.7	88.3
	Meropenem	3	5.0	5.0	93.3
	Kombinasi	4	6.7	6.7	100.0
	Total	60	100.0	100.0	

		B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I.for EXP(B)	
								Lower	Upper
								Step 1 ^a	JenisAntibiotik
	Constant	-8.761	7.792	1.264	1	.261	.000		

a. Variable(s) entered on step 1: JenisAntibiotik.

IndikasiAntibiotik

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	44	73.3	73.3	73.3
	Tidak	16	26.7	26.7	100.0

		B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	JenisAntibiotik	1.891	1.330	2.021	1	.155	6.625	.489	89.799
	Constant	-8.761	7.792	1.264	1	.261	.000		
Total		60	100.0	100.0					

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	IndikasiAntibiotik	-2.663	1.165	5.226	1	.022	.070	.007	.684
	Constant	6.424	2.104	9.323	1	.002	616.333		

a. Variable(s) entered on step 1: IndikasiAntibiotik.

UkuranKanula

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18 G	24	40.0	40.0	40.0
	20 G	7	11.7	11.7	51.7
	22 G	29	48.3	48.3	100.0
Total		60	100.0	100.0	

		B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	UkuranKanula	-.257	.476	.292	1	.589	.773	.304	1.965
	Constant	2.931	1.138	6.633	1	.010	18.755		

a. Variable(s) entered on step 1: UkuranKanula.

	B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a UkuranKanula	-.257	.476	.292	1	.589	.773	.304	1.965
Constant	2.931	1.138	6.633	1	.010	18.755		

TempatPenusukan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Vena	60	100.0	100.0	100.0

JenisPelarut

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Aquades	60	100.0	100.0	100.0

Durasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-3hari	2	3.3	3.3	3.3
	>3hari	58	96.7	96.7	100.0
	Total	60	100.0	100.0	

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95,0% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	Durasi	24.112	2.842E4	.000		.999	2.962E10	.000	
	Constant	-45.315	5.684E4	.000	1	.999	.000		

a. Variable(s) entered on step 1: Durasi.

KejadianPlebitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	5	8.3	8.3	8.3
	Tidak	55	91.7	91.7	100.0
	Total	60	100.0	100.0	

GejalaKlinisPlebitis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada tanda <i>plebitis</i>	55	91.7	91.7	91.7
	Stadium Dini <i>Plebitis</i>	5	8.3	8.3	100.0
	Total	60	100.0	100.0	

UJI NORMALITAS

Tests of Normality^{b,c}

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
JenisKelamin	.400	60	.000	.617	60	.000
Usia	.249	60	.000	.867	60	.000
Diagnosis	.471	60	.000	.545	60	.000
JenisCairanInfus	.309	60	.000	.732	60	.000
JenisAntibiotik	.265	60	.000	.767	60	.000
IndikasiAntibiotik	.458	60	.000	.552	60	.000
UkuranKanula	.318	60	.000	.703	60	.000
Kejadian <i>Plebitis</i>	.534	60	.000	.309	60	.000
GejalaKlinis <i>Plebitis</i>	.534	60	.000	.309	60	.000

a. Lilliefors Significance Correction

b. TempatPenusukan is constant. It has been omitted.

c. JenisPelarut is constant. It has been omitted.

UJI ANALISIS DATA (CHI SQUARE)

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
JenisAntibiotik *	60	100.0%	0	.0%	60	100.0%
Kejadian <i>Plebitis</i>						

JenisAntibiotik * KejadianPlebitis Crosstabulation

Count

		KejadianPlebitis		Total
		Ya	Tidak	
JenisAntibiotik	Ceftriaxon	2	27	29
	Cefotaxim	1	12	13
	Ciprofloxacin	0	4	4
	Ceftazidime	1	6	7
	Meropenem	1	2	3
	Kombinasi	0	4	4
Total		5	55	60

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.592 ^a	5	.610
Likelihood Ratio	3.253	5	.661
Linear-by-Linear Association	.291	1	.590
N of Valid Cases	60		

a. 9 cells (75,0%) have expected count less than 5. The minimum expected count is ,25.