

## Lampiran 1

### Hasil Uji Validitas dan Reliabilitas Kuesioner

#### 1. Pengetahuan

Validity Statistics

Pearsons Product Moment	N
.867	11

Reliability Statistics

Cronbach's Alpha	N of Items
.973	11

Item-Total Statistics

Item	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
1	37.9000	83.878	.799	.972
2	38.0000	81.111	.857	.970
3	37.9000	83.878	.799	.972
4	38.0000	81.111	.857	.970
5	37.7000	79.567	.893	.969
6	37.8000	81.289	.866	.970
7	37.7000	79.789	.881	.970
8	37.6000	82.489	.856	.970
9	37.5000	85.167	.870	.971
10	37.4000	83.156	.941	.969
11	37.5000	80.500	.916	.969

#### 2. Sikap

Validity Statistics

Pearsons Product Moment	N
.753	20

Reliability Statistics

Cronbach's Alpha	N of Items
.966	20

Item-Total Statistics

Item	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
1	77.4000	143.156	.751	.964
2	77.2000	148.178	.644	.965
3	77.3000	146.011	.669	.965
4	77.2000	144.622	.698	.965
5	77.2000	144.622	.698	.965
6	77.3000	141.789	.764	.964
7	77.2000	143.511	.760	.964
8	77.4000	139.378	.819	.963
9	77.4000	139.378	.819	.963

10	77.4000	139.378	.819	.963
11	77.3000	137.567	.855	.963
12	77.4000	138.933	.840	.963
13	77.4000	138.933	.840	.963
14	77.3000	144.678	.747	.964
15	77.4000	146.044	.745	.964
16	77.4000	146.711	.702	.965
17	77.4000	146.711	.702	.965
18	77.3000	145.122	.721	.964
19	77.4000	146.044	.745	.964
20	77.3000	145.122	.721	.964

### 3. Ketersediaan Fasilitas

#### Validity Statistics

Pearsons Product Moment	N
.826	23

#### Reliability Statistics

Cronbach's Alpha	N of Items
.980	23

#### Item-Total Statistics

Item	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
1	16.9000	62.989	.832	.979
2	16.9000	63.878	.711	.980
3	16.8000	63.067	.949	.978
4	16.9000	63.878	.711	.980
5	16.8000	63.067	.949	.978
6	16.7000	65.789	.723	.980
7	16.8000	63.067	.949	.978
8	16.9000	63.211	.801	.979
9	16.8000	63.067	.949	.978
10	17.0000	63.111	.758	.980
11	16.7000	65.789	.723	.980
12	16.8000	63.067	.949	.978
13	16.7000	65.789	.723	.980
14	16.7000	65.789	.723	.980
15	17.0000	63.111	.758	.980
16	17.0000	63.111	.758	.980
17	16.9000	63.211	.801	.979
18	16.8000	63.067	.949	.978
19	16.7000	65.789	.723	.980
20	16.8000	63.067	.949	.978
21	16.9000	62.989	.832	.979

22	16.9000	62.989	.832	.979
23	16.8000	63.067	.949	.978

#### 4. Supervisi

Reliability Statistics

Pearsons Product Moment	N
.841	10

Reliability Statistics

Cronbach's Alpha	N of Items
.959	10

Item-Total Statistics

Item	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
1	30.0000	56.000	.805	.956
2	30.0000	58.444	.768	.959
3	30.0000	58.444	.768	.959
4	29.9000	58.322	.695	.960
5	29.8000	55.733	.734	.958
6	29.5000	50.056	.935	.950
7	29.6000	48.711	.932	.951
8	29.7000	48.900	.923	.951
9	29.7000	48.900	.923	.951
10	29.7000	48.900	.923	.951

## Lampiran 2

### Karakteristik Responden

#### 1. Jenis Kelamin

	Frequency	Percent	Valid Percent
Valid Laki-laki	11	12.4	12.4
Perempuan	78	87.6	87.6
Total	89	100.0	100.0

#### 2. Umur

	Frequency	Percent	Valid Percent
Valid 20-30 Tahun	41	46.1	46.1
31-40 Tahun	46	51.7	51.7
41-50 Tahun	2	2.2	2.2
Total	89	100.0	100.0

#### 3. Masa Kerja

	Frequency	Percent	Valid Percent
Valid 1-3 Tahun	27	30.3	30.3
>3-5 Tahun	33	37.1	37.1
>5 Tahun	29	32.6	32.6
Total	89	100.0	100.0

#### 4. Tingkat Pendidikan

	Frequency	Percent	Valid Percent
Valid DIII Keperawatan	68	76.4	76.4
S1 Ners Keperawatan	21	23.6	23.6
Total	89	100.0	100.0

### Lampiran 3

#### Deskripsi Pengetahuan, Sikap, Ketersediaan Fasilitas, Supervisi dan Kelengkapan Dokumentasi Asuhan Keperawatan Di RSUD Muhammadiyah Bantul.

##### 1. Pengetahuan

	Frequency	Percent	Valid Percent
Valid Cukup	14	15.7	15.7
Baik	31	34.8	34.8
Sangat Baik	44	49.4	49.4
Total	89	100.0	100.0

##### 2. Sikap

	Frequency	Percent	Valid Percent
Valid Kurang	1	1.1	1.1
Cukup	13	14.6	14.6
Baik	35	39.3	39.3
Sangat Baik	40	44.9	44.9
Total	89	100.0	100.0

##### 3. Ketersediaan Fasilitas

	Frequency	Percent	Valid Percent
Valid Cukup Tersedia	11	12.4	12.4
Tersedia	78	87.6	87.6
Total	89	100.0	100.0

##### 4. Supervisi

	Frequency	Percent	Valid Percent
Valid Kurang	2	2.2	2.2
Cukup	31	34.8	34.8
Baik	49	55.1	55.1
Sangat Baik	7	7.9	7.9
Total	89	100.0	100.0

**5. Kelengkapan Dokumentasi Asuhan Keperawatan (Proses Keperawatan)**

**a. Pengkajian**

	Frequency	Percent	Valid Percent
Valid Tidak Lengkap	20	22.5	22.5
Lengkap	69	77.5	77.5
Total	89	100.0	100.0

**b. Diagnosa**

	Frequency	Percent	Valid Percent
Valid Tidak Lengkap	15	16.9	16.9
Lengkap	74	83.1	83.1
Total	89	100.0	100.0

**c. Perencanaan**

	Frequency	Percent	Valid Percent
Valid Tidak Lengkap	8	9.0	9.0
Lengkap	81	91.0	91.0
Total	89	100.0	100.0

**d. Tindakan**

	Frequency	Percent	Valid Percent
Valid Tidak Lengkap	3	3.4	3.4
Lengkap	86	96.6	96.6
Total	89	100.0	100.0

**e. Evaluasi**

	Frequency	Percent	Valid Percent
Valid Tidak Lengkap	6	6.7	6.7
Lengkap	83	93.3	93.3
Total	89	100.0	100.0

**6. Kelengkapan Dokumentasi Asuhan Keperawatan**

	Frequency	Percent	Valid Percent
Valid Tidak Lengkap	20	22.5	22.5
Lengkap	69	77.5	77.5
Total	89	100.0	100.0

## Lampiran 4

### Pengetahuan K1 \* Dokumentasi Keperawatan Crosstabulation

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pengetahuan K1	Cukup	5	4	9
	Baik	7	26	33
	Sangat Baik	8	39	47
Total		20	69	89

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	6.486 <sup>a</sup>	2	.039
Likelihood Ratio	5.485	2	.064
Linear-by-Linear Association	4.378	1	.036
N of Valid Cases	89		

### Pengetahuan K2 \* Dokumentasi Keperawatan Crosstabulation

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pengetahuan K2	Kurang	2	0	2
	Cukup	13	16	29
	Baik	4	25	29
	Sangat Baik	1	28	29
Total		20	69	89



**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	22.497 <sup>a</sup>	3	.000
Likelihood Ratio	22.981	3	.000
Linear-by-Linear Association	19.663	1	.000
N of Valid Cases	89		

**Pengetahuan K3 \* Dokumentasi Keperawatan Crosstabulation**

Count		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pengetahuan K3	Kurang	1	0	1
	Cukup	13	25	38
	Baik	5	27	32
	Sangat Baik	1	17	18
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.273 <sup>a</sup>	3	.016
Likelihood Ratio	10.556	3	.014
Linear-by-Linear Association	8.531	1	.003
N of Valid Cases	89		

**Pengetahuan K4 \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pengetahuan K3	Cukup	6	6	12
	Baik	10	32	42
	Sangat Baik	4	31	35
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.713 <sup>a</sup>	2	.021
Likelihood Ratio	7.224	2	.027
Linear-by-Linear Association	7.104	1	.008
N of Valid Cases	89		

**Sikap K1 \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Sikap K1	Cukup	8	5	13
	Baik	6	31	37
	Sangat Baik	6	33	39
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	13.344 <sup>a</sup>	2	.001
Likelihood Ratio	11.231	2	.004
Linear-by-Linear Association	7.861	1	.005
N of Valid Cases	89		

**Sikap K2 \* Dokumentasi Keperawatan Crosstabulation**

Count		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Sikap K2	Kurang	1	0	1
	Cukup	8	5	13
	Baik	7	39	46
	Sangat Baik	4	25	29
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17.482 <sup>a</sup>	3	.001
Likelihood Ratio	15.015	3	.002
Linear-by-Linear Association	10.840	1	.001
N of Valid Cases	89		

**Sikap K3 \* Dokumentasi Keperawatan Crosstabulation**

Count		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Sikap K3	Kurang	1	0	1
	Cukup	13	25	38
	Baik	5	27	32
	Sangat Baik	1	17	18
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	10.273 <sup>a</sup>	3	.016
Likelihood Ratio	10.556	3	.014
Linear-by-Linear Association	8.531	1	.003
N of Valid Cases	89		

**Sikap K4 \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Sikap K4	Kurang	1	1	2
	Cukup	8	2	10
	Baik	7	29	36
	Sangat Baik	4	37	41
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	23.860 <sup>a</sup>	3	.000
Likelihood Ratio	20.379	3	.000
Linear-by-Linear Association	16.266	1	.000
N of Valid Cases	89		

**Crosstab supervisi**

**Perencanaan \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Perencanaan	Cukup	15	10	25
	Baik	5	57	62
	Sangat Baik	0	2	2
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	28.176 <sup>a</sup>	2	.000
Likelihood Ratio	26.428	2	.000
Linear-by-Linear Association	26.053	1	.000
N of Valid Cases	89		

**Pengorganisasian \* Dokumentasi Keperawatan Crosstabulation**

Count		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pengorganisasian Sangat Kurang		1	0	1
Kurang		2	2	4
Cukup		7	17	24
Baik		10	40	50
Sangat Baik		0	10	10
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.881 <sup>a</sup>	4	.064
Likelihood Ratio	10.281	4	.036
Linear-by-Linear Association	7.671	1	.006
N of Valid Cases	89		

**Pembinaan \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pembinaan	Kurang	6	1	7
	Cukup	4	18	22
	Baik	10	38	48
	Sangat Baik	0	12	12
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	19.855 <sup>a</sup>	3	.000
Likelihood Ratio	19.110	3	.000
Linear-by-Linear Association	11.499	1	.001
N of Valid Cases	89		

**Pengendalian \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Pengendalian	Sangat Kurang	2	2	4
	Kurang	5	4	9
	Cukup	5	24	29
	Baik	8	34	42
	Sangat Baik	0	5	5
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.581 <sup>a</sup>	4	.048
Likelihood Ratio	9.368	4	.053
Linear-by-Linear Association	6.090	1	.014
N of Valid Cases	89		

**Crosstabs ketersediaan form**

**Fasilitas form \* Dokumentasi Keperawatan Crosstabulation**

Count				
		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
Fasilitas form	Cukup Tersedia	1	1	2
	Tersedia	19	68	87
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.890 <sup>a</sup>	1	.345		
Continuity Correction <sup>b</sup>	.008	1	.931		
Likelihood Ratio	.742	1	.389		
Fisher's Exact Test				.401	.401
Linear-by-Linear Association	.880	1	.348		
N of Valid Cases <sup>b</sup>	89				

**Crosstabs fasilitas standar**

**Fasilitas form \* Dokumentasi Keperawatan Crosstabulation**

Count		Dokumentasi Keperawatan		Total
		Tidak Lengkap	Lengkap	
		Fasilitas form Kurang Tersedia	0	
	Cukup Tersedia	5	5	10
	Tersedia	15	63	78
Total		20	69	89

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.110 <sup>a</sup>	2	.078
Likelihood Ratio	4.608	2	.100
Linear-by-Linear Association	2.432	1	.119
N of Valid Cases	89		



## Lampiran 5

### Hasil *Chi-Square Test* dan Regresi

#### 1. Pengetahuan\*Kelengkapan Dokumentasi Asuhan Keperawatan

Crosstab

Count		Dokumentasi Askep		Total
		Tidak Lengkap	Lengkap	
Pengetahuan Cukup		8	6	14
Baik		7	24	31
Sangat Baik		5	39	44
Total		20	69	89

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	12.776 <sup>a</sup>	2	.002
Likelihood Ratio	11.445	2	.003
Linear-by-Linear Association	11.247	1	.001
N of Valid Cases	89		

#### 2. Sikap\*Kelengkapan Dokumentasi Asuhan Keperawatan

Crosstab

Count		Dokumentasi Askep		Total
		Tidak Lengkap	Lengkap	
Sikap Kurang		1	0	1
Cukup		8	5	13
Baik		6	29	35
Sangat Baik		5	35	40
Total		20	69	89

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17.692 <sup>a</sup>	3	.001
Likelihood Ratio	15.306	3	.002
Linear-by-Linear Association	12.803	1	.000
N of Valid Cases	89		

### 3. Ketersediaan Fasilitas\* Kelengkapan Dokumentasi Asuhan Keperawatan

Crosstab

Count		Dokumentasi Askep		Total
		Tidak Lengkap	Lengkap	
Ketersediaan Fasilitas	Cukup Tersedia	5	6	11
	Tersedia	15	63	78
	Total	20	69	89

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.805 <sup>a</sup>	1	.051		
Continuity Correction <sup>b</sup>	2.449	1	.118		
Likelihood Ratio	3.313	1	.069		
Fisher's Exact Test				.115	.065
Linear-by-Linear Association	3.763	1	.052		
N of Valid Cases <sup>b</sup>	89				

### 4. Supervisi\* Kelengkapan Dokumentasi Asuhan Keperawatan

Crosstab

Count		Dokumentasi Askep		Total
		Tidak Lengkap	Lengkap	
Supervisi Kurang		3	0	3
	Cukup	9	21	30
	Baik	8	41	49
	Sangat Baik	0	7	7
	Total	20	69	89

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	14.417 <sup>a</sup>	3	.002
Likelihood Ratio	14.575	3	.002
Linear-by-Linear Association	10.327	1	.001
N of Valid Cases	89		

**5. Regression**

[DataSet0] E:\Tesis\Lampiran\Data Hasil Penelitian.sav  
Variables Entered/Removed<sup>b</sup>

Model	Variables Entered	Variables Removed	Method
1	Pengetahuan, Sikap, Ketersediaan Fasilitas, Supervisi <sup>a</sup>	.	Enter

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.584 <sup>a</sup>	.341	.310	.34878

a. Predictors: (Constant), Ketersediaan Fasilitas, Supervisi, Sikap, Pengetahuan

ANOVA<sup>b</sup>

Model	Sum of Squares	df	Mean Square	F	Sig.
1 Regression	5.287	4	1.322	10.866	.000 <sup>a</sup>
Residual	10.218	84	.122		
Total	15.506	88			

a. Predictors: (Constant), Ketersediaan Fasilitas, Supervisi, Sikap, Pengetahuan

b. Dependent Variable: Dokumentasi Askep

Coefficients<sup>a</sup>

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
(Constant)	-.754	.435		-1.734	.087
Pengetahuan	.161	.051	.283	3.141	.002
Sikap	.170	.050	.305	3.391	.001
Supervisi	.180	.056	.287	3.219	.002
Ketersediaan Fasilitas	.154	.114	.121	1.351	.180

a. Dependent Variable: Dokumentasi Askep

## Uji Normalitas

### One-Sample Kolmogorov-Smirnov Test

		Unstandardized Predicted Value
N		89
Normal Parameters <sup>a</sup>	Mean	95.3932584
	Std. Deviation	5.54504506
Most Extreme Differences	Absolute	.091
	Positive	.067
	Negative	-.091
Kolmogorov-Smirnov Z		.854
Asymp. Sig. (2-tailed)		.459
a. Test distribution is Normal.		

## Uji Multikoleniaritas

### Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	22.487	11.037		2.037	.045		
	Pengetahuan	.372	.149	.226	2.491	.015	.903	1.107
	Sikap	.286	.079	.326	3.618	.001	.918	1.090
	Ketersediaan fasilitas	.109	.078	.122	1.399	.166	.982	1.018
	Supervisi	.616	.178	.305	3.462	.001	.960	1.041

a. Dependent Variable:  
Kelengkapan

### Correlations

			Pengetahuan	Sikap	Ketersediaan fasilitas	Supervisi	PRE2
Spearman's rho	Pengetahuan	Correlation Coefficient	1.000	.311*	.692**	.702**	.049
		Sig. (2-tailed)	.	.003	.000	.000	.609
		N	89	89	89	89	89
Sikap	Correlation Coefficient	.311**	1.000	.960**	.973**	.069	
	Sig. (2-tailed)	.003	.	.000	.000	.522	
	N	89	89	89	89	89	
Ketersediaan fasilitas	Correlation Coefficient	.692**	.960*	1.000	.985**	.106	
	Sig. (2-tailed)	.000	.000	.	.000	.325	
	N	89	89	89	89	89	
Supervisi	Correlation Coefficient	.702**	.973*	.985**	1.000	.127	
	Sig. (2-tailed)	.000	.000	.000	.	.180	
	N	89	89	89	89	89	
PRE2	Correlation Coefficient	.049	.069	.106	.127	1.000	
	Sig. (2-tailed)	.609	.522	.325	.180	.	
	N	89	89	89	89	89	

\*\* . Correlation is significant at the 0.01 level (2-tailed).