

Lampiran 1
Kuesioner Penelitian

Lampiran 2
Data Validitas

No	1	2	3	4	5	6	X1	7	8	9	10	11	12	13	14	X2
1	4	4	3	4	3	4	22	4	4	3	4	3	4	4	3	29
2	3	4	4	3	4	4	22	4	3	4	4	4	5	5	3	32
3	4	4	5	4	3	5	25	3	4	5	4	5	3	4	4	32
4	3	3	4	4	3	5	22	5	4	4	3	4	3	4	3	30
5	4	4	3	4	4	4	23	4	3	4	4	3	4	4	3	29
6	4	3	4	4	4	4	23	3	4	4	4	3	4	4	3	29
7	4	4	3	4	3	4	22	4	3	4	3	4	3	4	4	29
8	4	4	3	4	4	3	22	4	3	4	3	3	3	4	4	28
9	4	4	3	4	3	4	22	4	3	4	3	4	3	4	3	28
10	4	4	3	4	3	4	22	3	4	4	3	4	4	3	4	29
11	4	5	4	5	4	5	27	4	4	4	5	4	5	4	5	35
12	4	4	4	3	4	4	23	3	4	4	4	4	3	4	3	29
13	4	4	4	3	4	4	23	3	4	4	3	4	5	5	5	33
14	4	3	4	4	4	4	23	3	3	4	4	5	5	3	4	31
15	4	4	3	4	4	4	23	4	5	5	4	3	4	3	4	32
16	3	4	4	4	4	4	23	3	4	3	4	4	5	4	4	31
17	4	4	3	4	4	4	23	4	4	4	3	4	4	3	3	29
18	4	4	3	4	4	4	23	4	3	4	4	4	3	3	4	29
19	4	4	4	5	5	4	26	4	4	5	4	4	4	4	3	32
20	4	4	4	4	4	4	24	4	3	4	4	4	3	4	4	30
21	5	5	5	5	5	5	30	5	5	5	5	5	5	5	5	40
22	5	5	5	5	5	5	30	5	5	5	5	5	5	5	5	40
23	4	4	4	4	2	3	21	4	4	4	4	4	4	4	4	32
24	4	4	4	4	4	5	25	4	4	4	4	5	4	5	5	35
25	4	4	4	4	4	4	24	4	4	4	4	5	4	5	5	35
26	4	5	4	4	5	5	27	4	4	4	4	5	5	5	5	36
27	4	4	4	4	4	3	23	4	4	5	4	4	5	4	4	34
28	4	4	4	4	4	5	25	5	5	5	5	5	4	4	4	37
29	4	5	4	4	4	4	25	4	4	4	4	4	4	4	4	32
30	2	2	3	4	5	5	21	2	3	4	3	4	2	1	4	23

15	16	17	18	19	20	21	22	X3	23	24	25	26	27	28	29	30	Y
4	4	3	4	4	4	4	3	30	3	3	4	3	5	5	3	4	30
4	5	3	4	3	3	3	4	29	3	3	4	4	3	4	3	4	28
3	3	4	4	3	4	3	4	28	4	5	4	5	3	4	4	3	32
4	3	4	5	5	3	4	3	31	3	3	4	4	5	4	4	5	32
4	4	4	3	4	4	3	4	30	3	4	4	4	4	3	4	4	30
4	5	4	4	3	4	4	3	31	3	4	3	3	4	3	3	3	26
4	3	4	3	4	3	4	3	28	3	3	4	3	4	3	4	4	28
4	4	4	3	4	4	3	4	30	4	4	3	4	4	3	4	3	29
4	4	4	4	3	4	4	3	30	4	4	4	3	5	5	4	5	34
3	3	4	4	5	5	5	4	33	3	3	4	4	3	4	4	4	29
4	4	3	4	3	3	3	4	28	4	4	3	4	4	4	4	4	31
3	3	4	4	5	4	4	4	31	3	4	4	3	4	3	4	4	29
3	3	4	3	4	4	3	4	28	4	4	3	4	5	4	5	4	33
4	4	5	3	4	4	4	4	32	3	3	4	5	4	4	3	3	29
4	4	4	4	3	4	4	3	30	4	4	3	4	4	3	4	3	29
4	5	5	4	3	4	4	4	33	3	3	4	4	4	3	4	4	29
3	3	4	3	4	3	4	3	27	4	5	4	4	4	3	4	3	31
3	4	4	4	3	4	3	4	29	3	3	4	4	4	3	4	4	29
4	4	4	5	4	4	4	5	34	5	4	4	5	4	4	4	4	34
4	4	3	4	4	4	3	4	30	5	4	4	3	4	3	4	4	31
5	4	5	5	3	4	4	4	34	4	4	5	5	4	4	4	4	34
5	5	5	5	4	4	3	4	35	5	5	5	5	5	5	5	5	40
4	4	4	4	4	4	4	4	32	4	4	4	4	4	4	4	4	32
4	4	4	5	4	4	4	4	33	4	5	5	4	4	4	4	4	34
4	5	4	5	4	4	4	4	34	4	5	5	5	4	5	5	4	37
4	4	4	5	4	4	4	4	33	3	4	5	5	4	5	5	5	36
4	4	5	4	4	4	3	4	32	5	4	4	5	4	4	4	4	34
4	4	4	4	4	4	4	4	32	4	4	4	4	4	4	4	4	32
4	4	4	4	4	4	4	4	32	4	5	4	4	4	4	4	4	33
2	2	2	4	1	3	2	3	19	2	3	1	3	2	3	4	3	21

Lampiran 3
 Hasil Uji Validitas dan Reliabilitas

Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.593
Approx. Chi-Square		1148.551
Bartlett's Test of Sphericity	df	435
	Sig.	.000

Communalities

	Initial	Extraction
item1	1.000	.505
item2	1.000	.663
item3	1.000	.772
item4	1.000	.527
item5	1.000	.746
item6	1.000	.746
item7	1.000	.674
item8	1.000	.654
item9	1.000	.804
item10	1.000	.797
item11	1.000	.700
item12	1.000	.733
item13	1.000	.783
item14	1.000	.648
item15	1.000	.701
item16	1.000	.723
item17	1.000	.659
item18	1.000	.704
item19	1.000	.665
item20	1.000	.328
item21	1.000	.601
item22	1.000	.403
item23	1.000	.422
item24	1.000	.429
item25	1.000	.635
item26	1.000	.442
item27	1.000	.526
item28	1.000	.631
item29	1.000	.387
item30	1.000	.576

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings			Rotation Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	7.671	25.569	25.569	7.671	25.569	25.569	5.661	18.870	18.870
2	4.629	15.429	40.998	4.629	15.429	40.998	4.760	15.867	34.737
3	3.969	13.229	54.228	3.969	13.229	54.228	4.082	13.608	48.345
4	2.317	7.724	61.951	2.317	7.724	61.951	4.082	13.606	61.951
5	1.635	5.448	67.400						
6	.976	3.254	71.654						
7	.974	3.215	75.568						
8	.909	3.163	78.931						
9	.893	2.976	81.908						
10	.722	2.407	84.314						
11	.633	2.110	86.425						
12	.555	1.851	88.276						
13	.464	1.547	89.823						
14	.377	1.258	91.081						
15	.369	1.229	92.310						
16	.342	1.139	93.449						
17	.303	1.010	94.459						
18	.271	.902	95.361						
19	.259	.864	96.226						
20	.204	.679	96.905						
21	.199	.663	97.568						
22	.153	.510	98.078						
23	.135	.449	98.527						
24	.107	.357	98.884						
25	.103	.342	99.226						
26	.084	.280	99.506						
27	.055	.183	99.689						
28	.048	.161	99.849						
29	.027	.091	99.941						
30	.018	.059	100.000						

Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component			
	1	2	3	4
item1				.511
item2	.656			
item3	.593	.515		
item4				
item5	.585			
item6	.560			
item7	.730			
item8	.746			
item9	.714			
item10	.793			
item11	.717			
item12	.751			
item13	.820			
item14	.760			
item15		-.631		
item16		-.566		
item17		-.536		
item18		-.612		
item19		-.622		
item20				
item21	.514	-.564		
item22		-.511		
item23			.527	
item24				
item25			.594	
item26			.551	
item27				
item28			.713	
item29			.568	
item30			.698	

Extraction Method: Principal Component Analysis.

a. 4 components extracted.

Rotated Component Matrix^a

	Component			
	1	2	3	4
item1			.700	
item2			.715	
item3			.813	
item4			.705	
item5			.800	
item6			.826	
item7	.801			
item8	.764			
item9	.883			
item10	.831			
item11	.738			
item12	.797			
item13	.794			
item14	.704			
item15		.825		
item16		.832		
item17		.793		
item18		.809		
item19		.773		
item20		.522		
item21		.700		
item22		.620		
item23				.626
item24				.596
item25				.763
item26				.586
item27				.663
item28				.786
item29				.599
item30				.717

Extraction Method: Principal Component Analysis.
 Rotation Method: Varimax with Kaiser Normalization.^a
 a. Rotation converged in 6 iterations.

Component Transformation Matrix

Component	1	2	3	4
1	.778	.404	.469	.108
2	.030	-.747	.489	.450
3	-.244	.413	-.149	.865
4	-.578	.330	.720	-.196

Extraction Method: Principal Component Analysis.
 Rotation Method: Varimax with Kaiser Normalization.

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.886	6

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
item1	18.9200	10.769	.561	.887
item2	19.1200	9.128	.721	.864
item3	18.9600	8.733	.812	.847
item4	18.9800	10.020	.616	.880
item5	19.0000	9.837	.753	.859
item6	18.9200	9.830	.766	.858

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.932	8

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
item7	25.2400	29.451	.723	.926
item8	25.4000	28.816	.725	.926
item9	25.1200	28.516	.809	.920
item10	25.4200	27.596	.821	.919
item11	25.2000	28.694	.706	.927
item12	25.1000	28.582	.782	.922
item13	25.3000	27.724	.826	.918
item14	25.1000	28.908	.722	.926

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.888	8

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
item15	25.0400	17.386	.764	.864
item16	25.2200	17.318	.774	.862
item17	25.0200	18.020	.674	.874
item18	24.9600	18.815	.719	.869
item19	24.9000	19.153	.700	.871
item20	24.8400	21.117	.471	.890
item21	24.8400	20.015	.664	.875
item22	24.8200	20.885	.547	.885

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	50	100.0
	Excluded ^a	0	.0
	Total	50	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.827	8

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
item23	27.7800	10.338	.544	.809
item24	27.5800	10.902	.515	.812
item25	27.6000	9.551	.672	.789
item26	27.4200	10.820	.514	.812
item27	27.5400	11.315	.511	.812
item28	27.7400	10.400	.637	.795
item29	27.4800	11.765	.495	.815
item30	27.6400	11.296	.546	.808

45	22	Wanita	S1	1.00	4	4	4	3	4	4	3.833	4	4	4	4
46	38	Wanita	S1	0.17	4	4	4	4	4	4	4	4	4	4	4
47	21	Wanita	S1	0.17	4	4	4	4	4	4	4	4	4	4	4
48	25	Wanita	S1	3.25	5	4	5	5	4	5	4.667	5	4	4	4
49	24	Wanita	S1	1.08	4	5	5	4	5	4	4.5	4	5	4	4
50	20	Wanita	S1	1.00	5	5	5	5	5	5	5	4	5	4	5
51	25	Pria	S1	2.00	4	4	5	4	5	4	4.333	4	5	4	5
52	22	Pria	S1	1.50	3	4	4	5	4	4	4	4	4	5	4
53	22	Wanita	S1	2.00	3	4	4	4	3	4	3.667	4	5	4	3
54	24	Wanita	S1	1.25	3	4	4	4	5	4	4	4	4	5	4

11	12	13	14		15	16	17	18	19	20	21	22		23	24	25	26	27	28	29	30	
3	4	4	3	3.63	4	4	3	4	4	4	4	3	3.75	3	3	4	3	5	5	3	4	3.8
4	5	5	3	4	4	5	3	4	3	3	3	4	3.63	3	3	4	4	3	4	3	4	3.5
5	3	4	4	4	3	3	4	4	3	4	3	4	3.5	4	5	4	5	3	4	4	3	4
4	3	4	3	3.75	4	3	4	5	5	3	4	3	3.88	3	3	4	4	5	4	4	5	4
3	4	4	3	3.63	4	4	4	3	4	4	3	4	3.75	3	4	4	4	4	3	4	4	3.8
3	4	4	3	3.63	4	5	4	4	3	4	4	3	3.88	3	4	3	3	4	3	3	3	3.3
4	3	4	4	3.63	4	3	4	3	4	3	4	3	3.5	3	3	4	3	4	3	4	4	3.5
3	3	4	4	3.5	4	4	4	3	4	4	3	4	3.75	4	4	3	4	4	3	4	3	3.6
4	3	4	4	4	4	4	4	4	3	4	4	3	3.75	4	4	4	3	5	5	4	5	4.3
4	4	3	4	3.63	3	3	4	4	5	5	5	4	4.13	3	3	4	4	3	4	4	4	3.6
4	5	4	5	4.38	4	4	3	4	3	3	3	4	3.5	4	4	3	4	4	4	4	4	3.9
4	3	4	3	3.63	3	3	4	4	5	4	4	4	3.88	3	4	4	3	4	3	4	4	3.6
4	5	5	5	4.13	3	3	4	3	4	4	3	4	3.5	4	4	3	4	5	4	5	4	4.1
4	5	4	5	4.38	4	3	4	3	4	3	4	4	3.63	4	4	4	4	4	4	4	4	4
4	3	4	3	3.5	4	4	3	4	3	4	3	4	3.63	3	3	2	3	4	4	4	3	3.3
5	5	3	4	3.88	4	4	5	3	4	4	4	4	4	3	3	4	5	4	4	3	3	3.6
3	4	3	4	4	4	4	4	4	3	4	4	3	3.75	4	4	3	4	4	3	4	3	3.6
4	5	4	4	3.88	4	5	5	4	3	4	4	4	4.13	3	3	4	4	4	3	4	4	3.6
4	4	3	3	3.63	3	3	4	3	4	3	4	3	3.38	4	5	4	4	4	3	4	3	3.9
4	3	3	4	3.63	3	4	4	4	3	4	3	4	3.63	3	3	4	4	4	3	4	4	3.6
4	4	4	3	4	4	4	4	5	4	4	4	5	4.25	5	4	4	5	4	4	4	4	4.3
4	3	4	4	3.75	4	4	3	4	4	4	3	4	3.75	5	4	4	3	4	3	4	4	3.9
5	5	5	5	5	5	4	5	5	3	4	4	4	4.25	4	4	5	5	4	4	4	4	4.3
5	5	5	5	4.88	5	5	5	5	4	4	3	4	4.38	5	5	5	5	5	5	5	5	5
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	4	5	5	4.38	4	4	4	5	4	4	4	4	4.13	4	5	5	4	4	4	4	4	4.3
5	4	5	5	4.38	4	5	4	5	4	4	4	4	4.25	4	5	5	5	4	5	5	4	4.6
5	5	5	5	4.5	4	4	4	5	4	4	4	4	4.13	3	4	5	5	4	5	5	5	4.5
4	5	4	4	4.25	4	4	5	4	4	4	3	4	4	5	4	4	5	4	4	4	4	4.3
5	4	4	4	4.5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	5	4	4	4	4	4	4	4.1
4	2	1	4	3.13	2	4	2	4	1	3	2	3	2.63	2	3	1	3	2	3	4	3	2.6

2	3	3	1	2.38	1	4	3	2	3	2	3	4	2.75	1	2	4	3	4	1	3	4	2.8
4	4	4	4	3.75	5	3	4	4	3	3	4	3	3.63	4	4	4	4	3	4	4	4	3.9
4	3	3	4	3.5	4	4	4	4	4	4	4	4	4	4	4	4	5	4	4	4	5	4.3
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
5	5	5	5	5	5	5	5	5	3	5	5	5	4.75	5	5	5	5	5	5	5	5	5
4	5	4	4	4.13	4	5	3	3	3	4	5	4	3.88	5	3	3	4	4	3	5	4	3.9
5	4	4	4	4.13	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
4	3	5	4	4	5	4	4	5	4	4	4	3	4.13	4	5	4	4	4	4	4	4	4.1
4	4	4	4	4.13	4	4	4	5	4	4	4	3	4	4	4	5	5	5	5	4	4	4.5
4	4	4	4	3.75	4	4	4	5	4	3	4	4	4	4	4	4	5	4	4	4	4	4.1
5	3	4	4	3.88	4	4	4	5	4	4	4	4	4.13	4	5	4	4	4	4	4	4	4.1
5	3	5	4	4.13	4	4	4	4	3	4	3	4	3.75	3	4	4	4	4	5	4	4	4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	4	5	4.5	5	4	5	4	4	4	5	5	4.5	5	5	4	5	5	4	5	4	4.6
4	4	4	4	4.13	4	5	5	4	4	5	4	5	4.5	5	4	5	4	5	4	5	4	4.5
5	5	5	4	4.63	5	5	5	5	3	3	4	4	4.25	5	4	5	5	5	4	4	5	4.6
4	5	4	5	4.5	4	5	4	5	4	5	4	5	4.5	4	4	5	5	4	5	4	5	4.5
5	4	5	4	4.38	4	5	4	4	5	4	5	4	4.38	3	4	4	3	4	4	4	3	3.6
4	3	4	3	3.75	4	4	3	4	3	4	4	3	3.63	4	4	3	4	3	4	3	4	3.6
4	5	4	5	4.38	3	4	4	4	5	4	5	4	4.13	4	5	4	5	4	5	4	4	4.4

Lampiran 5
 Hasil Deskripsi Data

Deskripsi Responden

Frequency Table

Usia Responden

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 20 - 25 Tahun	35	64.8	64.8	64.8
Valid 26 - 30 Tahun	17	31.5	31.5	96.3
Valid > 30 Tahun	2	3.7	3.7	100.0
Total	54	100.0	100.0	

Jenis Kelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Pria	30	55.6	55.6	55.6
Valid Wanita	24	44.4	44.4	100.0
Total	54	100.0	100.0	

Pendidikan Terakhir

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid S1	52	96.3	96.3	96.3
Valid S2	2	3.7	3.7	100.0
Total	54	100.0	100.0	

Lama Bekerja

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 1 Tahun	5	9.3	9.3	9.3
Valid 1 - 3 Tahun	37	68.5	68.5	77.8
Valid 3,1 - 5 Tahun	7	13.0	13.0	90.7
Valid > 5 Tahun	5	9.3	9.3	100.0
Total	54	100.0	100.0	

Deskripsi Variabel

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Due Professional Care	54	2.50	5.00	3.9599	.43187
Independensi	54	2.38	5.00	3.9838	.47150
Kompetensi	54	2.63	4.75	3.8912	.40051
Kualitas Audit	54	2.63	5.00	3.9583	.48015
Valid N (listwise)	54				

Lampiran 6
 Hasil Uji Asumsi Klasik

Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Due Professional Care	Independensi	Kompetensi	Kualitas Audit
N		54	54	54	54
Normal Parameters ^{a,b}	Mean	3.9599	3.9838	3.8912	3.9583
	Std. Deviation	.43187	.47150	.40051	.48015
Most Extreme Differences	Absolute	.156	.112	.144	.114
	Positive	.148	.105	.095	.087
	Negative	-.156	-.112	-.144	-.114
Kolmogorov-Smirnov Z		1.146	.825	1.059	.839
Asymp. Sig. (2-tailed)		.144	.505	.212	.483

a. Test distribution is Normal.

b. Calculated from data.


Uji Multikolinieritas

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
	B	Std. Error	Beta			Tolerance	VIF
(Constant)	-.232	.336		-.690	.493		
Due Professional Care	.343	.138	.309	2.490	.016	.302	3.307
Independensi	.310	.132	.304	2.346	.023	.277	3.610
Kompetensi	.411	.129	.342	3.187	.002	.403	2.481

a. Dependent Variable: Kualitas Audit

Uji Heterokedastisitas



Hasil Uji Glejser

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kompetensi, Due Professional Care, Independensi ^b	.	Enter

a. Dependent Variable: Abs_Res1

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.272 ^a	.074	.018	.15091

a. Predictors: (Constant), Kompetensi, Due Professional Care, Independensi

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.091	3	.030	1.326	.276 ^b
	Residual	1.139	50	.023		
	Total	1.229	53			

a. Dependent Variable: Abs_Res1

b. Predictors: (Constant), Kompetensi, Due Professional Care, Independensi

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.375	.213		1.766	.083
	Due Professional Care	-.154	.087	-.437	-1.764	.084
	Independensi	.133	.084	.412	1.593	.117
	Kompetensi	-.032	.082	-.083	-.388	.700

a. Dependent Variable: Abs_Res1

Lampiran 7

Hasil Analisis Regresi

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Kompetensi, Due Professional Care, Independensi ^b	.	Enter

a. Dependent Variable: Kualitas Audit

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.876 ^a	.767	.753	.23840

a. Predictors: (Constant), Kompetensi, Due Professional Care, Independensi

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	9.377	3	3.126	54.997	.000 ^b
	Residual	2.842	50	.057		
	Total	12.219	53			

a. Dependent Variable: Kualitas Audit

b. Predictors: (Constant), Kompetensi, Due Professional Care, Independensi

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.232	.336		-.690	.493
	Due Professional Care	.343	.138	.309	2.490	.016
	Independensi	.310	.132	.304	2.346	.023
	Kompetensi	.411	.129	.342	3.187	.002

a. Dependent Variable: Kualitas Audit