

LAMPIRAN SPSS

Normal

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Primipara	11	34.4	34.4	34.4
Valid Multipara	21	65.6	65.6	100.0
Total	32	100.0	100.0	

Hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	32	100.0	100.0	100.0

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 20 Tahun	3	9.4	9.4	9.4
Valid 20-35 Tahun	24	75.0	75.0	84.4
Valid > 35 Tahun	5	15.6	15.6	100.0
Total	32	100.0	100.0	

LILA

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak KEK	28	87.5	87.5	87.5
Valid KEK	4	12.5	12.5	100.0
Total	32	100.0	100.0	

Usia Kehamilan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Prematur	32	100.0	100.0	100.0

BBLR

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Primipara	5	15.6	15.6	15.6
Multipara	27	84.4	84.4	100.0
Total	32	100.0	100.0	

Hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	32	100.0	100.0	100.0

Usia

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 20 Tahun	2	6.3	6.3	6.3
20-35 Tahun	27	84.4	84.4	90.6
> 35 Tahun	3	9.4	9.4	100.0
Total	32	100.0	100.0	

LILA

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak KEK	26	81.3	81.3	81.3
KEK	6	18.8	18.8	100.0
Total	32	100.0	100.0	

Usia Kehamilan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak Prematur	32	100.0	100.0	100.0

LAMPIRAN SPSS

Uji Univariat

Keseluruhan

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	33	51.6	51.6	51.6
Valid Anemia	31	48.4	48.4	100.0
Total	64	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	32	50.0	50.0	50.0
Valid Anemia	32	50.0	50.0	100.0
Total	64	100.0	100.0	

Kejadian Bayi Berat Lahir Rendah

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak BBLR	32	50.0	50.0	50.0
Valid BBLR	32	50.0	50.0	100.0
Total	64	100.0	100.0	

Tidak BBLR

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	22	68.8	68.8	68.8
Valid Anemia	10	31.3	31.3	100.0
Total	32	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	17	53.1	53.1	53.1
Valid Anemia	15	46.9	46.9	100.0
Total	32	100.0	100.0	

BBLR

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	11	34.4	34.4	34.4
Valid Anemia	21	65.6	65.6	100.0
Total	32	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	15	46.9	46.9	46.9
Valid Anemia	17	53.1	53.1	100.0
Total	32	100.0	100.0	

Uji Bivariat

Kejadian Bayi Berat Lahir Rendah * Anemia Pada Ibu Hamil Trimester II

Crosstab

			Anemia Pada Ibu Hamil Trimester II		Total
			Tidak Anemia	Anemia	
Kejadian Bayi Berat Lahir Rendah	Tidak BBLR	Count	22	10	32
		% of Total	34.4%	15.6%	50.0%
	BBLR	Count	11	21	32
		% of Total	17.2%	32.8%	50.0%
Total		Count	33	31	64
		% of Total	51.6%	48.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.570 ^a	1	.006		
Continuity Correction ^b	6.256	1	.012		
Likelihood Ratio	7.727	1	.005		
Fisher's Exact Test				.012	.006
Linear-by-Linear Association	7.452	1	.006		
N of Valid Cases	64				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 15.50.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.325	.006
N of Valid Cases		64	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kejadian Bayi Berat Lahir Rendah (Tidak BBLR / BBLR)	4.200	1.478	11.936
For cohort Anemia Pada Ibu Hamil Trimester II = Tidak Anemia	2.000	1.174	3.407
For cohort Anemia Pada Ibu Hamil Trimester II = Anemia	.476	.269	.844
N of Valid Cases	64		

Kejadian Bayi Berat Lahir Rendah * Anemia Pada Ibu Hamil Trimester III

Crosstab

			Anemia Pada Ibu Hamil Trimester III		Total
			Tidak Anemia	Anemia	
Kejadian Bayi Berat Lahir Rendah	Tidak BBLR	Count	17	15	32
		% of Total	26.6%	23.4%	50.0%
	BBLR	Count	15	17	32
		% of Total	23.4%	26.6%	50.0%
Total		Count	32	32	64
		% of Total	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.250 ^a	1	.617		
Continuity Correction ^b	.063	1	.803		
Likelihood Ratio	.250	1	.617		
Fisher's Exact Test				.803	.401
Linear-by-Linear Association	.246	1	.620		
N of Valid Cases	64				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 16.00.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.062	.617
N of Valid Cases		64	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kejadian Bayi Berat Lahir Rendah (Tidak BBLR / BBLR)	1.284	.481	3.429
For cohort Anemia Pada Ibu Hamil Trimester III = Tidak Anemia	1.133	.693	1.853
For cohort Anemia Pada Ibu Hamil Trimester III = Anemia	.882	.540	1.443
N of Valid Cases	64		