

LAMPIRAN SPSS

Premature

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Primipara	7	25.0	25.0	25.0
Multipara	20	71.4	71.4	96.4
Grandemultipara	1	3.6	3.6	100.0
Total	28	100.0	100.0	

Usia Ibu

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 20-35 Tahun	23	82.1	82.1	82.1
> 35 Tahun	5	17.9	17.9	100.0
Total	28	100.0	100.0	

Hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	28	100.0	100.0	100.0

Kehamilan Ganda

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	28	100.0	100.0	100.0

Tidak Premature

Paritas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Primipara	11	34.4	34.4	34.4
Multipara	21	65.6	65.6	100.0
Total	32	100.0	100.0	

Usia Ibu

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid < 20 Tahun	3	9.4	9.4	9.4
20-35 Tahun	24	75.0	75.0	84.4
> 35 Tahun	5	15.6	15.6	100.0
Total	32	100.0	100.0	

Hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	32	100.0	100.0	100.0

Kehamilan Ganda

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	32	100.0	100.0	100.0

Bivariate

Kejadian Bayi Lahir Prematur * Anemia Pada Ibu Hamil Trimester II

Crosstab

			Anemia Pada Ibu Hamil Trimester II		Total
			Tidak Anemia	Anemia	
Kejadian Bayi Lahir Prematur	Tidak Prematur	Count	22	10	32
		% of Total	36.7%	16.7%	53.3%
	Prematur	Count	9	19	28
		% of Total	15.0%	31.7%	46.7%
Total	Count	31	29	60	
	% of Total	51.7%	48.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.014 ^a	1	.005		
Continuity Correction ^b	6.615	1	.010		
Likelihood Ratio	8.197	1	.004		
Fisher's Exact Test				.009	.005
Linear-by-Linear Association	7.880	1	.005		
N of Valid Cases	60				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 13.53.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.343	.005
N of Valid Cases		60	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kejadian Bayi Lahir Prematur (Tidak Prematur / Prematur)	4.644	1.562	13.812
For cohort Anemia Pada Ibu Hamil Trimester II = Tidak Anemia	2.139	1.190	3.846
For cohort Anemia Pada Ibu Hamil Trimester II = Anemia	.461	.259	.817
N of Valid Cases	60		

Kejadian Bayi Lahir Prematur * Anemia Pada Ibu Hamil Trimester III

Crosstab

			Anemia Pada Ibu Hamil Trimester III		Total
			Tidak Anemia	Anemia	
Kejadian Bayi Lahir Prematur	Tidak Prematur	Count	11	21	32
		% of Total	18.3%	35.0%	53.3%
	Prematur	Count	13	15	28
		% of Total	21.7%	25.0%	46.7%
Total	Count	24	36	60	
	% of Total	40.0%	60.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.904 ^a	1	.342	.431	.246
Continuity Correction ^b	.472	1	.492		
Likelihood Ratio	.905	1	.342		
Fisher's Exact Test					
Linear-by-Linear Association	.889	1	.346		
N of Valid Cases	60				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.20.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.122	.342
N of Valid Cases		60	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Kejadian Bayi Lahir Prematur (Tidak Prematur / Prematur)	.604	.213	1.712
For cohort Anemia Pada Ibu Hamil Trimester III = Tidak Anemia	.740	.397	1.380
For cohort Anemia Pada Ibu Hamil Trimester III = Anemia	1.225	.800	1.876
N of Valid Cases	60		

LAMPIRAN SPSS

Uji Univariat

Tidak Prematur

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	22	68.8	68.8	68.8
Valid Anemia	10	31.3	31.3	100.0
Total	32	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	11	34.4	34.4	34.4
Valid Anemia	21	65.6	65.6	100.0
Total	32	100.0	100.0	

Prematur

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	9	32.1	32.1	32.1
Valid Anemia	19	67.9	67.9	100.0
Total	28	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	13	46.4	46.4	46.4
Valid Anemia	15	53.6	53.6	100.0
Total	28	100.0	100.0	

Keseluruhan

Anemia Pada Ibu Hamil Trimester II

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	31	51.7	51.7	51.7
Valid Anemia	29	48.3	48.3	100.0
Total	60	100.0	100.0	

Anemia Pada Ibu Hamil Trimester III

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Anemia	24	40.0	40.0	40.0
Valid Anemia	36	60.0	60.0	100.0
Total	60	100.0	100.0	

Kejadian Bayi Lahir Prematur

	Frequency	Percent	Valid Percent	Cumulative Percent
Tidak Prematur	32	53.3	53.3	53.3
Valid Prematur	28	46.7	46.7	100.0
Total	60	100.0	100.0	

Uji Bivariat

Anemia Pada Ibu Hamil Trimester II * Kejadian Bayi Lahir Prematur

Crosstab

			Kejadian Bayi Lahir Prematur		Total
			Tidak Prematur	Prematur	
Anemia Pada Ibu Hamil Trimester II	Tidak Anemia	Count	22	9	31
		% of Total	36.7%	15.0%	51.7%
	Anemia	Count	10	19	29
		% of Total	16.7%	31.7%	48.3%
Total		Count	32	28	60
		% of Total	53.3%	46.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	8.014 ^a	1	.005		
Continuity Correction ^b	6.615	1	.010		
Likelihood Ratio	8.197	1	.004		
Fisher's Exact Test				.009	.005
Linear-by-Linear Association	7.880	1	.005		
N of Valid Cases	60				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 13.53.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.343	.005
N of Valid Cases		60	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Anemia Pada Ibu Hamil Trimester II (Tidak Anemia / Anemia)	4.644	1.562	13.812
For cohort Kejadian Bayi Lahir Prematur = Tidak Prematur	2.058	1.188	3.567
For cohort Kejadian Bayi Lahir Prematur = Prematur	.443	.241	.816
N of Valid Cases	60		

Anemia Pada Ibu Hamil Trimester III * Kejadian Bayi Lahir Prematur Crosstabulation

			Kejadian Bayi Lahir Prematur		Total
			Tidak Prematur	Prematur	
Anemia Pada Ibu Hamil Trimester III	Tidak Anemia	Count	11	13	24
		% of Total	18.3%	21.7%	40.0%
	Anemia	Count	21	15	36
		% of Total	35.0%	25.0%	60.0%
Total		Count	32	28	60
		% of Total	53.3%	46.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.904 ^a	1	.342		
Continuity Correction ^b	.472	1	.492		
Likelihood Ratio	.905	1	.342		
Fisher's Exact Test				.431	.246
Linear-by-Linear Association	.889	1	.346		
N of Valid Cases	60				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 11.20.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approx. Sig.
Nominal by Nominal	Contingency Coefficient	.122	.342
N of Valid Cases		60	

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Anemia Pada Ibu Hamil Trimester III (Tidak Anemia / Anemia)	.604	.213	1.712
For cohort Kejadian Bayi Lahir Prematur = Tidak Prematur	.786	.469	1.315
For cohort Kejadian Bayi Lahir Prematur = Prematur	1.300	.762	2.217
N of Valid Cases	60		