

## A. Appendix

### 1. Database Query

```
CREATE TABLE `dbkkn`.`MAHASISWA` ( `NIM` VARCHAR(11) NOT NULL , `NAMA_MHS` VARCHAR(50) NULL , `JURUSAN_MHS` VARCHAR(30) NULL , `ANGKATAN` VARCHAR(4) NULL , `PASSWORD` VARCHAR(30) NOT NULL , `ID_KEL` INT NOT NULL , PRIMARY KEY (`NIM`)) , INDEX (`ID_KEL`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`DPL` ( `NIDN` VARCHAR(50) NOT NULL , `NAMA_DPL` VARCHAR(50) NULL , PRIMARY KEY (`NIDN`)) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`KELOMPOK` ( `ID_KEL` INT NOT NULL AUTO_INCREMENT , `NAMA_KEL` VARCHAR(7) NOT NULL , `TAHUN` VARCHAR(4) NOT NULL , `SEMESTER` VARCHAR(6) NOT NULL , `ID_DPL` INT NULL , `ID_DUSUN` INT NULL , `STATUS` VARCHAR(12) NOT NULL , PRIMARY KEY (`ID_KEL`)) , INDEX (`ID_DPL`)) , INDEX (`ID_DUSUN`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`TEMA` ( `ID_TEMA` INT NOT NULL AUTO_INCREMENT , `NAMA_TEMA` VARCHAR(299) NOT NULL , `KATEGORI` VARCHAR(20) NULL , `ID_KEL` INT NULL , PRIMARY KEY (`ID_TEMA`)) , INDEX (`ID_KEL`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`DUSUN` ( `ID_DUSUN` INT NOT NULL AUTO_INCREMENT , `NAMA_DUSUN` VARCHAR(30) NOT NULL , `LUAS_WILAYAH` VARCHAR(20) NULL , `ID_RANTING` INT NULL , PRIMARY KEY (`ID_DUSUN`)) , INDEX (`ID_RANTING`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`LOKASI_DUSUN` ( `ID_LOKASI` INT NOT NULL AUTO_INCREMENT , `LATITUDE` VARCHAR(20) NULL , `LONGITUDE` VARCHAR(20) NULL , `ID_DUSUN` INT NULL , PRIMARY KEY (`ID_LOKASI`)) , INDEX (`ID_DUSUN`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`KEPALA_DUSUN` ( `ID_KADUS` INT NOT NULL AUTO_INCREMENT , `NAMA_KADUS` VARCHAR(50) NOT NULL , `ID_DUSUN` INT NULL , PRIMARY KEY (`ID_KADUS`)) , INDEX (`ID_DUSUN`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`SOSIAL_BUDAYA` ( `ID_SB` INT NOT NULL AUTO_INCREMENT , `NAMA_SB` VARCHAR(50) NOT NULL , `KETERANGAN` VARCHAR(299) NULL , `ID_DUSUN` INT NULL , PRIMARY KEY (`ID_SB`)) , INDEX (`ID_DUSUN`) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`POTENSI_DAN_PELUANG` ( `ID_POTENSI`
INT NOT NULL AUTO_INCREMENT , `NAMA_POTENSI` VARCHAR(50)
NOT NULL , `ID_DUSUN` INT NULL , PRIMARY KEY ( `ID_POTENSI`
) , INDEX ( `ID_DUSUN` )) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`RANTING_MUHAMMADIYAH` ( `ID_RANTING`
INT NOT NULL AUTO_INCREMENT , `NAMA_LOKASI_RANTING` VARCH
HAR(30) NOT NULL , `NAMA_KETUA` VARCHAR(50) NULL , `NAMA_S
EKRETARIS` VARCHAR(50) NULL , `NAMA_BENDAHARA` VARCHAR(50)
NULL , `NO_TELP` VARCHAR(20) NULL , PRIMARY KEY ( `ID_RAN
TING` )) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`LOKASI_RANTING` ( `ID_LOKASI` INT N
OT NULL AUTO_INCREMENT , `LATITUDE` VARCHAR(20) NULL , `LO
NGITUDE` VARCHAR(20) NULL , `ID_RANTING` INT NULL , PRIMAR
Y KEY ( `ID_LOKASI` )) , INDEX ( `ID_RANTING` )) ENGINE = InnoD
B;
```

```
CREATE TABLE `dbkkn`.`AUM` ( `ID_AUM` INT NOT NULL
AUTO_INCREMENT , `NAMA_AUM` VARCHAR(50) NULL , `ID_RANTING`
INT NULL , PRIMARY KEY ( `ID_AUM` )) , INDEX ( `ID_RANTING` )
) ENGINE = InnoDB;
```

```
CREATE TABLE `dbkkn`.`USER` ( `id` INT NOT NULL
AUTO_INCREMENT , `username` VARCHAR(50) NOT NULL UNIQUE ,
`password` VARCHAR(255) NOT NULL
```

## 2. Kode Program

- **Login**

```
<?php
```

```
// Initialize the session
```

```
session_start();
```

```
// Check if the user is already logged in, if yes then redirect him to home page
```

```
if(isset($_SESSION["loggedin"]) && $_SESSION["loggedin"] === true){
```

```
    header("location: homePage.php");
```

```
    exit;
```

```
}
```

```
// Include config file
```

```
require_once "dbIdent.php";
```

```
// Define variables and initialize with empty values
```

```

$username = $password = "";
$username_err = $password_err = "";

// Processing form data when form is submitted
if($_SERVER["REQUEST_METHOD"] == "POST"){

    // Check if username is empty
    if(empty(trim($_POST["username"]))) {
        $username_err = "Masukkan username.";
    } else {
        $username = trim($_POST["username"]);
    }

    // Check if password is empty
    if(empty(trim($_POST["password"]))) {
        $password_err = "Masukkan password.";
    } else {
        $password = trim($_POST["password"]);
    }

    // Validate credentials
    if(empty($username_err) && empty($password_err)) {
        // Prepare a select statement
        $sql = "SELECT id, username, password FROM users WHERE username
= ?";

        if($stmt = mysqli_prepare($conn, $sql)) {
            // Bind variables to the prepared statement as parameters
            mysqli_stmt_bind_param($stmt, "s", $param_username);

            // Set parameters
            $param_username = $username;

            // Attempt to execute the prepared statement
            if(mysqli_stmt_execute($stmt)) {
                // Store result
                mysqli_stmt_store_result($stmt);

                // Check if username exists, if yes then verify password
                if(mysqli_stmt_num_rows($stmt) == 1) {
                    // Bind result variables
                    mysqli_stmt_bind_result($stmt, $id, $username,
$hashed_password);

```

```

if(mysqli_stmt_fetch($stmt)){
    if(password_verify($password, $hashed_password)){
        // Password is correct, so start a new session
        session_start();

        // Store data in session variables
        $_SESSION["loggedin"] = true;
        $_SESSION["id"] = $id;
        $_SESSION["username"] = $username;

        // Redirect user to home page
        header("location: homePage.php");
    } else{
        // Display an error message if password is not valid
        $password_err = "Password yang anda masukkan salah";
    }
}
} else{
    // Display an error message if username doesn't exist
    $username_err = "Tidak ada akun dengan username tersebut.";
}
} else{
    echo "Oops! Ada yang salah. Coba lagi nanti.";
}
}

// Close statement
mysqli_stmt_close($stmt);
}

// Close connection
mysqli_close($conn);
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Login Data Pengabdian Masyarakat</title>
    <link rel="stylesheet" type="text/css" href="bootstrap.css">
    <style type="text/css">
        body{ font: 14px sans-serif; }
        .wrapper{ width: 350px; padding: 20px; }

```

```

</style>
</head>
<body>
  <table id="tbJ">
    <tr>
      <td id="tdJ">
        
      </td>
      <td id="tdJ2">
        <font style="font-family: 'Arial
Rounded MT Bold', Gadget, sans-serif;" size="+3" color="#FFE4B5">
          DATA          PENGABDIAN
MASYARAKAT
        </font>
      </td>
    </tr>
  </table>
  <div class="wrapper">
    <h2>Login</h2>
    <p>Isi data akun anda untuk login.</p>
    <form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]);
?>" method="post">
      <div class="form-group <?php echo (!empty($username_err)) ? 'has-
error' : "; ?>">
        <label>Username</label>
        <input type="text" name="username" class="form-control"
value="<?php echo $username; ?>">
        <span class="help-block"><?php echo $username_err; ?></span>
      </div>
      <div class="form-group <?php echo (!empty($password_err)) ? 'has-
error' : "; ?>">
        <label>Password</label>
        <input type="password" name="password" class="form-control">
        <span class="help-block"><?php echo $password_err; ?></span>
      </div>
      <div class="form-group">
        <input type="submit" class="btn btn-primary" value="Login">
      </div>
    </form>
  </div>
</body>
</html>

```

- **Home**

```

<?php
// Initialize the session
session_start();

// Check if the user is logged in, if not then redirect him to login page
if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true){
    header("location: login.php");
    exit;
}
?>
<!DOCTYPE html>
<html>
    <head>
        <title>PENGABDIAN MASYARAKAT</title>
    </head>
    <link rel="stylesheet" type="text/css" href="bootstrap.css">
    <body>
        <table id="tbJ">
            <tr>
                <td id="tdJ">
                    
                </td>
                <td id="tdJ2">
                    <font style="font-family: 'Arial
Rounded MT Bold', Gadget, sans-serif;" size="+3" color="#FFE4B5">
                        DATA          PENGABDIAN
MASYARAKAT
                    </font>
                </td>
            </tr>
        </table>
        <nav class="navbar navbar-inverse">
            <div class="container-fluid">
                <ul class="nav navbar-nav">
                    <li><a
href="homePage.php">Home</a></li>
                    <li><a
href="mhs.php">Mahasiswa</a></li>
                    <li><a href="dpl.php">DPL</a></li>
                    <li class="dropdown">
                        <a class="dropdown-toggle"
data-toggle="dropdown" href="#">

```



```

                <li><a
href="panduan.php">Panduan</a></li>
            </ul>
            <ul class="nav navbar-nav navbar-right">
                <li><a href="reset-
password.php">Ubah Password</a></li>
                <li><a href="logout.php">Log
Out</a></li>
            </ul>
        </div>
    </nav>
</body>
</html>

```

- **HomePage**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");
$mhs = mysqli_query($conn, "SELECT COUNT(*) AS mhs FROM
`mahasiswa`");
$dpl = mysqli_query($conn, "SELECT COUNT(*) AS dpl FROM `dpl`");
$kel = mysqli_query($conn, "SELECT COUNT(*) AS kel FROM
`kelompok`");
$dus = mysqli_query($conn, "SELECT COUNT(*) AS dus FROM `dusun`");
$m = mysqli_fetch_assoc($mhs);
$d = mysqli_fetch_assoc($dpl);
$k = mysqli_fetch_assoc($kel);
$du = mysqli_fetch_assoc($dus);
?>
<?php
include('home.php');
include('homePagecode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>HOME</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
        <link href="//cdnjs.cloudflare.com/ajax/libs/morris.js/0.5.1/morris.css">
        <script
src="//ajax.googleapis.com/ajax/libs/jquery/1.9.0/jquery.min.js"></script>
        <script src="//cdnjs.cloudflare.com/ajax/libs/raphael/2.1.0/raphael-
min.js"></script>

```



```

<script
src="//cdnjs.cloudflare.com/ajax/libs/morris.js/0.5.1/morris.min.js"></script>
</head>
<body>
  <h2 align="center">SELAMAT DATANG</h2>
  <h3 align="center">DI</h3>
  <h3 align="center">DATA PENGABDIAN MASYARAKAT</h3>
  <br><br>
  <div class="container">
    <div class="row">
      <div class="col-sm-4">
        <p>Sebagai salah satu perguruan tinggi
        ternama di Indonesia,
        Universitas Muhammadiyah Yogyakarta
        (UMY) harus menjalankan Tri Dharma perguruan tinggi yaitu Pendidikan,
        Penelitian dan Pengembangan, serta
        Pengabdian pada Masyarakat. Untuk itu, UMY mengadakan kegiatan
        Kuliah Kerja Nyata (KKN) sebagai bentuk
        pengabdian masyarakat. Kuliah Kerja Nyata mahasiswa memiliki tujuan
        diantaranya agar mahasiswa dapat
        mengembangkan pemikiran pembaharuan dan memanfaatkan potensi yang ada
        di tempat mereka bernaung.
        Kegiatan ini dilakukan setiap semester yaitu
        dua kali dalam setahun.</p>
      </div>
      <div class="col-sm-4">
        <br>
        <h4>Berikut ini adalah jumlah partisipan
        KKN</h4>
        <br>
        <form action="homePage.php"
        method="post">
          <table>
            <table class="table table-
            bordered table-hover">
              <tr class="success">
                <th>Mahasiswa</th>
                <th>DPL</th>
                <th>Kelompok</th>
                <th>Dusun</th>

```

```

        </tr>
        <tr>
            <td><a
href="mhs.php"><?php echo $m['mhs']; ?></a></td>
            <td><a
href="dpl.php"><?php echo $d['dpl']; ?></a></td>
            <td><a
href="kelompok.php"><?php echo $k['kel']; ?></a></td>
            <td><a
href="dusun.php"><?php echo $du['dus']; ?></a></td>
        </tr>
    </table>
</table>
</form>
</div>
<div class="col-sm-4">
    
</div>
</div>
<br>
</body>
</html>

```

- **Mahasiswa**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");
$nim = "";
$namaMhs = "";
$jurusanMhs = "";
$angkatan = "";
$pass = "";
$idKel = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $nim = $_POST['nim'];
    $namaMhs = $_POST['namaMhs'];
    $jurusanMhs = $_POST['jurusanMhs'];
}

```

```

$angkatan = $_POST['angkatan'];
$pass = $_POST['pass'];
$SidKel = $_POST['idKel'];
$query = "";

if(empty($SidKel)) //tambahan query jika id kelompok kosong
{
    $query = "INSERT INTO mahasiswa (NIM, NAMA_MHS,
JURUSAN_MHS, ANGKATAN, PASSWORD) VALUES
('$nim', '$namaMhs', '$jurusanMhs', '$angkatan', '$pass');";
}
else
{
    $query = "INSERT INTO mahasiswa (NIM, NAMA_MHS,
JURUSAN_MHS, ANGKATAN, PASSWORD, ID_KEL) VALUES
('$nim', '$namaMhs', '$jurusanMhs', '$angkatan', '$pass', '$idKel');";
}

    mysqli_query($conn, $query);
    header('location: mahasiswa.php');
}
if (isset($_POST['update'])) {
    $nim = $_POST['nim'];
    $namaMhs = $_POST['namaMhs'];
    $jurusanMhs = $_POST['jurusanMhs'];
    $angkatan = $_POST['angkatan'];
    $pass = $_POST['pass'];
    $idKel = $_POST['idKel'];
    $query = "";

    if (empty($idKel))
    {
        $query = "UPDATE mahasiswa SET NAMA_MHS='$namaMhs',
JURUSAN_MHS='$jurusanMhs',
        ANGKATAN='$angkatan',    PASSWORD='$pass'    WHERE
NIM=$nim;";
    }
    else
    {
        $query = "UPDATE mahasiswa SET NAMA_MHS='$namaMhs',
JURUSAN_MHS='$jurusanMhs',
        ANGKATAN='$angkatan', PASSWORD='$pass', ID_KEL='$idKel'
WHERE NIM=$nim;";
    }
}

```

```

    }

    mysqli_query($conn, $query);
    header('location: mahasiswa.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from mahasiswa where concat (NIM) like
'%" . $valueToSearch . "%'";
    $results = filterTable($conn, $query);
}
else{
    $query = "select * from mahasiswa";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset ($_GET['create'])){
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $nim = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM mahasiswa
WHERE NIM=$nim");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $nim = $n['NIM'];
        $namaMhs = $n['NAMA_MHS'];
        $jurusanMhs = $n['JURUSAN_MHS'];
        $angkatan = $n['ANGKATAN'];
        $pass = $n['PASSWORD'];
        $idKel = $n['ID_KEL'];
    }
}

```

```

}
//delete
else if (isset($_GET['del'])) {
    $nim = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM mahasiswa
WHERE NIM=$nim");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"mahasiswa.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])){
    $import = true;
}
//upload import data
if (isset($_POST['upload'])){
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($emapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
            file`
                $sql = "INSERT into mahasiswa (`NIM`,
`NAMA_MHS`, `JURUSAN_MHS`, `ANGKATAN`, `PASSWORD`,
`ID_KEL`)
                values('$emapData[0]','$emapData[1]','$emapData[2]','$emapData[3]','$emap
Data[4]','$emapData[5]')";
            //we are using mysql_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type='text/javascript'>
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"mahasiswa.php\"
                </script>";
            }
        }
    }
    fclose($file);
}

```

```

        //throws a message if data successfully imported to mysql
        database from excel file
        echo "<script type=\"text/javascript\">
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"mahasiswa.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('mahasiswacode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>MAHASISWA</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">MAHASISWA</h3>

        <a href="mahasiswa.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
        <a href="mahasiswa.php?import" class="btn"
style="margin:10px">Import File CSV</a>

        <?php if ($create == true): ?>
        <article class="index-form">
            <div class="container">
                <div class="row">
                    <div class="col-sm-4"></div>
                    <div class="col-sm-4">
                        <form method="post"
action="mahasiswacode.php">
                            <label>Masukkan Data</label>

                            <div class="input-group">
                                <label>NIM</label>
                                <input type="text"
name="nim" value="<?php echo $nim; ?>">

```

```

        </div>
        <div class="input-group">
            <label>Nama
Mahasiswa</label>
            <input type="text"
name="namaMhs" value="<?php echo $namaMhs; ?>">
        </div>
        <div class="input-group">
            <label>Jurusan</label>
            <input type="text"
name="jurusanMhs" value="<?php echo $jurusanMhs; ?>">
        </div>
        <div class="input-group">
            <label>Angkatan</label>
            <input type="text"
name="angkatan" value="<?php echo $angkatan; ?>">
        </div>
        <div class="input-group">
            <label>Password</label>
            <input type="text"
name="pass" value="<?php echo $pass; ?>">
        </div>
        <div class="input-group">
            <label>ID
Kelompok</label>
            <input type="text"
name="idKel" value="<?php echo $idKel; ?>">
        </div>
        <div class="input-group">
            <?php if ($update ==
true): ?>
            <button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
            <?php else: ?>
            <button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
            <?php endif ?>
        </div>
    </form>

```

*ID Kelompok* didapat dari menu Data Kelompok yang sudah ditambahkan.

Bila data kelompok mahasiswa tersebut belum ditambahkan, maka ID Kelompok dapat dikosongkan

```
</div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
<div class="col-md-6" id="form-login">
<form class="well" action="mahasiswacode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
<fieldset>
<div class="control-group">
<div class="control-label">
<label>Import File CSV:</label>
</div>
<div class="controls form-group">
<input type="file" id="file" name="file" class="input-large
form-control">
</div>
</div>
</div>
<div class="control-group">
<div class="controls">
<button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
</div>
</div>
</fieldset>
</form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>
<form action="mahasiswa.php" method="post">
<table>
<input type="text" name="valueToSearch"
placeholder="Cari NIM" style="margin:10px"/>
```



```

        <button class="btn btn-default" type="submit"
name="search" >>></button>
        <table class="table table-bordered table-hover">
            <tr class="success">
                <th>NIM</th>
                <th>NAMA</th>
                <th>JURUSAN</th>
                <th>ANGKATAN</th>
                <th>PASSWORD</th>
                <th>ID KELOMPOK</th>

                <th colspan="2">Action</th>
            </tr>

            <?php while ($row =
mysqli_fetch_array($results)) { ?>
                <tr>
                    <td><?php echo $row['NIM']; ?></td>
                    <td><?php echo $row['NAMA_MHS'];
?></td>
                    <td><?php
                        echo
$row['JURUSAN_MHS']; ?></td>
                    <td><?php echo $row['ANGKATAN'];
?></td>
                    <td><?php echo $row['PASSWORD'];
?></td>
                    <td><?php echo $row['ID_KEL'];
?></td>
                    <td><a
href="mahasiswa.php?edit=<?php echo $row['NIM']; ?>" class="edit_btn"
>Edit</a></td>
                    <td><a
href="mahasiswa.php?del=<?php echo $row['NIM']; ?>"
class="del_btn">Delete</a></td>
                </tr>
            <?php } ?>
        </table>
    </table>
</form>
</body>
</html>

```

- **DPL**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

$nidn = "";
$namaDpl = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $nidn = $_POST['nidn'];
    $namaDpl = $_POST['namaDpl'];

    mysqli_query($conn, "INSERT INTO dpl (NIDN, NAMA_DPL)
VALUES
('$nidn', '$namaDpl');");

    header('location: dpl.php');
}
if (isset($_POST['update'])) {
    $nidn = $_POST['nidn'];
    $namaDpl = $_POST['namaDpl'];

    mysqli_query($conn, "UPDATE dpl SET NAMA_DPL='$namaDpl'
WHERE NIDN=$nidn");
    header('location: dpl.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from dpl where concat (NIDN) like
'%" . $valueToSearch . "%'";
    $results = filterTable($conn, $query);
}
else{
    $query = "select * from dpl";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){

```

```

        $filter_Result = mysqli_query($conn, $query);
        return $filter_Result;
    }

    //create new
    if (isset($_GET['create'])) {
        $create = true;
    }
    //show data for edit
    else if (isset($_GET['edit'])) {
        $nidn = $_GET['edit'];
        $create = true;
        $update = true;
        $record = mysqli_query($conn, "SELECT * FROM dpl WHERE
NIDN=$nidn");

        if (count($record) == 1) {
            $n = mysqli_fetch_array($record);
            $nidn = $n['NIDN'];
            $namaDpl = $n['NAMA_DPL'];
        }
    }
    //delete
    else if (isset($_GET['del'])) {
        $idDpl = $_GET['del'];
        $record = mysqli_query($conn, "DELETE FROM dpl WHERE
NIDN=$nidn");
        echo "<script type='text/javascript'>
                alert(\"Data berhasil dihapus\");
                window.location = \"dpl.php\"
            </script>";
    }
    //import data
    else if (isset($_GET['import'])) {
        $import = true;
    }
    //upload import data
    if (isset($_POST['upload'])) {
        $filename=$_FILES["file"]["tmp_name"];
        if($_FILES["file"]["size"] > 0)
        {
            $file = fopen($filename, "r");
            while (($emapData = fgetcsv($file, 10000, ",")) !== FALSE)

```

```

        {
            //It will insert a row to our subject table from our csv
file`
            $sql = "INSERT into dpl (`NIDN`, `NAMA_DPL`)
            values('$SemapData[0]','$SemapData[1]');
            //we are using mysqli_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type=\"text/javascript\">
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"dpl.php\"
                </script>";
            }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type=\"text/javascript\">
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"dpl.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('dplcode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>DOSEN PEMBIMBING LAPANGAN</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">DOSEN PEMBIMBING LAPANGAN</h3>
        <a href="dpl.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>

```

```
<a href="dpl.php?import" class="btn" style="margin:10px">Import  
File CSV</a>
```

```
<?php if ($create == true): ?>  
<article class="index-form">  
  <div class="container">  
    <div class="row">  
      <div class="col-sm-4"></div>  
      <div class="col-sm-4">  
        <form                                method="post"  
action="dplcode.php" >  
          <label>Masukkan Data</label>  
          <div class="input-group">  
            <label>NIDN</label>  
            <input      type="text"  
name="nidn" value="<?php echo $nidn; ?>">  
          </div>  
          <div class="input-group">  
            <label>Nama  
Dosen</label>  
            <input      type="text"  
name="namaDpl" value="<?php echo $namaDpl; ?>">  
          </div>  
          <div class="input-group">  
            <?php if ($update ==  
true): ?>  
              <button      class="btn"  
type="submit" name="update" style="background: #556B2F; margin-top :  
15px;" >update</button>  
            <?php else: ?>  
              <button      class="btn"  
type="submit" name="save" style="margin-top : 15px" >Save</button>  
            <?php endif ?>  
          </div>  
        </form>  
      </div>  
    </div>  
  </div>  
</article>  
<?php endif ?>  
<?php if ($import == true): ?>  
  <div class="row">
```

```

<div class="col-md-3 hidden-phone"></div>
<div class="col-md-6" id="form-login">
  <form class="well" action="dplcode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
  <fieldset>
    <div class="control-group">
      <div class="control-label">
        <label>Import File CSV:</label>
      </div>
      <div class="controls form-group">
        <input type="file" id="file" name="file" class="input-
large form-control">
      </div>
    </div>
    <div class="control-group">
      <div class="controls">
        <button type="submit" name="upload" class="btn btn-
success pull-right button-loading" data-loading-
text="Loading...">Upload</button>
      </div>
    </div>
  </fieldset>
</form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="dpl.php" method="post">
<table>
  <input type="text" name="valueToSearch" placeholder="Cari
NIDN" style="margin:10px"/>
  <button class="btn btn-default" type="submit" name="search"
>>></button>
  <table class="table table-bordered table-hover">
    <tr class="success">
      <th>NIDN</th>
      <th>NAMA DOSEN</th>
      <th colspan="2">Action</th>
    </tr>

```

```

                <?php while ($row =
mysqli_fetch_array($results)) { ?>
                <tr>
                    <td><?php echo $row['NIDN']; ?></td>
                    <td><?php echo $row['NAMA_DPL'];
?></td>
                    <td><a href="dpl.php?edit=<?php echo
$row['NIDN']; ?>" class="edit_btn" >Edit</a></td>
                    <td><a href="dpl.php?del=<?php echo
$row['NIDN']; ?>" class="del_btn">Delete</a></td>
                </tr>
                <?php } ?>
            </table>
        </table>
    </form>
</body>
</html>

```

- **Data Kelompok**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

```

```

$idKel = 0;
$namaKel = "";
$tahun = "";
$semester = "";
$idDpl = "";
$idDusun = "";
$status = "";

```

```

$update = false;
$create = false;
$import = false;

```

```

if (isset($_POST['save'])) {
    $namaKel = $_POST['namaKel'];
    $tahun = $_POST['tahun'];
    $semester = $_POST['semester'];
    $idDpl = $_POST['idDpl'];
    $idDusun = $_POST['idDusun'];
    $query = "";

```

```

        if (empty($idDpl) and empty($idDusun))
        {
            $query = "INSERT INTO kelompok (ID_KEL, NAMA_KEL,
TAHUN, SEMESTER, STATUS) VALUES
                (NULL, '$namaKel', '$tahun', '$semester', 'Aktif');";
        }
        else if (empty($idDpl))
        {
            $query = "INSERT INTO kelompok (ID_KEL, NAMA_KEL,
TAHUN, SEMESTER, ID_DUSUN, STATUS) VALUES
                (NULL, '$namaKel', '$tahun', '$semester', '$idDusun',
'Aktif');";
        }
        else if (empty($idDusun))
        {
            $query = "INSERT INTO kelompok (ID_KEL, NAMA_KEL,
TAHUN, SEMESTER, ID_DPL, STATUS) VALUES
                (NULL, '$namaKel', '$tahun', '$semester', '$idDpl', 'Aktif');";
        }
        else
        {
            $query = "INSERT INTO kelompok (ID_KEL, NAMA_KEL,
TAHUN, SEMESTER, ID_DPL, ID_DUSUN, STATUS) VALUES
                (NULL, '$namaKel', '$tahun', '$semester', '$idDpl', '$idDusun',
'Aktif');";
        }

        mysqli_query($conn, $query);
        header('location: kelompok.php');
    }
    if (isset($_POST['update'])) {
        $idKel = $_POST['idKel'];
        $namaKel = $_POST['namaKel'];
        $tahun = $_POST['tahun'];
        $semester = $_POST['semester'];
        $idDpl = $_POST['idDpl'];
        $idDusun = $_POST['idDusun'];
        $query = "";

        if (empty($idDpl) and empty($idDusun))
        {

```



```

        $query = "UPDATE kelompok SET
NAMA_KEL='$namaKel', TAHUN='$tahun', SEMESTER='$semester'
WHERE ID_KEL=$idKel;";
    }
    else if (empty($idDpl))
    {
        $query = "UPDATE kelompok SET
NAMA_KEL='$namaKel', TAHUN='$tahun', SEMESTER='$semester',
ID_DUSUN='$idDusun' WHERE ID_KEL=$idKel;";
    }
    else if (empty($idDusun))
    {
        $query = "UPDATE kelompok SET
NAMA_KEL='$namaKel', TAHUN='$tahun', SEMESTER='$semester',
ID_DPL='$idDpl' WHERE ID_KEL=$idKel;";
    }
    else
    {
        $query = "UPDATE kelompok SET
NAMA_KEL='$namaKel', TAHUN='$tahun', SEMESTER='$semester',
ID_DPL='$idDpl', ID_DUSUN='$idDusun' WHERE ID_KEL=$idKel;";
    }

    mysqli_query($conn, $query);
    header('location: kelompok.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from kelompok where concat (NAMA_KEL) like
'%" . $valueToSearch . "%'";
    $results = filterTable($conn, $query);
}
else{
    $query = "select * from kelompok";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

```

```

//create new
if (isset($_GET['create'])) {
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idKel = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM kelompok
WHERE ID_KEL=$idKel");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $namaKel = $n['NAMA_KEL'];
        $tahun = $n['TAHUN'];
        $semester = $n['SEMESTER'];
        $idDpl = $n['ID_DPL'];
        $idDusun = $n['ID_DUSUN'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idKel = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM kelompok WHERE
ID_KEL=$idKel");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"kelompok.php\"
    </script>";
}
//ubah status
else if (isset($_GET['ubahStatus'])) {
    $idKel = $_GET['ubahStatus'];
    $record = mysqli_query($conn, "SELECT * FROM kelompok
WHERE ID_KEL=$idKel;");
    $n = mysqli_fetch_array($record);
    if($n['STATUS'] == 'Tidak Aktif'){
        mysqli_query($conn, "UPDATE kelompok SET
STATUS='Aktif' WHERE ID_KEL=$idKel;");
    }
    else{

```

```

        mysqli_query($conn, "UPDATE kelompok SET
STATUS='Tidak Aktif' WHERE ID_KEL=$idKel;");
    }
    header('location: kelompok.php');
}
//import data
else if (isset($_GET['import'])){
    $import = true;
}
//upload import data
if (isset($_POST['upload'])){
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($SemapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
file`
            $sql = "INSERT into kelompok (`ID_KEL`,
`NAMA_KEL`, `TAHUN`, `SEMESTER`, `ID_DPL`, `ID_DUSUN`,
`STATUS`)

            values('$SemapData[0]','$SemapData[1]','$SemapData[2]','$SemapData[3]','$Semap
Data[4]','$SemapData[5]','$SemapData[6]')";
            //we are using mysqli_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type='text/javascript'>
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"kelompok.php\"
                </script>";
            }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type='text/javascript'>
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"kelompok.php\"
        </script>";
    }
}

```

```

        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('kelompokcode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>KELOMPOK</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">KELOMPOK</h3>

        <a href="kelompok.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
        <a href="kelompok.php?import" class="btn"
style="margin:10px">Import File CSV</a>

        <?php if ($create == true): ?>
        <article class="index-form">
            <div class="container">
                <div class="row">
                    <div class="col-sm-4"></div>
                    <div class="col-sm-4">
                        <form method="post"
action="kelompokcode.php" >
                            <label>Masukkan Data</label>
                            <div class="input-group">
                                <label>ID</label>
                                <input type="text"
readonly name="idKel" value="<?php echo $idKel; ?>">
                            </div>
                            <div class="input-group">
                                <label>Nama
Kelompok</label>
                                <input type="text"
name="namaKel" value="<?php echo $namaKel; ?>">
                            </div>

```

```

        <div class="input-group">
            <label>Tahun</label>
            <input      type="text"
name="tahun" value="<?php echo $tahun; ?>">
        </div>
        <div class="input-group">
            <label>Semester</label>
            <input      type="text"
name="semester" value="<?php echo $semester; ?>">
        </div>
        <div class="input-group">
            <label>ID DPL</label>
            <input      type="text"
name="idDpl" value="<?php echo $idDpl; ?>">
        </div>
        <div class="input-group">
            <label>ID
Dusun</label>
            <input      type="text"
name="idDusun" value="<?php echo $idDusun; ?>">
        </div>
        <div class="input-group">
            <?php if ($update ==
true): ?>
                <button      class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
            <?php else: ?>
                <button      class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
            <?php endif ?>
        </div>
    </form>
    <h6><i>*ID DPL didapat dari menu
DPL dan ID Dusun didapat dari menu Data Dusun yang sudah ditambahkan.
Bila data tersebut belum ditambahkan,
maka ID DPL/Dusun dapat dikosongkan</i></h6>
</div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>

```

```

        <div class="row">
        <div class="col-md-3 hidden-phone"></div>
        <div class="col-md-6" id="form-login">
            <form class="well" action="kelompokcode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
                <fieldset>
                    <div class="control-group">
                        <div class="control-label">
                            <label>Import File CSV:</label>
                        </div>
                        <div class="controls form-group">
                            <input type="file" id="file" name="file" class="input-large
form-control">
                        </div>
                    </div>
                    <div class="control-group">
                        <div class="controls">
                            <button type="submit"
name="upload" class="btn btn-success pull-right button-loading" data-loading-
text="Loading...">Upload</button>
                        </div>
                    </div>
                </fieldset>
            </form>
        </div>
        <div class="col-md-3 hidden-phone"></div>
    </div>
    <?php endif ?>

    <form action="kelompok.php" method="post">
        <table>
            <input type="text" name="valueToSearch"
placeholder="Cari Nama Kelompok" style="margin:10px"/>
            <button class="btn btn-default" type="submit"
name="search" >>></button>
        <table class="table table-bordered table-
hover">
            <tr class="success">
                <th>ID</th>
                <th>NAMA KELOMPOK</th>
                <th>TAHUN</th>
                <th>SEMESTER</th>
                <th>ID DPL</th>

```

```

        <th>ID DUSUN</th>
        <th>STATUS</th>
        <th colspan="2">Action</th>
    </tr>

    <?php while ($row =
mysqli_fetch_array($results)) { ?>
    <tr>
        <td><?php echo
$row['ID_KEL']; ?></td>
        <td><?php echo
$row['NAMA_KEL']; ?></td>
        <td><?php echo
$row['TAHUN']; ?></td>
        <td><?php echo
$row['SEMESTER']; ?></td>
        <td><?php echo
$row['ID_DPL']; ?></td>
        <td><?php echo
$row['ID_DUSUN']; ?></td>
        <td><?php echo
$row['STATUS']; ?> <br><a href="kelompok.php?ubahStatus=<?php echo
$row['ID_KEL']; ?>" class="ubah_btn" >Ubah Status</a></td>
        <td><a
href="kelompok.php?edit=<?php echo $row['ID_KEL']; ?>" class="edit_btn"
>Edit</a></td>
        <td><a
href="kelompok.php?del=<?php echo
$row['ID_KEL']; ?>"
class="del_btn">Delete</a></td>
    </tr>
    <?php } ?>
</table>
</table>
</form>
</body>
</html>

```

- **Tema**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

$idTema = 0;
$namaTema = "";

```

```

$kategori = "";
$IdKel = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $idTema = $_POST['idTema'];
    $namaTema = $_POST['namaTema'];
    $kategori = $_POST['kategori'];
    $idKel = $_POST['idKel'];
    $query = "";

    if (empty($idKel))
    {
        $query = "INSERT INTO tema (ID_TEMA, NAMA_TEMA,
KATEGORI) VALUES
(NULL, '$namaTema', '$kategori');";
    }
    else
    {
        $query = "INSERT INTO tema (ID_TEMA, NAMA_TEMA,
KATEGORI, ID_KEL) VALUES
(NULL, '$namaTema', '$kategori', '$idKel');";
    }
    mysqli_query($conn, $query);
    header('location: tema.php');
}
if (isset($_POST['update'])) {
    $idTema = $_POST['idTema'];
    $namaTema = $_POST['namaTema'];
    $kategori = $_POST['kategori'];
    $idKel = $_POST['idKel'];
    $query = "";

    if (empty($idKel))
    {
        $query = "UPDATE tema SET NAMA_TEMA='$namaTema',
KATEGORI='$kategori' WHERE ID_TEMA=$idTema";
    }
    else

```



```

        {
            $query = "UPDATE tema SET NAMA_TEMA='$namaTema',
KATEGORI='$kategori', ID_KEL='$idKel' WHERE ID_TEMA=$idTema";
        }

        mysqli_query($conn, $query);
        header('location: tema.php');
    }
    //search
    if(isset($_POST['search'])){
        $valueToSearch = $_POST['valueToSearch'];
        $query = "select * from tema where concat (NAMA_TEMA) like
'%" . $valueToSearch . "%'";
        $results = filterTable($conn, $query);
    }
    else{
        $query = "select * from tema";
        $results = filterTable($conn, $query);
    }

    function filterTable($conn, $query){
        $filter_Result = mysqli_query($conn, $query);
        return $filter_Result;
    }

    //create new
    if (isset ($_GET['create'])){
        $create = true;
    }
    //show data for edit
    else if (isset($_GET['edit'])) {
        $idTema = $_GET['edit'];
        $create = true;
        $update = true;
        $record = mysqli_query($conn, "SELECT * FROM tema WHERE
ID_TEMA=$idTema");

        if (count($record) == 1 ) {
            $n = mysqli_fetch_array($record);
            $namaTema = $n['NAMA_TEMA'];
            $kategori = $n['KATEGORI'];
            $idKel = $n['ID_KEL'];
        }
    }

```

```

}
//delete
else if (isset($_GET['del'])) {
    $idTema = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM tema WHERE
ID_TEMA=$idTema");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"tema.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])){
    $import = true;
}
//upload import data
if (isset($_POST['upload'])){
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($emapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
file`
            $sql = "INSERT into tema (`ID_TEMA`,
`NAMA_TEMA`, `KATEGORI`, `ID_KEL`)
            values('$emapData[0]','$emapData[1]','$emapData[2]','$emapData[3]')";
            //we are using mysqli_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type='text/javascript'>
                    alert(\"Invalid File:Please Upload CSV File.\");
                    window.location = \"tema.php\"
                </script>";
            }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file

```

```

        echo "<script type=\"text/javascript\">
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"tema.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}

?>
<?php
include('home.php');
include('temacode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>TEMA</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">TEMA</h3>

        <a href="tema.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
        <a href="tema.php?import" class="btn" style="margin:10px">Import
File CSV</a>

        <?php if ($create == true): ?>
        <article class="index-form">
            <div class="container">
                <div class="row">
                    <div class="col-sm-4"></div>
                    <div class="col-sm-4">
                        <form method="post"
action="temacode.php" >
                            <label>Masukkan Data</label>
                            <div class="input-group">
                                <label>ID</label>
                                <input type="text"
readonly name="idTema" value="<?php echo $idTema; ?>">
                            </div>

```

```

        <div class="input-group">
            <label>Tema</label>
            <input      type="text"
name="namaTema" value="<?php echo $namaTema; ?>"
            </div>
        <div class="input-group">
            <label>Kategori</label>
            <input      type="text"
name="kategori" value="<?php echo $kategori; ?>"
            </div>
        <div class="input-group">
            <label>ID
Kelompok</label>
            <input      type="text"
name="idKel" value="<?php echo $idKel; ?>"
            </div>

        <div class="input-group">
            <?php if ($update ==
true): ?>
                <button      class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
            <?php else: ?>
                <button      class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
            <?php endif ?>
        </div>
    </form>
    <h6><i>*ID Kelompok didapat dari
menu Data Kelompok yang sudah ditambahkan.
    Bila data kelompok tersebut belum
ditambahkan, maka ID Kelompok dapat dikosongkan</i></h6>
    </div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
    <div class="col-md-6" id="form-login">

```

```

        <form class="well" action="temacode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
        <fieldset>
            <div class="control-group">
                <div class="control-label">
                    <label>Import File CSV:</label>
                </div>
                <div class="controls form-group">
                    <input type="file" id="file" name="file" class="input-large
form-control">
                </div>
            </div>
            <div class="control-group">
                <div class="controls">
                    <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
                </div>
            </div>
        </fieldset>
    </form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="tema.php" method="post">
    <table>
        <input type="text" name="valueToSearch"
placeholder="Cari Tema" style="margin:10px"/>
        <button class="btn btn-default" type="submit"
name="search" >>></button>
        <table class="table table-bordered table-hover">
            <tr class="success">
                <th>ID</th>
                <th>TEMA</th>
                <th>KATEGORI</th>
                <th>ID KELOMPOK</th>

                <th colspan="2">Action</th>
            </tr>

```

```

        <?php while ($row =
mysqli_fetch_array($results)) { ?>
        <tr>
            <td><?php echo $row['ID_TEMA'];
?></td>
            <td><?php
                echo
                $row['NAMA_TEMA']; ?></td>
            <td><?php echo $row['KATEGORI'];
?></td>
            <td><?php echo $row['ID_KEL'];
?></td>
            <td><a href="tema.php?edit=<?php
echo $row['ID_TEMA']; ?>" class="edit_btn" >Edit</a></td>
            <td><a href="tema.php?del=<?php
echo $row['ID_TEMA']; ?>" class="del_btn">Delete</a></td>
        </tr>
    <?php } ?>
</table>
</table>
</form>
</body>
</html>

```

- **Data Dusun**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

```

```

    $idDusun = 0;
    $namaDusun = "";
    $luas = "";
    $lat = "";
    $long = "";
    $idRanting = "";

```

```

    $update = false;
    $create = false;
    $import = false;

```

```

    if (isset($_POST['save'])) {
        $namaDusun = $_POST['namaDusun'];
        $luas = $_POST['luas'];
        $lat = $_POST['lat'];
    }

```

```

$long = $_POST['long'];
$idRanting = $_POST['idRanting'];
$last_id = "";
$query = "";
$query2 = "";

if (empty($luas) and empty($lat) and empty($long) and
empty($idRanting))
{
    $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN) VALUES
(NULL, '$namaDusun');";
    mysqli_query($conn, $query);

    $last_id = mysqli_insert_id($conn);
    $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
ID_DUSUN) VALUES
(NULL, '$last_id');";

}
else if (empty($lat) and empty($long) and empty($idRanting))
{
    $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN, LUAS_WILAYAH) VALUES
(NULL, '$namaDusun', '$luas');";
    mysqli_query($conn, $query);

    $last_id = mysqli_insert_id($conn);
    $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
ID_DUSUN) VALUES
(NULL, '$last_id');";

}
else if (empty($luas) and empty($lat) and empty($long))
{
    $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN, ID_RANTING) VALUES
(NULL, '$namaDusun', '$idRanting');";
    mysqli_query($conn, $query);

    $last_id = mysqli_insert_id($conn);
    $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
ID_DUSUN) VALUES

```

```

        (NULL, '$last_id');";

    }
    else if (empty($luas) and empty($idRanting))
    {
        $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN) VALUES
        (NULL, '$namaDusun');";
        mysqli_query($conn, $query);

        $last_id = mysqli_insert_id($conn);
        $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
LATITUDE, LONGITUDE, ID_DUSUN) VALUES
        (NULL, '$lat', '$long', '$last_id');";

    }
    else if (empty($lat) and empty($long))
    {
        $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN, LUAS_WILAYAH, ID_RANTING) VALUES
        (NULL, '$namaDusun', '$luas', '$idRanting');";
        mysqli_query($conn, $query);

        $last_id = mysqli_insert_id($conn);
        $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
ID_DUSUN) VALUES
        (NULL, '$last_id');";

    }
    else if (empty($idRanting))
    {
        $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN, LUAS_WILAYAH) VALUES
        (NULL, '$namaDusun', '$luas');";
        mysqli_query($conn, $query);

        $last_id = mysqli_insert_id($conn);
        $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
LATITUDE, LONGITUDE, ID_DUSUN) VALUES
        (NULL, '$lat', '$long', '$last_id');";

    }
    else if (empty($luas))
    {

```



```

        $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN, ID_RANTING) VALUES
        (NULL, '$namaDusun', '$idRanting)";
        mysqli_query($conn, $query);

        $last_id = mysqli_insert_id($conn);
        $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
LATITUDE, LONGITUDE, ID_DUSUN) VALUES
        (NULL, '$lat', '$long', '$last_id)";

    }
    else
    {
        $query = "INSERT INTO dusun (ID_DUSUN,
NAMA_DUSUN, LUAS_WILAYAH, ID_RANTING) VALUES
        (NULL, '$namaDusun', '$luas', '$idRanting)";
        mysqli_query($conn, $query);

        $last_id = mysqli_insert_id($conn);
        $query2 = "INSERT INTO lokasi_dusun (ID_LOKASI,
LATITUDE, LONGITUDE, ID_DUSUN) VALUES
        (NULL, '$lat', '$long', '$last_id)";

    }

    //mysqli_query($conn, $query);
    mysqli_query($conn, $query2);

    header('location: dusun.php');
}
if (isset($_POST['update'])) {
    $idDusun = $_POST['idDusun'];
    $namaDusun = $_POST['namaDusun'];
    $luas = $_POST['luas'];
    $lat = $_POST['lat'];
    $long = $_POST['long'];
    $idRanting = $_POST['idRanting'];
    $query = "";

    if (empty($luas) and empty($lat) and empty($long) and
empty($idRanting))
    {

```

```

        $query = "UPDATE dusun SET
NAMA_DUSUN='$namaDusun' WHERE ID_DUSUN=$idDusun;";

    }
    else if (empty($lat) and empty($long) and empty($idRanting))
    {
        $query = "UPDATE dusun SET
NAMA_DUSUN='$namaDusun', LUAS_WILAYAH='$luas'
WHERE ID_DUSUN=$idDusun;";
    }
    else if (empty($luas) and empty($lat) and empty($long))
    {
        $query = "UPDATE dusun SET
NAMA_DUSUN='$namaDusun', ID_RANTING='$idRanting'
WHERE ID_DUSUN=$idDusun;";
    }
    else if (empty($luas) and empty($idRanting))
    {
        $query = "UPDATE dusun LEFT JOIN lokasi_dusun ON
dusun.ID_DUSUN = lokasi_dusun.ID_DUSUN SET
dusun.NAMA_DUSUN='$namaDusun',
lokasi_dusun.LATITUDE='$lat',
lokasi_dusun.LONGITUDE='$long'
WHERE dusun.ID_DUSUN=$idDusun;";
    }
    else if (empty($lat) and empty($long))
    {
        $query = "UPDATE dusun SET
NAMA_DUSUN='$namaDusun', LUAS_WILAYAH='$luas',
ID_RANTING='$idRanting'
WHERE ID_DUSUN=$idDusun;";
    }
    else if (empty($idRanting))
    {
        $query = "UPDATE dusun LEFT JOIN lokasi_dusun ON
dusun.ID_DUSUN = lokasi_dusun.ID_DUSUN SET
dusun.NAMA_DUSUN='$namaDusun',
dusun.LUAS_WILAYAH='$luas',
lokasi_dusun.LATITUDE='$lat', lokasi_dusun.LONGITUDE='$long'
WHERE dusun.ID_DUSUN=$idDusun;";
    }
    else if (empty($luas))
    {

```

```

        $query = "UPDATE dusun LEFT JOIN lokasi_dusun ON
dusun.ID_DUSUN      =      lokasi_dusun.ID_DUSUN      SET
dusun.NAMA_DUSUN='$namaDusun',
        dusun.ID_RANTING='$idRanting',
lokasi_dusun.LATITUDE='$lat', lokasi_dusun.LONGITUDE='$long'
        WHERE dusun.ID_DUSUN=$idDusun;";
    }
    else
    {
        $query = "UPDATE dusun LEFT JOIN lokasi_dusun ON
dusun.ID_DUSUN      =      lokasi_dusun.ID_DUSUN      SET
dusun.NAMA_DUSUN='$namaDusun',
        dusun.LUAS_WILAYAH='$luas',
dusun.ID_RANTING='$idRanting',      lokasi_dusun.LATITUDE='$lat',
lokasi_dusun.LONGITUDE='$long'
        WHERE dusun.ID_DUSUN=$idDusun;";
    }

    mysqli_query($conn, $query);
    header('location: dusun.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from dusun INNER JOIN lokasi_dusun on
dusun.ID_DUSUN      =      lokasi_dusun.ID_DUSUN      where      concat
(NAMA_DUSUN) like '%" . $valueToSearch . "%";
    $results = filterTable($conn, $query);
}
else{
    $query = "SELECT * FROM dusun INNER JOIN lokasi_dusun on
dusun.ID_DUSUN = lokasi_dusun.ID_DUSUN";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset ($_GET['create'])){
    $create = true;

```

```

}
//show data for edit
else if (isset($_GET['edit'])) {
    $idDusun = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM dusun INNER
JOIN lokasi_dusun ON dusun.ID_DUSUN = lokasi_dusun.ID_DUSUN
WHERE dusun.ID_DUSUN=$idDusun");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $namaDusun = $n['NAMA_DUSUN'];
        $luas = $n['LUAS_WILAYAH'];
        $lat = $n['LATITUDE'];
        $long = $n['LONGITUDE'];
        $idRanting = $n['ID_RANTING'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idDusun = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM dusun WHERE
ID_DUSUN=$idDusun");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"dusun.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])) {
    $import = true;
}
//upload import data
if (isset($_POST['upload'])) {
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($emapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
            file`

```

```

        $sql = "INSERT into dusun (`ID_DUSUN`,
`NAMA_DUSUN`, `LUAS_WILAYAH`, `ID_RANTING`)

        values('$emapData[0]','$emapData[1]','$emapData[2]','$emapData[5]')";
        //we are using mysql_query function. it returns a
resource on true else False on error
        mysqli_query($conn, $sql);
        $last_id = mysqli_insert_id($conn);
        $sql2 = "INSERT into lokasi_dusun (`ID_LOKASI`,
`LATITUDE`, `LONGITUDE`, `ID_DUSUN`)

        values('$emapData[0]','$emapData[3]','$emapData[4]','$last_id')";
        //we are using mysql_query function. it returns a
resource on true else False on error
        $result = mysqli_query($conn, $sql2);
        if(! $result )
        {
                echo "<script type=\"text/javascript\">
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"dusun.php\"
                </script>";
        }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type=\"text/javascript\">
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"dusun.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('dusuncode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>DUSUN</title>

```

```

        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">DUSUN</h3>

        <a href="dusun.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
        <a href="dusun.php?import" class="btn"
style="margin:10px">Import File CSV</a>

        <?php if ($create == true): ?>
        <article class="index-form">
            <div class="container">
                <div class="row">
                    <div class="col-sm-4"></div>
                    <div class="col-sm-4">
                        <form method="post"
action="dusuncode.php" >
                            <label>Masukkan Data</label>
                            <div class="input-group">
                                <label>ID</label>
                                <input type="text"
readonly name="idDusun" value="<?php echo $idDusun; ?>"
                                </div>
                                <div class="input-group">
                                    <label>Nama
Dusun</label>
                                    <input type="text"
name="namaDusun" value="<?php echo $namaDusun; ?>"
                                    </div>
                                    <div class="input-group">
                                        <label>Luas
Wilayah</label>
                                        <input type="text"
name="luas" value="<?php echo $luas; ?>"
                                        </div>
                                        <div class="input-group">
                                            <label>Latitude</label>
                                            <input type="text"
name="lat" value="<?php echo $lat; ?>"
                                            </div>
                                        <div class="input-group">

```

```

        <label>Longitude</label>
        <input type="text"
name="long" value="<?php echo $long; ?>"
        </div>
        <div class="input-group">
            <label>ID
Ranting</label>
            <input type="text"
name="idRanting" value="<?php echo $idRanting; ?>"
            </div>

            <div class="input-group">
                <?php if ($update ==
true): ?>
                    <button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
                    <?php else: ?>
                    <button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
                    <?php endif ?>
                </div>
            </form>
            <h6><i>*ID Ranting didapat dari menu
Data Ranting yang sudah ditambahkan.
            Bila data ranting dusun tersebut belum
ditambahkan, maka ID Ranting dapat dikosongkan</i></h6>
        </div>
    </div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
    <div class="col-md-6" id="form-login">
        <form class="well" action="dusuncode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
            <fieldset>
                <div class="control-group">
                    <div class="control-label">
                        <label>Import File CSV:</label>

```

```

        </div>
        <div class="controls form-group">
            <input type="file" id="file" name="file" class="input-large
form-control">
        </div>
    </div>

    <div class="control-group">
        <div class="controls">
            <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
        </div>
    </div>
</fieldset>
</form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="dusun.php" method="post">
<table>
    <input type="text" name="valueToSearch"
placeholder="Cari Nama Dusun" style="margin:10px"/>
    <button class="btn btn-default" type="submit"
name="search" >>></button>
    <table class="table table-bordered table-hover">
        <tr class="success">
            <th>ID</th>
            <th>NAMA DUSUN</th>
            <th>LUAS WILAYAH</th>
            <th>LATITUDE</th>
            <th>LONGITUDE</th>
            <th>ID RANTING</th>

            <th colspan="2">Action</th>
        </tr>

        <?php while ($row =
mysqli_fetch_array($results)) { ?>
            <tr>
                <td><?php echo $row['ID_DUSUN'];
?></td>

```



```

        <td><?php
$row['NAMA_DUSUN']; ?></td>
        echo
        <td><?php
$row['LUAS_WILAYAH']; ?></td>
        echo
        <td><?php echo $row['LATITUDE'];
?></td>
        <td><?php echo $row['LONGITUDE'];
?></td>
        <td><?php echo $row['ID_RANTING'];
?></td>
        <td><a href="dusun.php?edit=<?php
echo $row['ID_DUSUN']; ?>" class="edit_btn" >Edit</a></td>
        <td><a href="dusun.php?del=<?php
echo $row['ID_DUSUN']; ?>" class="del_btn">Delete</a></td>
        </tr>
        <?php } ?>
    </table>
</table>
</form>
</body>
</html>

```

- **Kepala Dusun**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

```

```

    $idKadus = 0;
    $namaKadus = "";
    $idDusun = "";

```

```

    $update = false;
    $create = false;
    $import = false;

```

```

    if (isset($_POST['save'])) {
        $namaKadus = $_POST['namaKadus'];
        $idDusun = $_POST['idDusun'];
        $query = "";

        if (empty($idDusun))
        {

```

```

        $query = "INSERT INTO kepala_dusun (ID_KADUS,
NAMA_KADUS) VALUES
        (NULL, '$namaKadus');";
    }
    else
    {
        $query = "INSERT INTO kepala_dusun (ID_KADUS,
NAMA_KADUS, ID_DUSUN) VALUES
        (NULL, '$namaKadus', '$idDusun');";
    }

    mysqli_query($conn, $query);

    header('location: kadus.php');
}
if (isset($_POST['update'])) {
    $idKadus = $_POST['idKadus'];
    $namaKadus = $_POST['namaKadus'];
    $idDusun = $_POST['idDusun'];
    $query = "";

    if (empty($idDusun))
    {
        $query = "UPDATE kepala_dusun SET
NAMA_KADUS='$namaKadus'
        WHERE ID_KADUS=$idKadus;";
    }
    else
    {
        $query = "UPDATE kepala_dusun SET
NAMA_KADUS='$namaKadus',
        ID_DUSUN='$idDusun' WHERE ID_KADUS=$idKadus;";
    }

    mysqli_query($conn, $query);
    header('location: kadus.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from kepala_dusun where concat
(NAMA_KADUS) like '%" . $valueToSearch . "%'";
    $results = filterTable($conn, $query);
}

```

```

}
else{
    $query = "select * from kepala_dusun";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset($_GET['create'])){
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idKadus = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM kepala_dusun
WHERE ID_KADUS=$idKadus");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $namaKadus = $n['NAMA_KADUS'];
        $idDusun = $n['ID_DUSUN'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idKadus = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM kepala_dusun
WHERE ID_KADUS=$idKadus");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"kadus.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])){
    $import = true;
}

```

```

//upload import data
if (isset($_POST['upload'])){
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($SemapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
file`
            $sql = "INSERT into kepala_dusun (`ID_KADUS`,
`NAMA_KADUS`, `ID_DUSUN`)

            values('$SemapData[0]','$SemapData[1]','$SemapData[2]')";
            //we are using mysqli_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type='text/javascript'>
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"kadus.php\"
                </script>";
            }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type='text/javascript'>
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"kadus.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('kaduscode.php');
?>
<!DOCTYPE html>
<html>

```

```

<head>
  <title>KEPALA DUSUN</title>
  <link rel="stylesheet" type="text/css" href="bootstrap.css">
</head>
<body>
  <h3 align="center">KEPALA DUSUN</h3>

  <a href="kadus.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
  <a href="kadus.php?import" class="btn" style="margin:10px">Import
File CSV</a>

  <?php if ($create == true): ?>
  <article class="index-form">
    <div class="container">
      <div class="row">
        <div class="col-sm-4"></div>
        <div class="col-sm-4">
          <form method="post"
action="kaduscode.php" >
            <label>Masukkan Data</label>
            <div class="input-group">
              <label>ID</label>
              <input type="text"
readonly name="idKadus" value="<?php echo $idKadus; ?>">
            </div>
            <div class="input-group">
              <label>Nama Kepala
Dusun</label>
              <input type="text"
name="namaKadus" value="<?php echo $namaKadus; ?>">
            </div>
            <div class="input-group">
              <label>ID
Dusun</label>
              <input type="text"
name="idDusun" value="<?php echo $idDusun; ?>">
            </div>
            <div class="input-group">
              <?php if ($update ==
true): ?>

```

```

        <button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
        <?php else: ?>
        <button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
        <?php endif ?>
    </div>
</form>

```

<h6><i>\*ID Dusun didapat dari menu Data Dusun yang sudah ditambahkan.

Bila data dusun tersebut belum ditambahkan, maka ID Dusun dapat dikosongkan</i></h6>

```

    </div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
    <div class="col-md-6" id="form-login">
        <form class="well" action="kaduscode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
            <fieldset>
                <div class="control-group">
                    <div class="control-label">
                        <label>Import File CSV:</label>
                    </div>
                    <div class="controls form-group">
                        <input type="file" id="file" name="file" class="input-large
form-control">
                    </div>
                </div>
            </div>
            <div class="control-group">
                <div class="controls">
                    <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
                </div>
            </div>
        </fieldset>
    </form>

```

```

</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="kadus.php" method="post">
<table>
    <input type="text" name="valueToSearch"
placeholder="Cari Nama Kepala Dusun" style="margin:10px"/>
    <button class="btn btn-default" type="submit"
name="search" >>></button>
    <table class="table table-bordered table-hover">
        <tr class="success">
            <th>ID</th>
            <th>NAMA KEPALA DUSUN</th>
            <th>ID DUSUN</th>
            <th colspan="2">Action</th>
        </tr>

        <?php while ($row =
mysqli_fetch_array($results)) { ?>
            <tr>
                <td><?php echo $row['ID_KADUS'];
?></td>
                <td><?php echo
$row['NAMA_KADUS']; ?></td>
                <td><?php echo $row['ID_DUSUN'];
?></td>
                <td><a href="kadus.php?edit=<?php
echo $row['ID_KADUS']; ?>" class="edit_btn" >Edit</a></td>
                <td><a href="kadus.php?del=<?php
echo $row['ID_KADUS']; ?>" class="del_btn">Delete</a></td>
            </tr>
        <?php } ?>
    </table>
</table>
</form>
</body>
</html>

```

- **Sosial Budaya**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

```

```

$idSb = 0;
$namaSb = "";
$ket = "";
$idDusun = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $namaSb = $_POST['namaSb'];
    $ket = $_POST['ket'];
    $idDusun = $_POST['idDusun'];
    $query = "";

    if (empty($ket) and empty($idDusun))
    {
        $query = "INSERT INTO sosial_budaya (ID_SB,
NAMA_SB) VALUES
(NULL, '$namaSb');";
    }
    else if (empty($idDusun))
    {
        $query = "INSERT INTO sosial_budaya (ID_SB, NAMA_SB,
KETERANGAN) VALUES
(NULL, '$namaSb', '$ket');";
    }
    else if (empty($ket))
    {
        $query = "INSERT INTO sosial_budaya (ID_SB, NAMA_SB,
ID_DUSUN) VALUES
(NULL, '$namaSb', '$idDusun');";
    }
    else
    {
        $query = "INSERT INTO sosial_budaya (ID_SB, NAMA_SB,
KETERANGAN, ID_DUSUN) VALUES
(NULL, '$namaSb', '$ket', '$idDusun');";
    }
}

```



```

    }
    mysqli_query($conn, $query);

    header('location: sb.php');
}
if (isset($_POST['update'])) {
    $idSb = $_POST['idSb'];
    $namaSb = $_POST['namaSb'];
    $ket = $_POST['ket'];
    $idDusun = $_POST['idDusun'];
    $query = "";

    if (empty($ket) and empty($idDusun))
    {
        $query = "UPDATE sosial_budaya SET
NAMA_SB='$namaSb' WHERE ID_SB=$idSb;";
    }
    else if (empty($idDusun))
    {
        $query = "UPDATE sosial_budaya SET
NAMA_SB='$namaSb', KETERANGAN='$ket',
WHERE ID_SB=$idSb;";
    }
    else if (empty($ket))
    {
        $query = "UPDATE sosial_budaya SET
NAMA_SB='$namaSb',
ID_DUSUN='$idDusun' WHERE ID_SB=$idSb;";
    }
    else
    {
        $query = "UPDATE sosial_budaya SET
NAMA_SB='$namaSb', KETERANGAN='$ket',
ID_DUSUN='$idDusun' WHERE ID_SB=$idSb;";
    }

    mysqli_query($conn, $query);
    header('location: sb.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];

```

```

        $query = "select * from sosial_budaya where concat (NAMA_SB)
like '%" . $valueToSearch . "%'";
        $results = filterTable($conn, $query);
    }
    else{
        $query = "SELECT * FROM sosial_budaya";
        $results = filterTable($conn, $query);
    }

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset($_GET['create'])){
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idSb = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM sosial_budaya
WHERE ID_SB=$idSb");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $namaSb = $n['NAMA_SB'];
        $ket = $n['KETERANGAN'];
        $idDusun = $n['ID_DUSUN'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idSb = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM sosial_budaya
WHERE ID_SB=$idSb");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"sb.php\"
    </script>";
}

```

```

//import data
else if (isset($_GET['import'])){
    $import = true;
    }
//upload import data
if (isset($_POST['upload'])){
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($SemapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
file`
            $sql = "INSERT into sosial_budaya (`ID_SB`,
`NAMA_SB`, `KETERANGAN`, `ID_DUSUN`)
            values('$SemapData[0]','$SemapData[1]','$SemapData[2]','$SemapData[3]')";
            //we are using mysqli_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type=\"text/javascript\">
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"sb.php\"
                </script>";
            }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type=\"text/javascript\">
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"sb.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');

```

```

include('sbcode.php');
?>
<!DOCTYPE html>
<html>
  <head>
    <title>SOSIAL BUDAYA</title>
    <link rel="stylesheet" type="text/css" href="bootstrap.css">
  </head>
  <body>
    <h3 align="center">SOSIAL BUDAYA</h3>

    <a href="sb.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
    <a href="sb.php?import" class="btn" style="margin:10px">Import
File CSV</a>

    <?php if ($create == true): ?>
    <article class="index-form">
      <div class="container">
        <div class="row">
          <div class="col-sm-4"></div>
          <div class="col-sm-4">
            <form method="post"
action="sbcode.php" >
              <label>Masukkan Data</label>
              <div class="input-group">
                <label>ID</label>
                <input type="text"
readonly name="idSb" value="<?php echo $idSb; ?>">
              </div>
              <div class="input-group">
                <label>Nama Sosial
Budaya</label>
                <input type="text"
name="namaSb" value="<?php echo $namaSb; ?>">
              </div>
              <div class="input-group">
                <label>Keterangan</label>
                <input type="text"
name="ket" value="<?php echo $ket; ?>">
              </div>
            </div>
          </div>
        </div>
      </div>
    </article>
  </body>
</html>

```

```

        <label>ID
Dusun</label>
        <input      type="text"
name="idDusun" value="<?php echo $idDusun; ?>"
        </div>

        <div class="input-group">
            <?php if ($update ==
true): ?>
                <button      class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
            <?php else: ?>
                <button      class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
            <?php endif ?>
        </div>
    </form>
    <h6><i>*ID Dusun didapat dari menu
Data Dusun yang sudah ditambahkan.
    Bila data dusun tersebut belum
ditambahkan, maka ID Dusun dapat dikosongkan</i></h6>
    </div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
    <div class="col-md-6" id="form-login">
        <form      class="well"      action="sbcode.php"      method="post"
name="upload_excel" enctype="multipart/form-data">
            <fieldset>
                <div class="control-group">
                    <div class="control-label">
                        <label>Import File CSV:</label>
                    </div>
                    <div class="controls form-group">
                        <input type="file" id="file" name="file" class="input-large
form-control">
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="control-group">
            <div class="controls">
                <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
            </div>
        </div>
    </fieldset>
</form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="sb.php" method="post">
    <table>
        <input type="text" name="valueToSearch"
placeholder="Cari Nama Sosial Budaya" style="margin:10px"/>
        <button class="btn btn-default" type="submit"
name="search" >>></button>
        <table class="table table-bordered table-hover">
            <tr class="success">
                <th>ID</th>
                <th>NAMA SOSIAL BUDAYA</th>
                <th>KETERANGAN</th>
                <th>ID DUSUN</th>
                <th colspan="2">Action</th>
            </tr>

            <?php while ($row =
mysqli_fetch_array($results)) { ?>
                <tr>
                    <td><?php echo $row['ID_SB'];
?></td>
                    <td><?php echo $row['NAMA_SB'];
?></td>
                    <td><?php echo
$row['KETERANGAN']; ?></td>
                    <td><?php echo $row['ID_DUSUN'];
?></td>

```

```
 <a href="sb.php?edit=?php echo $row['ID_SB']; ?>" class="edit_btn" >Edit</a></td>  <a href="sb.php?del=?php echo $row['ID_SB']; ?>" class="del_btn">Delete</a></td> </tr> <?php } ?> </table> </table> </form> </body> </html> | |
```

- **Potensi dan Peluang**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

```

```

$IdPotensi = 0;
$namaPotensi = "";
$IdDusun = "";

```

```

$update = false;
$create = false;
$import = false;

```

```

if (isset($_POST['save'])) {
    $namaPotensi = $_POST['namaPotensi'];
    $IdDusun = $_POST['idDusun'];
    $query = "";

    if (empty($IdDusun))
    {
        $query = "INSERT INTO potensi_dan_peluang (ID_POTENSI,
NAMA_POTENSI) VALUES
        (NULL, '$namaPotensi');";
    }
    else
    {
        $query = "INSERT INTO potensi_dan_peluang (ID_POTENSI,
NAMA_POTENSI, ID_DUSUN) VALUES
        (NULL, '$namaPotensi', '$IdDusun');";
    }
}

```

```

        mysqli_query($conn, $query);

        header('location: potensi.php');
    }
    if (isset($_POST['update'])) {
        $idPotensi = $_POST['idPotensi'];
        $namaPotensi = $_POST['namaPotensi'];
        $idDusun = $_POST['idDusun'];
        $query = "";

        if (empty($idDusun))
        {
            $query = "UPDATE potensi_dan_peluang SET
NAMA_POTENSI='$namaPotensi'
WHERE ID_POTENSI=$idPotensi;";
        }
        else
        {
            $query = "UPDATE potensi_dan_peluang SET
NAMA_POTENSI='$namaPotensi',
ID_DUSUN='$idDusun' WHERE ID_POTENSI=$idPotensi;";
        }

        mysqli_query($conn, $query);
        header('location: potensi.php');
    }
    //search
    if(isset($_POST['search'])){
        $valueToSearch = $_POST['valueToSearch'];
        $query = "select * from potensi_dan_peluang where concat
(NAMA_POTENSI) like '%".$valueToSearch."%'";
        $results = filterTable($conn, $query);
    }
    else{
        $query = "select * from potensi_dan_peluang";
        $results = filterTable($conn, $query);
    }

    function filterTable($conn, $query){
        $filter_Result = mysqli_query($conn, $query);
        return $filter_Result;
    }

```



```

//create new
if (isset($_GET['create'])) {
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idPotensi = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM
potensi_dan_peluang WHERE ID_POTENSI=$idPotensi");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $namaPotensi = $n['NAMA_POTENSI'];
        $idDusun = $n['ID_DUSUN'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idPotensi = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM
potensi_dan_peluang WHERE ID_POTENSI=$idPotensi");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"potensi.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])) {
    $import = true;
}
//upload import data
if (isset($_POST['upload'])) {
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($semaData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
file`

```

```

        $sql = "INSERT into potensi_dan_peluang
(`ID_POTENSI`, `NAMA_POTENSI`, `ID_DUSUN`)

values('$SemapData[0]','$SemapData[1]','$SemapData[2]')";
        //we are using mysql_query function. it returns a
resource on true else False on error
        $result = mysql_query($conn, $sql);
        if(! $result )
        {
                echo "<script type=\"text/javascript\">
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"potensi.php\"
                </script>";
        }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type=\"text/javascript\">
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"potensi.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('potensicode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>POTENSI DAN PELUANG</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">POTENSI DAN PELUANG</h3>

        <a href="potensi.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>

```

```

        <a href="potensi.php?import" class="btn"
style="margin:10px">Import File CSV</a>

<?php if ($create == true): ?>
<article class="index-form">
    <div class="container">
        <div class="row">
            <div class="col-sm-4"></div>
            <div class="col-sm-4">
                <form method="post"
action="potensicode.php" >
                    <label>Masukkan Data</label>
                    <div class="input-group">
                        <label>ID</label>
                        <input type="text"
readonly name="idPotensi" value="<?php echo $idPotensi; ?>">
                    </div>
                    <div class="input-group">
                        <label>Potensi/Peluang</label>
                        <input type="text"
name="namaPotensi" value="<?php echo $namaPotensi; ?>">
                    </div>
                    <div class="input-group">
                        <label>ID
Dusun</label>
                        <input type="text"
name="idDusun" value="<?php echo $idDusun; ?>">
                    </div>
                    <div class="input-group">
                        <?php if ($update ==
true): ?>
                            <button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
                        <?php else: ?>
                            <button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
                        <?php endif ?>
                    </div>
                </form>

```

*\*ID Dusun didapat dari menu Data Dusun yang sudah ditambahkan.*

*Bila data dusun tersebut belum ditambahkan, maka ID Dusun dapat dikosongkan*

```
</div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
<div class="col-md-6" id="form-login">
<form class="well" action="potensicode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
<fieldset>
<div class="control-group">
<div class="control-label">
<label>Import File CSV:</label>
</div>
<div class="controls form-group">
<input type="file" id="file" name="file" class="input-large
form-control">
</div>
</div>
</div>
<div class="control-group">
<div class="controls">
<button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
</div>
</div>
</fieldset>
</form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>
<form action="potensi.php" method="post">
<table>
<input type="text" name="valueToSearch"
placeholder="Cari Potensi/Peluang" style="margin:10px"/>
```

```

        <button class="btn btn-default" type="submit"
name="search" >>></button>
        <table class="table table-bordered table-hover">
            <tr class="success">
                <th>ID</th>
                <th>POTENSI/PELUANG</th>
                <th>ID DUSUN</th>
                <th colspan="2">Action</th>
            </tr>

            <?php while ($row =
mysqli_fetch_array($results)) { ?>
                <tr>
                    <td id="dt"><?php echo
$row['ID_POTENSI']; ?></td>
                    <td id="dt"><?php echo
$row['NAMA_POTENSI']; ?></td>
                    <td id="dt"><?php echo
$row['ID_DUSUN']; ?></td>
                    <td id="dt"><a
href="potensi.php?edit=<?php echo $row['ID_POTENSI']; ?>" class="edit_btn"
>Edit</a></td>
                    <td id="dt"><a
href="potensi.php?del=<?php echo $row['ID_POTENSI']; ?>"
class="del_btn">Delete</a></td>
                </tr>
            <?php } ?>
        </table>
    </table>
</form>
</body>
</html>

```

- **Data Ranting**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

```

```

    $idRanting = 0;
    $namaRanting = "";
    $namaKetua = "";
    $namaSekretaris = "";
    $namaBendahara = "";

```

```

$noTelp = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $namaRanting = $_POST['namaRanting'];
    $namaKetua = $_POST['namaKetua'];
    $namaSekretaris = $_POST['namaSekretaris'];
    $namaBendahara = $_POST['namaBendahara'];
    $noTelp = $_POST['noTelp'];
    $query = "";

    if (empty($namaKetua) and empty($namaSekretaris) and
empty($namaBendahara) and empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING) VALUES
(NULL, '$namaRanting');";
    }
    else if (empty($namaSekretaris) and empty($namaBendahara) and
empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA) VALUES
(NULL, '$namaRanting', '$namaKetua');";
    }
    else if (empty($namaKetua) and empty($namaBendahara) and
empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_SEKRETARIS)
VALUES
(NULL, '$namaRanting', '$namaSekretaris');";
    }
    else if (empty($namaKetua) and empty($namaSekretaris) and
empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_BENDAHARA)
VALUES

```

```

        (NULL, '$namaRanting', '$namaBendahara');";
    }
    else if (empty($namaKetua) and empty($namaSekretaris) and
empty($namaBendahara))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NO_TELP) VALUES
        (NULL, '$namaRanting', '$noTelp');";
    }
    else if (empty($namaBendahara) and empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA,
NAMA_SEKRETARIS) VALUES
        (NULL, '$namaRanting', '$namaKetua', '$namaSekretaris');";
    }
    else if (empty($namaSekretaris) and empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA,
NAMA_BENDAHARA) VALUES
        (NULL, '$namaRanting', '$namaKetua', '$namaBendahara');";
    }
    else if (empty($namaSekretaris) and empty($namaBendahara))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA, NO_TELP)
VALUES
        (NULL, '$namaRanting', '$namaKetua', '$noTelp');";
    }
    else if (empty($namaKetua) and empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_SEKRETARIS,
NAMA_BENDAHARA) VALUES
        (NULL, '$namaRanting', '$namaSekretaris',
'$namaBendahara');";
    }
    else if (empty($namaKetua) and empty($namaBendahara))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_SEKRETARIS,
NO_TELP) VALUES

```

```

        (NULL, '$namaRanting', '$namaSekretaris', '$noTelp');";
    }
    else if (empty($namaKetua) and empty($namaSekretaris))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_BENDAHARA,
NO_TELP) VALUES
        (NULL, '$namaRanting', '$namaBendahara', '$noTelp');";
    }
    else if (empty($noTelp))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA,
NAMA_SEKRETARIS, NAMA_BENDAHARA) VALUES
        (NULL, '$namaRanting', '$namaKetua', '$namaSekretaris',
'$namaBendahara');";
    }
    else if (empty($namaBendahara))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA,
NAMA_SEKRETARIS, NO_TELP) VALUES
        (NULL, '$namaRanting', '$namaKetua', '$namaSekretaris',
'$noTelp');";
    }
    else if (empty($namaSekretaris))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA,
NAMA_BENDAHARA, NO_TELP) VALUES
        (NULL, '$namaRanting', '$namaKetua', '$namaBendahara',
'$noTelp');";
    }
    else if (empty($namaKetua))
    {
        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_SEKRETARIS,
NAMA_BENDAHARA, NO_TELP) VALUES
        (NULL, '$namaRanting', '$namaSekretaris',
'$namaBendahara', '$noTelp');";
    }
    }
    else
    {

```



```

        $query = "INSERT INTO ranting_muhammadiyah
(ID_RANTING, NAMA_LOKASI_RANTING, NAMA_KETUA,
NAMA_SEKRETARIS, NAMA_BENDAHARA, NO_TELP) VALUES
        (NULL, '$namaRanting', '$namaKetua', '$namaSekretaris',
'$namaBendahara', '$noTelp)";
    }

    mysqli_query($conn, $query);
    header('location: ranting.php');
}
if (isset($_POST['update'])) {
    $idRanting = $_POST['idRanting'];
    $namaRanting = $_POST['namaRanting'];
    $namaKetua = $_POST['namaKetua'];
    $namaSekretaris = $_POST['namaSekretaris'];
    $namaBendahara = $_POST['namaBendahara'];
    $noTelp = $_POST['noTelp'];
    $query = "";

    if (empty($namaKetua) and empty($namaSekretaris) and
empty($namaBendahara) and empty($noTelp))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
        WHERE ID_RANTING=$idRanting;";
    }
    else if (empty($namaSekretaris) and empty($namaBendahara) and
empty($noTelp))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua',
        WHERE ID_RANTING=$idRanting;";
    }
    else if (empty($namaKetua) and empty($namaBendahara) and
empty($noTelp))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_SEKRETARIS='$namaSekretaris',
        WHERE ID_RANTING=$idRanting;";
    }
}

```

```

else if (empty($namaKetua) and empty($namaSekretaris) and
empty($noTelp))
{
$query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_BENDAHARA='$namaBendahara' WHERE
ID_RANTING=$idRanting;";
}
else if (empty($namaKetua) and empty($namaSekretaris) and
empty($namaBendahara))
{
$query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
}
else if (empty($namaBendahara) and empty($noTelp))
{
$query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua', NAMA_SEKRETARIS='$namaSekretaris',
WHERE ID_RANTING=$idRanting;";
}
else if (empty($namaSekretaris) and empty($noTelp))
{
$query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua',
NAMA_BENDAHARA='$namaBendahara' WHERE
ID_RANTING=$idRanting;";
}
else if (empty($namaSekretaris) and empty($namaBendahara))
{
$query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua',
NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
}
else if (empty($namaKetua) and empty($noTelp))
{
$query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_SEKRETARIS='$namaSekretaris',

```

```

        NAMA_BENDAHARA='$namaBendahara'           WHERE
ID_RANTING=$idRanting;";
    }
    else if (empty($namaKetua) and empty($namaBendahara))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_SEKRETARIS='$namaSekretaris',
        NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
    }
    else if (empty($namaKetua) and empty($namaSekretaris))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
        NAMA_BENDAHARA='$namaBendahara',
NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
    }
    else if (empty($noTelp))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua', NAMA_SEKRETARIS='$namaSekretaris',
        NAMA_BENDAHARA='$namaBendahara'           WHERE
ID_RANTING=$idRanting;";
    }
    else if (empty($namaBendahara))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua', NAMA_SEKRETARIS='$namaSekretaris',
        NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
    }
    else if (empty($namaSekretaris))
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua',
        NAMA_BENDAHARA='$namaBendahara',
NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
    }
    else if (empty($namaKetua))
    {

```

```

        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_SEKRETARIS='$namaSekretaris',
        NAMA_BENDAHARA='$namaBendahara',
NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
    }
    else
    {
        $query = "UPDATE ranting_muhammadiyah SET
NAMA_LOKASI_RANTING='$namaRanting',
NAMA_KETUA='$namaKetua', NAMA_SEKRETARIS='$namaSekretaris',
        NAMA_BENDAHARA='$namaBendahara',
NO_TELP='$noTelp' WHERE ID_RANTING=$idRanting;";
    }

    mysqli_query($conn, $query);
    header('location: ranting.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from ranting_muhammadiyah where concat
(NAMA_LOKASI_RANTING) like '%".$valueToSearch."%";
    $results = filterTable($conn, $query);
}
else{
    $query = "select * from ranting_muhammadiyah";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset ($_GET['create'])){
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idRanting = $_GET['edit'];
    $create = true;
}

```

```

$update = true;
$record = mysqli_query($conn, "SELECT * FROM
ranting_muhammadiyah WHERE ID_RANTING=$idRanting");

if (count($record) == 1 ) {
    $n = mysqli_fetch_array($record);
    $namaRanting = $n['NAMA_LOKASI_RANTING'];
    $namaKetua = $n['NAMA_KETUA'];
    $namaSekretaris = $n['NAMA_SEKRETARIS'];
    $namaBendahara = $n['NAMA_BENDAHARA'];
    $noTelp = $n['NO_TELP'];
}
}
//delete
else if (isset($_GET['del'])) {
    $idRanting = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM
ranting_muhammadiyah WHERE ID_RANTING=$idRanting");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"ranting.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])) {
    $import = true;
}
//upload import data
if (isset($_POST['upload'])) {
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($emapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It wiil insert a row to our subject table from our csv
            file`
            $sql = "INSERT into ranting_muhammadiyah
(`ID_RANTING`, `NAMA_LOKASI_RANTING`, `NAMA_KETUA`,
`NAMA_SEKRETARIS`, `NAMA_BENDAHARA`, `NO_TELP`)
            values('$emapData[0]','$emapData[1]','$emapData[2]','$emapData[3]','$emap
Data[4]','$emapData[5]')";

```

```

        //we are using mysql_query function. it returns a
resource on true else False on error
        $result = mysqli_query($conn, $sql);
        if(! $result )
        {
            echo "<script type=\"text/javascript\">
            alert(\"Invalid File:Please Upload CSV File.\");
            window.location = \"ranting.php\"
            </script>";
        }
    }
    fclose($file);
    //throws a message if data successfully imported to mysql
database from excel file
    echo "<script type=\"text/javascript\">
    alert(\"CSV File has been successfully Imported.\");
    window.location = \"ranting.php\"
    </script>";
    //close of connection
    mysqli_close($conn);
}
}
?>
<?php
include('home.php');
include('rantingcode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>RANTING MUHAMMADIYAH</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">RANTING MUHAMMADIYAH</h3>

        <a href="ranting.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
        <a href="ranting.php?import" class="btn"
style="margin:10px">Import File CSV</a>

        <?php if ($create == true): ?>
        <article class="index-form">

```

```

<div class="container">
  <div class="row">
    <div class="col-sm-4"></div>
    <div class="col-sm-4">
      <form                                method="post"
action="rantingcode.php" >
        <label>Masukkan Data</label>
        <div class="input-group">
          <label>ID</label>
          <input      type="text"
readonly name="idRanting" value="<?php echo $idRanting; ?>"
        </div>
        <div class="input-group">
          <label>Cakupan
Wilayah (Kelurahan/Desa)</label>
          <input      type="text"
name="namaRanting" value="<?php echo $namaRanting; ?>"
        </div>
        <div class="input-group">
          <label>Nama
Ketua</label>
          <input      type="text"
name="namaKetua" value="<?php echo $namaKetua; ?>"
        </div>
        <div class="input-group">
          <label>Nama
Sekretaris</label>
          <input      type="text"
name="namaSekretaris" value="<?php echo $namaSekretaris; ?>"
        </div>
        <div class="input-group">
          <label>Nama
Bendahara</label>
          <input      type="text"
name="namaBendahara" value="<?php echo $namaBendahara; ?>"
        </div>
          <label>No.Telp</label>
          <input      type="text"
name="noTelp" value="<?php echo $noTelp; ?>"
        </div>
        <div class="input-group">

```

```

      <?php if ($update ==
true): ?>
      <button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
      <?php else: ?>
      <button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
      <?php endif ?>
    </div>
  </form>
</div>
</div>
</div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
  <div class="col-md-6" id="form-login">
    <form class="well" action="rantingcode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
      <fieldset>
        <div class="control-group">
          <div class="control-label">
            <label>Import File CSV:</label>
          </div>
          <div class="controls form-group">
            <input type="file" id="file" name="file" class="input-large
form-control">
          </div>
        </div>
        <div class="control-group">
          <div class="controls">
            <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
          </div>
        </div>
      </fieldset>
    </form>
  </div>
</div class="col-md-3 hidden-phone"></div>

```



```

</div>
<?php endif ?>

<form action="ranting.php" method="post">
    <table>
        <input type="text" name="valueToSearch"
placeholder="Cari Cakupan Wilayah" style="margin:10px"/>
        <button class="btn btn-default" type="submit"
name="search" >>></button>
    <table class="table table-bordered table-hover">
        <tr class="success">
            <th>ID</th>
            <th>CAKUPAN          WILAYAH
(KELURAHAN/DESA)</th>
            <th>NAMA KETUA</th>
            <th>NAMA SEKRETARIS</th>
            <th>NAMA BENDAHARA</th>
            <th>NO.TELP</th>
            <th colspan="2">Action</th>
        </tr>

        <?php while ($row =
mysqli_fetch_array($results)) { ?>
            <tr>
                <td><?php echo $row['ID_RANTING'];
?></td>
                <td><?php echo
$row['NAMA_LOKASI_RANTING']; ?></td>
                <td><?php echo
$row['NAMA_KETUA']; ?></td>
                <td><?php echo
$row['NAMA_SEKRETARIS']; ?></td>
                <td><?php echo
$row['NAMA_BENDAHARA']; ?></td>
                <td><?php echo $row['NO_TELP'];
?></td>
                <td><a href="ranting.php?edit=<?php
echo $row['ID_RANTING']; ?>" class="edit_btn" >Edit</a></td>
                <td><a href="ranting.php?del=<?php
echo $row['ID_RANTING']; ?>" class="del_btn">Delete</a></td>
            </tr>
        <?php } ?>
    </table>

```

```

        </table>
    </form>
</body>
</html>

```

- **Lokasi Ranting**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

$idLokasi = 0;
$lat = "";
$long = "";
$idRanting = "";
$namaLokasi = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $lat = $_POST['lat'];
    $long = $_POST['long'];
    $idRanting = $_POST['idRanting'];
    $query = "INSERT INTO lokasi_ranting (ID_LOKASI, LATITUDE,
LONGITUDE, ID_RANTING) VALUES
(NULL, '$lat', '$long', '$idRanting');";

    mysqli_query($conn, $query);
    header('location: lokasiRanting.php');
}
if (isset($_POST['update'])) {
    $idLokasi = $_POST['idLokasi'];
    $lat = $_POST['lat'];
    $long = $_POST['long'];
    $idRanting = $_POST['idRanting'];
    $query = "UPDATE lokasi_ranting SET LATITUDE='$lat',
LONGITUDE='$long',
ID_RANTING='$idRanting' WHERE ID_LOKASI=$idLokasi;";

    mysqli_query($conn, $query);
    header('location: lokasiRanting.php');
}

```

```

//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from ranting_muhammadiyah INNER JOIN
lokasi_ranting ON ranting_muhammadiyah.ID_RANTING =
lokasi_ranting.ID_RANTING where concat (NAMA_LOKASI_RANTING)
like '%" . $valueToSearch . "%'";
    $results = filterTable($conn, $query);
}
else{
    $query = "SELECT * FROM ranting_muhammadiyah INNER JOIN
lokasi_ranting ON ranting_muhammadiyah.ID_RANTING =
lokasi_ranting.ID_RANTING";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset ($_GET['create'])){
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idLokasi = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM lokasi_ranting
WHERE ID_LOKASI=$idLokasi");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $lat = $n['LATITUDE'];
        $long = $n['LONGITUDE'];
        $idRanting = $n['ID_RANTING'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idLokasi = $_GET['del'];

```

```

        $record = mysqli_query($conn, "DELETE FROM lokasi_ranting
WHERE ID_LOKASI=$idLokasi");
        echo "<script type='text/javascript'>
                alert(\"Data berhasil dihapus\");
                window.location = \"lokasiRanting.php\"
        </script>";
    }
    //import data
    else if (isset($_GET['import'])){
        $import = true;
    }
    //upload import data
    if (isset($_POST['upload'])){
        $filename=$_FILES["file"]["tmp_name"];
        if($_FILES["file"]["size"] > 0)
        {
            $file = fopen($filename, "r");
            while (($SemapData = fgetcsv($file, 10000, ",")) !== FALSE)
            {
                //It will insert a row to our subject table from our csv
                $sql = "INSERT into lokasi_ranting (`ID_LOKASI`,
`LATITUDE`, `LONGITUDE`, `ID_RANTING`)
                values('$SemapData[0]','$SemapData[1]','$SemapData[2]','$SemapData[3]')";
                //we are using mysqli_query function. it returns a
                resource on true else False on error
                $result = mysqli_query($conn, $sql);
                if(! $result )
                {
                    echo "<script type='text/javascript'>
                    alert(\"Invalid File:Please Upload CSV File.\");
                    window.location = \"lokasiRanting.php\"
                    </script>";
                }
            }
            fclose($file);
            //throws a message if data successfully imported to mysql
            database from excel file
            echo "<script type='text/javascript'>
            alert(\"CSV File has been successfully Imported.\");
            window.location = \"lokasiRanting.php\"
            </script>";

```

```

        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('lokasiRantingcode.php');
?>
<!DOCTYPE html>
<html>
    <head>
        <title>LOKASI RANTING MUHAMMADIYAH</title>
        <link rel="stylesheet" type="text/css" href="bootstrap.css">
    </head>
    <body>
        <h3 align="center">LOKASI RANTING MUHAMMADIYAH</h3>

        <a href="lokasiRanting.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
        <a href="lokasiRanting.php?import" class="btn"
style="margin:10px">Import File CSV</a>

        <?php if ($create == true): ?>
        <article class="index-form">
            <div class="container">
                <div class="row">
                    <div class="col-sm-4"></div>
                    <div class="col-sm-4">
                        <form method="post"
action="lokasiRantingcode.php" >
                            <label>Masukkan Data</label>
                            <div class="input-group">
                                <label>ID</label>
                                <input type="text"
readonly name="idLokasi" value="<?php echo $idLokasi; ?>">
                            </div>
                            <div class="input-group">
                                <label>Latitude</label>
                                <input type="text"
name="lat" value="<?php echo $lat; ?>">
                            </div>
                            <div class="input-group">

```

```

<label>Longitude</label>
<input type="text"
name="long" value="<?php echo $long; ?>"
</div>
<div class="input-group">
<label>ID
Ranting</label>
<input type="text"
name="idRanting" value="<?php echo $idRanting; ?>"
</div>

<div class="input-group">
<?php if ($update ==
true): ?>
<button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
<?php else: ?>
<button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
<?php endif ?>
</div>
</form>
<h6><i>*ID Ranting didapat dari menu
Data Ranting yang sudah ditambahkan.
Bila data ranting tersebut belum
ditambahkan, maka ID Ranting dapat dikosongkan</i></h6>
</div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
<div class="col-md-6" id="form-login">
<form class="well" action="lokasiRantingcode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
<fieldset>
<div class="control-group">
<div class="control-label">
<label>Import File CSV:</label>

```

```

</div>
<div class="controls form-group">
  <input type="file" id="file" name="file" class="input-large
form-control">
</div>
</div>

<div class="control-group">
  <i>*Tidak perlu menyertakan
Cakupan Wilayah (Kelurahan/Desa) di dalam file csv</i>
  <div class="controls">
    <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
  </div>
</div>
</fieldset>
</form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="lokasiRanting.php" method="post">
  <table>
    <input type="text" name="valueToSearch"
placeholder="Cari Nama Lokasi Ranting" style="margin:10px"/>
    <button class="btn btn-default" type="submit"
name="search" >>></button>
    <table class="table table-bordered table-hover">
      <tr class="success">
        <th>ID</th>
        <th>LATITUDE</th>
        <th>LONGITUDE</th>
        <th>ID RANTING</th>
        <th>CAKUPAN          WILAYAH
(KELURAHAN/DESA)</th>
        <th colspan="2">Action</th>
      </tr>

      <?php while ($row =
mysqli_fetch_array($results)) { ?>
      <tr>

```

```

        <td><?php echo $row['ID_LOKASI'];
?></td>
        <td><?php echo $row['LATITUDE'];
?></td>
        <td><?php echo $row['LONGITUDE'];
?></td>
        <td><?php echo $row['ID_RANTING'];
?></td>
        <td><?php
                                echo
$row['NAMA_LOKASI_RANTING']; ?></td>
        <td><a
href="lokasiRanting.php?edit=<?php echo $row['ID_LOKASI']; ?>"
class="edit_btn" >Edit</a></td>
        <td><a
href="lokasiRanting.php?del=<?php echo $row['ID_LOKASI']; ?>"
class="del_btn">Delete</a></td>
        </tr>
    <?php } ?>
</table>
</table>
</form>
</body>
</html>

```

- **Amal Usaha Mahasiswa**

```

<?php require "dbIdent.php";
header("Access-Control-Allow-Origin:*");

$idAum = 0;
$namaAum = "";
$idRanting = "";

$update = false;
$create = false;
$import = false;

if (isset($_POST['save'])) {
    $namaAum = $_POST['namaAum'];
    $idRanting = $_POST['idRanting'];
    $query = "";

    if (empty($idRanting))

```



```

    {
    $query = "INSERT INTO aum (ID_AUM, NAMA_AUM) VALUES
    (NULL, '$namaAum');";
    }
    else
    {
    $query = "INSERT INTO aum (ID_AUM, NAMA_AUM,
ID_RANTING) VALUES
    (NULL, '$namaAum', '$idRanting');";
    }

    mysqli_query($conn, $query);

    header('location: aum.php');
}
if (isset($_POST['update'])) {
    $idAum = $_POST['idAum'];
    $namaAum = $_POST['namaAum'];
    $idRanting = $_POST['idRanting'];
    $query = "";

    if (empty($idRanting))
    {
    $query = "UPDATE aum SET NAMA_AUM='$namaAum'
    WHERE ID_AUM=$idAum;";
    }
    else
    {
    $query = "UPDATE aum SET NAMA_AUM='$namaAum',
    ID_RANTING='$idRanting' WHERE ID_AUM=$idAum;";
    }

    mysqli_query($conn, $query);
    header('location: aum.php');
}
//search
if(isset($_POST['search'])){
    $valueToSearch = $_POST['valueToSearch'];
    $query = "select * from ranting_muhammadiyah INNER JOIN aum
ON ranting_muhammadiyah.ID_RANTING = aum.ID_RANTING where
concat (NAMA_LOKASI_RANTING) like '%".$valueToSearch."%";
    $results = filterTable($conn, $query);
}

```

```

else{
    $query = "SELECT * FROM ranting_muhammadiyah INNER JOIN
aum ON ranting_muhammadiyah.ID_RANTING = aum.ID_RANTING;";
    $results = filterTable($conn, $query);
}

function filterTable($conn, $query){
    $filter_Result = mysqli_query($conn, $query);
    return $filter_Result;
}

//create new
if (isset($_GET['create'])){
    $create = true;
}
//show data for edit
else if (isset($_GET['edit'])) {
    $idAum = $_GET['edit'];
    $create = true;
    $update = true;
    $record = mysqli_query($conn, "SELECT * FROM aum WHERE
ID_AUM=$idAum");

    if (count($record) == 1 ) {
        $n = mysqli_fetch_array($record);
        $namaAum = $n['NAMA_AUM'];
        $idRanting = $n['ID_RANTING'];
    }
}
//delete
else if (isset($_GET['del'])) {
    $idAum = $_GET['del'];
    $record = mysqli_query($conn, "DELETE FROM aum WHERE
ID_AUM=$idAum");
    echo "<script type='text/javascript'>
        alert(\"Data berhasil dihapus\");
        window.location = \"aum.php\"
    </script>";
}
//import data
else if (isset($_GET['import'])){
    $import = true;
}

```

```

//upload import data
if (isset($_POST['upload'])){
    $filename=$_FILES["file"]["tmp_name"];
    if($_FILES["file"]["size"] > 0)
    {
        $file = fopen($filename, "r");
        while (($SemapData = fgetcsv($file, 10000, ",")) !== FALSE)
        {
            //It will insert a row to our subject table from our csv
file`
            $sql = "INSERT into aum (`ID_AUM`,
`NAMA_AUM`, `ID_RANTING`)

            values('$SemapData[0]','$SemapData[1]','$SemapData[2]')";
            //we are using mysqli_query function. it returns a
resource on true else False on error
            $result = mysqli_query($conn, $sql);
            if(! $result )
            {
                echo "<script type='text/javascript'>
                alert(\"Invalid File:Please Upload CSV File.\");
                window.location = \"aum.php\"
                </script>";
            }
        }
        fclose($file);
        //throws a message if data successfully imported to mysql
database from excel file
        echo "<script type='text/javascript'>
        alert(\"CSV File has been successfully Imported.\");
        window.location = \"aum.php\"
        </script>";
        //close of connection
        mysqli_close($conn);
    }
}
?>
<?php
include('home.php');
include('aumcode.php');
?>
<!DOCTYPE html>
<html>

```

```

<head>
  <title>AMAL USAHA MUHAMMADIYAH</title>
  <link rel="stylesheet" type="text/css" href="bootstrap.css">
</head>
<body>
  <h3 align="center">AMAL USAHA MUHAMMADIYAH</h3>

  <a href="aum.php?create" class="btn btn-primary"
style="margin:10px">Tambah Data Baru</a>
  <a href="aum.php?import" class="btn" style="margin:10px">Import
File CSV</a>

  <?php if ($create == true): ?>
  <article class="index-form">
    <div class="container">
      <div class="row">
        <div class="col-sm-4"></div>
        <div class="col-sm-4">
          <form method="post"
action="aumcode.php" >
            <label>Masukkan Data</label>
            <div class="input-group">
              <label>ID</label>
              <input type="text"
readonly name="idAum" value="<?php echo $idAum; ?>">
            </div>
            <div class="input-group">
              <label>Nama
AUM</label>
              <input type="text"
name="namaAum" value="<?php echo $namaAum; ?>">
            </div>
            <div class="input-group">
              <label>ID
Ranting</label>
              <input type="text"
name="idRanting" value="<?php echo $idRanting; ?>">
            </div>

            <div class="input-group">
              <?php if ($update ==
true): ?>

```

```

        <button class="btn"
type="submit" name="update" style="background: #556B2F; margin-top :
15px;" >update</button>
        <?php else: ?>
        <button class="btn"
type="submit" name="save" style="margin-top : 15px" >Save</button>
        <?php endif ?>
    </div>
</form>
<h6><i>*ID Ranting didapat dari menu
Data Ranting yang sudah ditambahkan.
        Bila data ranting tersebut belum
ditambahkan, maka ID Ranting dapat dikosongkan</i></h6>
    </div>
</div>
</div>
</article>
<?php endif ?>
<?php if ($import == true): ?>
<div class="row">
<div class="col-md-3 hidden-phone"></div>
    <div class="col-md-6" id="form-login">
        <form class="well" action="aumcode.php" method="post"
name="upload_excel" enctype="multipart/form-data">
            <fieldset>
                <div class="control-group">
                    <div class="control-label">
                        <label>Import File CSV:</label>
                    </div>
                    <div class="controls form-group">
                        <input type="file" id="file" name="file" class="input-large
form-control">
                    </div>
                </div>
            </div>
            <div class="control-group">
                <i>*Tidak perlu menyertakan
Cakupan Wilayah (Kelurahan/Desa) di dalam file csv</i>
                <div class="controls">
                    <button type="submit" name="upload" class="btn btn-success
pull-right button-loading" data-loading-text="Loading...">Upload</button>
                </div>
            </div>
        </form>
    </div>
</div>

```

```

        </fieldset>
    </form>
</div>
<div class="col-md-3 hidden-phone"></div>
</div>
<?php endif ?>

<form action="aum.php" method="post">
    <table>
        <input type="text" name="valueToSearch"
placeholder="Cari Nama Lokasi Ranting" style="margin:10px"/>
        <button class="btn btn-default" type="submit"
name="search" >>></button>
        <table class="table table-bordered table-hover">
            <tr class="success">
                <th>ID</th>
                <th>NAMA AUM</th>
                <th>ID RANTING</th>
                <th>CAKUPAN          WILAYAH
(KELURAHAN/DESA)</th>
                <th colspan="2">Action</th>
            </tr>

            <?php while ($row =
mysqli_fetch_array($results)) { ?>
                <tr>
                    <td><?php echo $row['ID_AUM'];
?></td>
                    <td><?php echo $row['NAMA_AUM'];
?></td>
                    <td><?php echo $row['ID_RANTING'];
?></td>
                    <td><?php
                    echo
$row['NAMA_LOKASI_RANTING']; ?></td>
                    <td><a href="aum.php?edit=<?php
echo $row['ID_AUM']; ?>" class="edit_btn" >Edit</a></td>
                    <td><a href="aum.php?del=<?php echo
$row['ID_AUM']; ?>" class="del_btn">Delete</a></td>
                </tr>
            <?php } ?>
        </table>
    </table>
</form>

```

```
</body>
</html>
```

- **Panduan**

```
<?php
include('home.php');
include('homePagecode.php');
?>
<!DOCTYPE html>
<html>
  <head>
    <title>HOME</title>
    <link rel="stylesheet" type="text/css" href="bootstrap.css">
  </head>
  <body>
    <h3 align="center">PANDUAN PENGGUNAAN WEB</h3>
    <br><br>
    <div class="container">
      <div class="row">
        <div class="col-sm-10">
          <p>Panduan Penggunaan Web Data
          Pengabdian Masyarakat dapat didownload melalui link di bawah ini</p>
          <a id="downloadLink" href="PANDUAN
          PENGGUNAAN WEB DATA PENGABDIAN MASYARAKAT.pdf"
          target="_blank"
          type="application/octet-stream"
          download="PANDUAN PENGGUNAAN WEB DATA PENGABDIAN
          MASYARAKAT.pdf">Download</a>
        </div>
      </div>
    <br>
  </body>
</html>
```

- **Ubah Password**

```
<?php
// Initialize the session
session_start();

// Check if the user is logged in, otherwise redirect to login page
if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true){
```

```

    header("location: homePage.php");
    exit;
}

// Include config file
require_once "dbIdent.php";

// Define variables and initialize with empty values
$new_password = $confirm_password = "";
$new_password_err = $confirm_password_err = "";

// Processing form data when form is submitted
if($_SERVER["REQUEST_METHOD"] == "POST"){

    // Validate new password
    if(empty(trim($_POST["new_password"]))){
        $new_password_err = "Masukkan password baru.";
    } elseif(strlen(trim($_POST["new_password"])) < 6){
        $new_password_err = "Password minimal 6 karakter.";
    } else{
        $new_password = trim($_POST["new_password"]);
    }

    // Validate confirm password
    if(empty(trim($_POST["confirm_password"]))){
        $confirm_password_err = "Konfirmasi password.";
    } else{
        $confirm_password = trim($_POST["confirm_password"]);
        if(empty($new_password_err) && ($new_password !=
        $confirm_password)){
            $confirm_password_err = "Password tidak cocok.";
        }
    }
}

// Check input errors before updating the database
if(empty($new_password_err) && empty($confirm_password_err)){
    // Prepare an update statement
    $sql = "UPDATE users SET password = ? WHERE id = ?";

    if($stmt = mysqli_prepare($conn, $sql)){
        // Bind variables to the prepared statement as parameters
        mysqli_stmt_bind_param($stmt, "si", $param_password, $param_id);

```



```

        // Set parameters
        $param_password = password_hash($new_password,
PASSWORD_DEFAULT);
        $param_id = $_SESSION["id"];

        // Attempt to execute the prepared statement
        if(mysqli_stmt_execute($stmt)){
            // Password updated successfully. Destroy the session, and redirect to
login page
            session_destroy();
            header("location: homePage.php");
            exit();
        } else{
            echo "Oops! Ada yang salah. Coba lagi nanti.";
        }
    }

    // Close statement
    mysqli_stmt_close($stmt);
}

// Close connection
mysqli_close($conn);
}
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Reset Password</title>
    <link rel="stylesheet" type="text/css" href="bootstrap.css">
    <style type="text/css">
        body{ font: 14px sans-serif; }
        .wrapper{ width: 350px; padding: 20px; }
    </style>
</head>
<body>
    <table id="tbJ">
        <tr>
            <td id="tdJ">
                
            </td>

```

```

                <td id="tdJ2">
                    <font style="font-family: 'Arial
Rounded MT Bold', Gadget, sans-serif;" size="+3" color="#FFE4B5">
                        DATA          PENGABDIAN
MASYARAKAT
                    </font>
                </td>
            </tr>
        </table>
        <div class="wrapper">
            <h2>Ubah Password</h2>
            <p>Isi form ini untuk reset password.</p>
            <form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]);
?>" method="post">
                <div class="form-group <?php echo (!empty($new_password_err)) ?
'has-error' : "; ?>">
                    <label>Password Baru</label>
                    <input type="password" name="new_password" class="form-control"
value="<?php echo $new_password; ?>">
                    <span class="help-block"><?php echo $new_password_err;
?></span>
                </div>
                <div class="form-group <?php echo (!empty($confirm_password_err)) ?
'has-error' : "; ?>">
                    <label>Konfirmasi Password Baru</label>
                    <input type="password" name="confirm_password" class="form-
control">
                    <span class="help-block"><?php echo $confirm_password_err;
?></span>
                </div>
                <div class="form-group">
                    <input type="submit" class="btn btn-primary" value="Submit">
                    <a class="btn btn-link" href="homePage.php">Cancel</a>
                </div>
            </form>
        </div>
    </body>
</html>

```

- **Log Out**

```

<?php
// Initialize the session
session_start();



```

```
// Unset all of the session variables
$_SESSION = array();

// Destroy the session.
session_destroy();


// Redirect to login page
header("location: login.php");
exit;
?>
```

### 3. Hasil Kuesioner




### Komposisi warna pada huruf, background, dan tombol sudah tepat

9 responses




### Informasi panduan mudah dipahami

9 responses




### Informasi panduan lengkap

9 responses




### Menambah data baru mudah dipahami

9 responses




### Menambah data baru mudah dilakukan

9 responses




### Menambah data dalam jumlah banyak (import file csv) mudah dilakukan

9 responses




### Menambah data dalam jumlah banyak (import file csv) mudah dipahami

9 responses




### Edit data mudah dipahami

9 responses




### Edit data mudah dilakukan

9 responses




### Delete data mudah dipahami

9 responses




### Delete data mudah dilakukan

9 responses



### Data yang dapat disimpan sudah lengkap

9 responses



### Fasilitas sudah cukup

9 responses

