

DAFTAR PUSTAKA

- Afshar,R., Emamy, A., Saremi, A., Shavandi, N., Sanavi, S. (2011). *Effects of Intradialytic Aerobic Training on Sleep Quality in Hemodialysis Patients.* Iranian Journal of Kidney Diseases. Volume 5. Number 2. P;119-123.
- Al-Halim et al. (2017). *Blood Pressure Response to Intradialytic Resisted Exercise Training in Regular Hemodialysis Patients.* Med. J. Cairo Univ., Vol. 85, No. 5, September. p:1789-1794
- Armiyanti, Y. (2010). Hipotensi dan Hipertensi Introdialisis Pada Pasien Hemodialisa di Yogyakarta. Medical Surgical and Emergency Nursing. Univeristas Muhammadiyah Semarang.
- Artom, M., Moss-Morris, R., Caskey, F., & Chilcot, J. (2014). *Fatigue in Advanced Kidney Disease.* Kidney International, 86(3), 497–505. doi:10.1038/ki.2014.86
- Bennett, P. N., Breugelmans, L., Barnard, R., Agius, M., Chan, D., Fraser, D., Potter, L. (2010). *Sustaining a Hemodialysis Exercise Program: A Review.* Seminars in Dialysis, 23(1), 62–73. doi:10.1111/j.1525-139x.2009.00652.x
- Berry MJ, Rejeski WJ, Adair NE, Ettinger WH Jr, Zaccaro DJ, Sevick MA. (2013). *A Randomized, Controlled Trial Comparing Long-Term And Short-Term Exercise In Patients With Chronic Obstructive Pulmonary Disease.* Department of Health and Exercise Science, Wake Forest University, Winston-Salem, Journal of Cardiopulmonary Rehabilitation. 23(1):60-8
- Bonner, A., Wellard, S., & Caltabiano, M. (2010). *The Impact of Fatigue on Daily Activity in People With Chronic Kidney Disease.* Journal of

- Clinical Nursing, 19(21-22), 3006–3015. doi:10.1111/j.1365-2702.2010.03381.x
- Bonner, A., Wellard, S., & Caltabiano, M. (2010). *The Impact Of Fatigue On Daily Activity In People With Chronic Kidney Disease*. Journal of Clinical Nursing, 19(21-22), 3006–3015. doi:10.1111/j.1365-2702.2010.03381.x
- Bossola, M., Vulpio, C., & Tazza, L. (2011). Fatigue in Chronic Dialysis Patients. Seminars in Dialysis, 24(5), 550–555. doi:10.1111/j.1525-139x.2011.00956.x
- Castillo, M., Lazaro, R., Dinglasan, J., & Ikeda, K. (2015). Case report: effects of structured intradialytic exercise on fatigue and quality of life for an acute care patient on hemodialysis. Physiotherapy, 101, e842–e843. doi:10.1016/j.physio.2015.03.1661
- Chang, Y., Cheng, S.-Y., Lin, M., Gau, F.-Y., & Chao, Y.-F. C. (2010). *The Effectiveness Of Intradialytic Leg Ergometry Exercise For Improving Sedentary Life Style And Fatigue Among Patients With Chronic Kidney Disease: A Randomized Clinical Trial*. International Journal of Nursing Studies, 47(11), 1383–1388. doi:10.1016/j.ijnurstu.2010.05.002
- Chang, Y., Cheng, S.-Y., Lin, M., Gau, F.-Y., & Chao, Y.-F. C. (2010). The effectiveness of intradialytic leg ergometry exercise for improving sedentary life style and fatigue among patients with chronic kidney disease: A randomized clinical trial. International Journal of Nursing Studies, 47(11), 1383–1388. doi:10.1016/j.ijnurstu.2010.05.002
- Cho, J.-H., Lee, J.-Y., Lee, S., Park, H., Choi, S.-W., & Kim, J. C. (2018). *Effect Of Intradialytic Exercise On Daily Physical Activity And Sleep Quality In Maintenance Hemodialysis Patients*. International Urology and Nephrology, 50(4), 745–754. doi:10.1007/s11255-018-1796-y

- Danismaya, I. (2009). Pengaruh Teknik Relaksasi Yoga Terhadap Fatigue Penderita Kanker Pasca Kemoterapi Di RS. Hasan Sadikin Bandung. Sekolah Tinggi Ilmu Kesehatan Kota Sukabumi . GASTER, Vol. 5, No. 1 Februari 2009 (366 - 378), Jawa Barat.
- Desnauli, E. Nursalam, Efendi, F. (2017). Indikator Kualitas Hidup Pasien Gagal Ginjal Kronis Yang Menjalani Hemodialisa Berdasarkan Strategi Koping. Fakultas Keperawatan Universitas Airlangga. Surabaya.
- Fallon M. (2011). *Depression in End-Stage Renal Disease*. Journal of Psychosocial Nursing, 49 (8), 30-34. SLACK Incorporated.
- Fergiana, E. M., Permatasari, Y. (2014). Gambaran Kelelahan Pada Pasien Gagal Ginjal Kronik Yang Menjalani Terapi Hemodialisa di RS PKU Muhammadiyah Yogyakarta. Karya Tulis Ilmiah Program Studi Ilmu keperawatan. Universitas Muhammadiyah Yogyakarta. Yogyakarta.
- Gerogianni S. K., Babatsikou F. P. (2014). *Psychological Aspects in Chronic Renal Failure*. Health Science Journal, 8 (2), 205-214. Department of Nursing, Technological Educational Institute of Athens.
- Gisca, W., A., A., et al. (2013). Hubungan Kadar Hemoglobin (Hb), Indeks Massa Tubuh (Imt) Dan Tekanan Darah Dengan Kualitas Hidup Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis Di Rsud Dokter Soedarso Pontianak. Fakultas Kedokteran Universitas Tanjungpura. Pontianak.
- Horigan, A. E. (2012). *Fatigue in Hemodialysis Patients: A Review of Current Knowledge*. Journal of Pain and Symptom Management, 44(5), 715–724. doi:10.1016/j.jpainsymman.2011.10.015
- Horigan, A. E., Rocchiccioli, J., & Trimm, D. (2012). *Dialysis and fatigue: implications for nurses--a case study analysis*. Medsurg nursing :

- official journal of the Academy of Medical-Surgical Nurses, 21(3), 158-63, 175.
- Horigan, A. E., Schneider, S. M., Docherty, S., & Barroso, J. (2013). *The Experience and Self-Management of Fatigue in Patients on Hemodialysis*. Nephrology nursing journal: journal of the American Nephrology Nurses' Association, 40(2), 113-22; quiz 123.
- Jason, L. A., Evans, M., Brown, M., Porter, N., Brown, A., Hunnell, J., Anderson, V., Lerch, A. (2011). *Fatigue Scales and Chronic Fatigue Syndrome: Issues of Sensitivity and Specificity*. *Disability studies quarterly*, 31(1), 1375.
- Jhamb, M., Pike, F., Ramer, S., Argyropoulos, C., Steel, J., Dew, M. A., Unruh, M. (2011). *Impact of Fatigue on Outcomes in the Hemodialysis (HEMO) Study*. American Journal of Nephrology, 33(6), 515–523. doi:10.1159/000328004
- Jhamb, M., Weisbord, S. D., Steel, J. L., & Unruh, M. (2008). *Fatigue In Patients Receiving Maintenance Dialysis: A Review Of Definitions, Measures, And Contributing Factors*. American journal of kidney diseases : the official journal of the National Kidney Foundation, 52(2), 353-65.
- Joshwa, B., & Campbell, M. L. (2017). *Fatigue in Patients with Chronic Kidney Disease: Evidence and Measures*. Nephrology Nursing Journal: Journal Of The American Nephrology Nurses' Association, 44(4), 337–343. Retrieved from <http://search.ebscohost.com.ezproxy.ugm.ac.id/login.aspx?direct=true&db=mnh&AN=29160968&site=ehost-live>
- Jung, T.-D., & Park, S.-H. (2011). *Intradialytic Exercise Programs for Hemodialysis Patients*. Chonnam Medical Journal, 47(2), 61. doi:10.4068/cmj.2011.47.2.61

- Khalil, A., & Noble, H. (2018). *The Impact of Haemodialysis on Patient's Cognitive, Physical and Emotional Well-Being Requires Further Study*. Evidence Based Nursing, 21(2), 43–43. doi:10.1136/eb-2017-102800
- Kidney health australia. (2016). *An Introduction to Hemodialysis*. Royal North Shore Hospital. Diakses Pada Tanggal 15 Noveber 2018. Dari <https://kidney.org.au/your-kidneys/support/dialysis/types-of-dialysis>
- Kidney Research UK. (2017). *Dialysis : Making The Right Choice For You*. University of Leeds. Diakses Pada Tanggal 15 November 2018. Dari <https://www.kidneyresearchuk.org/DialysisDecisionAid>
- Kosmadakis, G. C., & Medcalf, J. F. (2008). *Sleep Disorders In Dialysis Patients*. The International Journal of Artificial Organs, 31(11), 919–927. doi:10.1177/039139880803101101
- Launa, A., Panggabean, S., Lengkong, J., Christine, I. (2012). Kecemasan Pada Penderita Penyakit Ginjal Kronik Yang Menjalani Hemodialisa di RS Universitas Kristen Indonesia. Jurnal Media Medika Indonesia. Volume 46 Nomor 3. Fakultas Kedokteran Universitas Diponegoro. Semarang.
- Letchmi, S., Das, S., Halim, H., Zakariah, F. A., Hassan, H., Mat, S., & Packiavathy, R. (2011). Fatigue experienced by patients receiving maintenance dialysis in hemodialysis units. *Nursing & Health Sciences*, 13(1), 60–64. doi:10.1111/j.1442-2018.2011.00579.x
- Liu, H. E. (2006). *Fatigue And Associated Factors In Hemodialysis Patients In Taiwan*. *Research in Nursing & Health*, 29(1), 40–50. doi:10.1002/nur.20109
- Mailani, F. (2015). Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisa : Systematic Review. Ners Jurnal

- Keperawatan. Volume 11. No 1. Maret 2015; 1-8. Sekolah Tinggi Ilmu Kesehatan Padang. Sumatra Barat.
- Maniam, R., Subramanian, P., Singh, S. K., Lim, S. K., Chinna, K., & Rosli, R. (2014). *Preliminary study of an exercise programme for reducing fatigue and improving sleep among long-term haemodialysis patients*. Singapore Medical Journal, 55(9), 476-82.
- Merline, M., Deepa, R., Nirmala, T. (2018). *Effect of Intradialytic Exercise on Fatigue Among Patient Undergoing Hemodialysis at Selected Hospital, Coimbatore*. Department of Medical Surgical Nursing. Sri Ramakhrisna Institute of Paramedical Science. International Journal of Applied Research 2018; 4(4): 394- 397
- Mohamed Soliman, H. M. (2015). *Effect Of Intradialytic Exercise On Fatigue, Electrolytes Level And Blood Pressure In Hemodialysis Patients: A Randomized Controlled Trial*. Journal of Nursing Education and Practice, 5(11). doi:10.5430/jnep.v5n11p16
- Mohamed, M., I. & Mokhtar I., M. (2018). Leg Exercise: Effect on Reducing Fatigue and Improving Activities of Daily Living For Hemodialysis Patients. Faculty of Nursing Aswan University. Journal of Nursing and Health Science. Volume 7, Issue 3 Ver. IV (May-June .2018), PP 11-19. DOI: 10.9790/1959-0703041119
- Motedayen, Z., Nehrir, .B, Tayebi, A., Ebadi, A., Einollahi, B. (2014). *The Effect of the Physical and Mental Exercises During Hemodialysis on Fatigue: A Controlled Clinical Trial*. Nephro-Urol Mon. 2014 ;6(4):e14686. doi: 10.5812/numonthly.14686.
- Nasution, R.S. (2010). Latihan Jasmani Pada Pasien Hemodialisis Regular. Diunduh pada tanggal 22Desember 2018 dari <http://nefrologyners./latihan-pada pasien hemodialisis reguler>.

- National Kidney Foundation. (2017). *Kidney Disease : The Basics*. Diakses pada tanggal 15 November 2018. Dari <https://www.kidney.org/news/newsroom/factsheets/KidneyDiseaseBasics>
- Orti, E.S., (2010). *Exercise in Haemodialysis Patients : A Literature Systematic Review*. Departamento de Fisioterapia, Universidad CEU Cardenal Herrera, Moncada, Valencia. Nefrologia. 2010;30 (2):236-46. doi: 10.3265/Nefrologia.pre2010.Jan.10229.
- Ossarch, S., Roozbeh, J., Krishan, M., Bargman, J.M., Oreopaulos, D.G. (2003). Fatigue in Chronic Peritoneal Dialysis Patients. International Urology and Nephrology, 35,535-541.
- Painter, P., & Marcus, R. L. (2012). *Assessing Physical Function and Physical Activity in Patients with CKD*. Clinical Journal of the American Society of Nephrology, 8(5), 861–872. doi:10.2215/cjn.06590712
- Paluchamy, T., Vaidyanathan, R. (2018) *Effectiveness Of Intradialytic Exercise On Dialysis Adequacy, Physiological Parameters, Biochemical Markers And Quality Of Life*. Saudi J Kidney Dis Transpl. 29:902-10
- Parker,K. (2016).*Intradialytic Exercise is Medicine for Hemodialysis Patients*. American Collage of Sports Medicine. Volume 15. Number 4. July/August 2016. DOI: 10.1249/JSR.0000000000000280.
- Pranandari, R., Supadmi, W. (2015). *Risk Factors Chronic Renal Failure on Hemodialyiss Unit in RSUD Wates Kulon Progo*. Fakultas Farmasi univeristas Ahmad Dahlan. Majalah Farmaseutik, Vol. 11 No. 2
- Sakitri, G., et al. (2017). Pengaruh Intradialytic Exercise Terhadap Fatigue, Kadar Hemoglobin Dan Tekanan Darah Pasien Hemodialisa DI

- RSUP Dr. Soradji Titonegoro Klaten. Media Publikasi Penelitian Profesional Islam. Vol. 15. No.1
- Septiwi, C. (2013). Pengaruh Breathing Exercise Terhadap Level Fatigue Pasien Hemodialisis Di Rspad Gatot Subroto Jakarta. STIKES Muhammadiyah Gombong. The Soedirman Journal of Nursing. Volume 8, No.1, Maret 2013.
- Setiya, Y., D., Harmayetti, Kurniawati., N., K., Wahyuni, E., D., Yasmara, D., Bakar. A., Randani, S., I. (2013). *Life Experiences of Patients Suffering End Stage Renal Disease*. Jurnal Ners. Fakultas Keperawatan Universitas Airlangga. vol.8, h-126-134.
- Sheng, K., Zhang, P., Chen, L., Cheng, J., Wu, C., & Chen, J. (2014). *Intradialytic Exercise in Hemodialysis Patients: A Systematic Review and Meta-Analysis*. American Journal of Nephrology, 40(5), 478–490. doi:10.1159/000368722
- Song, Y., Hu, R., Diao, Y., Chen, L., & Jiang, X. (2018). *Effects of Exercise Training on Restless Legs Syndrome, Depression, Sleep Quality, and Fatigue Among Hemodialysis Patients: A Systematic Review and Meta-analysis*. Journal of Pain and Symptom Management, 55(4), 1184–1195. doi:10.1016/j.jpainsymman.2017.12.472
- Sulistiani, R., Yetti, K., Hariyati, T., S. (2012). Faktor-Faktor Yang Mempengaruhi Fatigue Pada Pasien Yang Menjalani Hemodialisa. Jurnal Keperawatan Indonesia. Universitas Indonesia. Volume 15, No. 2, Juli 2012; hal 75-82
- Takhreem M. (2008). *The Effectiveness Of Intradialytic Exercise Prescription On Quality Of Life In Patients With Chronic Kidney Disease*. Medscape journal of medicine, 10(10), 226.

- Unruh, M., Miskulin, D., Yan, G. (2014) Racial Differences in Health-Related Quality of Life Among Hemodialysis Patients. *Kidney Int.* Vol.65: 1482–1491.
- Wu, C.-Y., Han, H.-M., Huang, M.-C., Chen, Y.-M., Yu, W.-P., & Weng, L.-C. (2014). *Effect Of Qigong Training On Fatigue In Haemodialysis Patients: A Non-Randomized Controlled Trial.* *Complementary Therapies in Medicine,* 22(2), 244–250. doi:10.1016/j.ctim.2014.01.004 doi: 10.1016/j.ctim.2014.01.004
- Yamasaki, A., Yoda, K., Koyama, H., Yamada, S., Tsujimoto, Y., Okuno, S., Inaba, M. (2016). *Association of Erythropoietin Resistance with Fatigue in Hemodialysis Patients: A Cross-Sectional Study.* *Nephron,* 134(2), 95–102. doi:10.1159/000448108
- Yoo, E. H., Choi, E. S., Cho, S. H., Do, J. H., Lee, S. J., & Kim, J. H. (2018). *Comparison of Fatigue Severity and Quality of Life between Unexplained Fatigue Patients and Explained Fatigue Patients.* *Korean Journal Of Family Medicine,* 39(3), 180-184.
- Yurtkuran, M., Alp, A., Dilek, K. (2007). *A Modified Yoga-Based Exercise Program In Hemodialysis Patients: A Randomized Controlled Study.* *Complementary Therapies in Medicine,* 15(3), 164–171. doi:10.1016/j.ctim.2006.06.008