

HASIL UJI VALIDITAS

Correlations

		PE1	PE2	PE3	PE4	PE5	TotalPE
PE1	Pearson Correlation	1	.509**	.386**	.343**	.395**	.697**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	100	100	100	100	100	100
PE2	Pearson Correlation	.509**	1	.514**	.331**	.543**	.784**
	Sig. (2-tailed)	.000		.000	.001	.000	.000
	N	100	100	100	100	100	100
PE3	Pearson Correlation	.386**	.514**	1	.525**	.469**	.780**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	100	100	100	100	100	100
PE4	Pearson Correlation	.343**	.331**	.525**	1	.394**	.703**
	Sig. (2-tailed)	.000	.001	.000		.000	.000
	N	100	100	100	100	100	100
PE5	Pearson Correlation	.395**	.543**	.469**	.394**	1	.753**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	100	100	100	100	100	100
TotalPE	Pearson Correlation	.697**	.784**	.780**	.703**	.753**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		AR1	AR2	AR3	AR4	TotalAR
AR1	Pearson Correlation	1	.463**	.374**	.496**	.801**
	Sig. (2-tailed)		.000	.000	.000	.000
	N	100	100	100	100	100
AR2	Pearson Correlation	.463**	1	.272**	.468**	.748**
	Sig. (2-tailed)	.000		.006	.000	.000
	N	100	100	100	100	100
AR3	Pearson Correlation	.374**	.272**	1	.325**	.647**
	Sig. (2-tailed)	.000	.006		.001	.000
	N	100	100	100	100	100
AR4	Pearson Correlation	.496**	.468**	.325**	1	.769**
	Sig. (2-tailed)	.000	.000	.001		.000
	N	100	100	100	100	100
TotalAR	Pearson Correlation	.801**	.748**	.647**	.769**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		KP1	KP2	KP3	KP4	TotalKP
KP1	Pearson Correlation	1	.471**	.339**	.332**	.728**
	Sig. (2-tailed)		.000	.001	.001	.000
	N	100	100	100	100	100
KP2	Pearson Correlation	.471**	1	.440**	.357**	.773**
	Sig. (2-tailed)	.000		.000	.000	.000
	N	100	100	100	100	100
KP3	Pearson Correlation	.339**	.440**	1	.337**	.719**
	Sig. (2-tailed)	.001	.000		.001	.000
	N	100	100	100	100	100
KP4	Pearson Correlation	.332**	.357**	.337**	1	.704**
	Sig. (2-tailed)	.001	.000	.001		.000
	N	100	100	100	100	100
TotalKP	Pearson Correlation	.728**	.773**	.719**	.704**	1
	Sig. (2-tailed)	.000	.000	.000	.000	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		PR1	PR2	PR3	PR4	PR5	TotalPR
PR1	Pearson Correlation	1	.510**	.396**	.499**	.456**	.762**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	100	100	100	100	100	100
PR2	Pearson Correlation	.510**	1	.472**	.467**	.354**	.746**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	100	100	100	100	100	100
PR3	Pearson Correlation	.396**	.472**	1	.450**	.353**	.721**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	100	100	100	100	100	100
PR4	Pearson Correlation	.499**	.467**	.450**	1	.482**	.781**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	100	100	100	100	100	100
PR5	Pearson Correlation	.456**	.354**	.353**	.482**	1	.715**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	100	100	100	100	100	100
TotalPR	Pearson Correlation	.762**	.746**	.721**	.781**	.715**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		K1	K2	K3	K4	K5	TotalK
K1	Pearson Correlation	1	.515**	.402**	.369**	.404**	.742**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	100	100	100	100	100	100
K2	Pearson Correlation	.515**	1	.420**	.310**	.375**	.734**
	Sig. (2-tailed)	.000		.000	.002	.000	.000
	N	100	100	100	100	100	100
K3	Pearson Correlation	.402**	.420**	1	.330**	.454**	.727**
	Sig. (2-tailed)	.000	.000		.001	.000	.000
	N	100	100	100	100	100	100
K4	Pearson Correlation	.369**	.310**	.330**	1	.382**	.670**
	Sig. (2-tailed)	.000	.002	.001		.000	.000
	N	100	100	100	100	100	100
K5	Pearson Correlation	.404**	.375**	.454**	.382**	1	.723**
	Sig. (2-tailed)	.000	.000	.000	.000		.000
	N	100	100	100	100	100	100
TotalK	Pearson Correlation	.742**	.734**	.727**	.670**	.723**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	100	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

HASIL UJI REABILITAS

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.797	5

Item Statistics

	Mean	Std. Deviation	N
PE1	3.81	.861	100
PE2	3.91	.975	100
PE3	3.96	.920	100
PE4	3.74	.960	100
PE5	3.78	.917	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PE1	15.39	8.483	.529	.774
PE2	15.29	7.562	.627	.743
PE3	15.24	7.780	.633	.741
PE4	15.46	8.150	.512	.780
PE5	15.42	7.963	.595	.754

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
19.20	11.879	3.447	5

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.729	4

Item Statistics

	Mean	Std. Deviation	N
AR1	4.00	.888	100
AR2	4.01	.835	100
AR3	3.92	.761	100
AR4	3.96	.803	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
AR1	11.89	3.291	.590	.624
AR2	11.88	3.622	.522	.667
AR3	11.97	4.151	.402	.730
AR4	11.93	3.601	.568	.640

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
15.89	5.978	2.445	4

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.709	4

Item Statistics

	Mean	Std. Deviation	N
KP1	4.03	.822	100
KP2	4.01	.835	100
KP3	4.10	.823	100
KP4	4.09	.877	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
KP1	12.20	3.758	.497	.644
KP2	12.22	3.547	.564	.603
KP3	12.13	3.791	.484	.652
KP4	12.14	3.758	.438	.682

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
16.23	6.017	2.453	4

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.799	5

Item Statistics

	Mean	Std. Deviation	N
PR1	3.66	.945	100
PR2	3.64	.938	100
PR3	3.42	1.007	100
PR4	3.34	.997	100
PR5	3.56	1.008	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PR1	13.96	8.928	.614	.750
PR2	13.98	9.070	.591	.757
PR3	14.20	9.010	.540	.773
PR4	14.28	8.608	.630	.744
PR5	14.06	9.047	.532	.776

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
17.62	13.288	3.645	5

Case Processing Summary

		N	%
Cases	Valid	100	100.0
	Excluded ^a	0	.0
	Total	100	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.765	5

Item Statistics

	Mean	Std. Deviation	N
K1	3.73	.851	100
K2	3.56	.925	100
K3	3.54	.904	100
K4	3.50	.916	100
K5	3.72	.866	100

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
K1	14.32	6.947	.579	.708
K2	14.49	6.778	.548	.718
K3	14.51	6.879	.543	.720
K4	14.55	7.179	.459	.749
K5	14.33	7.011	.548	.718

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.05	10.270	3.205	5

HASIL UJI NORMALITAS SEBELUM MODERATING

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	2.15265741
Most Extreme Differences	Absolute	.049
	Positive	.037
	Negative	-.049
Kolmogorov-Smirnov Z		.489
Asymp. Sig. (2-tailed)		.970

a. Test distribution is Normal.

b. Calculated from data.

HASIL UJI NORMALITAS SETELAH MODERATING

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		100
Normal Parameters ^{a,b}	Mean	.0000000
	Std. Deviation	2.15359671
Most Extreme Differences	Absolute	.051
	Positive	.037
	Negative	-.051
Kolmogorov-Smirnov Z		.515
Asymp. Sig. (2-tailed)		.954

a. Test distribution is Normal.

b. Calculated from data.

HASIL UJI HETEROKEDASTISITAS SEBELUM MODERATING

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	TotalPR, TotalPE, TotalKP, TotalAR ^a		Enter

a. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.168 ^a	.028	-.013	1.27941

a. Predictors: (Constant), TotalPR, TotalPE, TotalKP, TotalAR

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	4.538	4	1.134	.693	.599 ^a
	Residual	155.506	95	1.637		
	Total	160.044	99			

a. Predictors: (Constant), TotalPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: Abs_Resid

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-.127	1.410		-.090	.928		
	TotalPE	-.009	.046	-.025	-.202	.840	.663	1.509
	TotalAR	.081	.065	.155	1.237	.219	.647	1.545
	TotalKP	.008	.054	.016	.155	.878	.955	1.047
	TotalPR	.035	.036	.100	.974	.333	.972	1.029

a. Dependent Variable: Abs_Resid

HASIL UJI HETEROKEDASTISITAS SETELAH MODE TARIK

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	KPPR, TotalPE, TotalKP, TotalAR ^a		Enter

a. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.188 ^a	.035	-.005	1.27751

a. Predictors: (Constant), KPPR, TotalPE, TotalKP, TotalAR

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5.697	4	1.424	.873	.483 ^a
	Residual	155.043	95	1.632		
	Total	160.739	99			

a. Predictors: (Constant), KPPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: Abs_Resid

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.506	1.178		.430	.668		
	TotalPE	-.010	.046	-.026	-.210	.834	.663	1.508
	TotalAR	.078	.065	.149	1.196	.235	.650	1.538
	TotalKP	-.040	.062	-.078	-.653	.516	.718	1.392
	KPPR	.003	.002	.155	1.315	.192	.735	1.360

a. Dependent Variable: Abs_Resid

HASIL UJI MULTIKOLINIESRITAS SEBELUM MODERATING

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	TotalPR, TotalPE, TotalKP, TotalAR ^a		Enter

a. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.741 ^a	.549	.530	2.198

a. Predictors: (Constant), TotalPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: TotalK

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	557.991	4	139.498	28.887	.000 ^a
	Residual	458.759	95	4.829		
	Total	1016.750	99			

a. Predictors: (Constant), TotalPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: TotalK

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	1.992	2.422		.822	.413		
	TotalPE	.381	.079	.410	4.843	.000	.663	1.509
	TotalAR	.535	.112	.408	4.766	.000	.647	1.545
	TotalKP	.079	.092	.060	.856	.394	.955	1.047
	TotalPR	-.059	.061	-.068	-.966	.336	.972	1.029

a. Dependent Variable: TotalK

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions				
				(Constant)	TotalPE	TotalAR	TotalKP	TotalPR
1	1	4.912	1.000	.00	.00	.00	.00	.00
	2	.043	10.634	.00	.05	.04	.02	.67
	3	.028	13.256	.01	.24	.03	.43	.03
	4	.011	21.509	.00	.69	.81	.11	.00
	5	.006	27.793	.99	.02	.12	.44	.30

HASIL UJI MULTIKOLINEARITAS SETELAH MODERASI

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	KPPR, TotalPE, TotalKP, TotalAR ^a		Enter

a. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.741 ^a	.548	.529	2.198

a. Predictors: (Constant), KPPR, TotalPE, TotalKP, TotalAR

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	557.590	4	139.398	28.841	.000 ^a
	Residual	459.160	95	4.833		
	Total	1016.750	99			

a. Predictors: (Constant), KPPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: TotalK

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.874	2.028		.431	.667		
	TotalPE	.380	.079	.409	4.832	.000	.663	1.508
	TotalAR	.540	.112	.412	4.815	.000	.650	1.538
	TotalKP	.141	.106	.108	1.328	.188	.718	1.392
	KPPR	-.003	.004	-.074	-.922	.359	.735	1.360

a. Dependent Variable: TotalK

Collinearity Diagnostics^a

Model	Dimensi on	Eigenvalue	Condition Index	Variance Proportions				
				(Constant)	TotalPE	TotalAR	TotalKP	KPPR
1	1	4.912	1.000	.00	.00	.00	.00	.00
	2	.050	9.864	.00	.10	.04	.02	.43
	3	.019	16.217	.08	.27	.00	.33	.49
	4	.010	21.792	.02	.56	.91	.09	.04
	5	.008	24.179	.90	.07	.05	.56	.03

a. Dependent Variable: TotalK

HASIL UJI REGRESI SEBELUM MODERATING

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	TotalPR, TotalPE, TotalKP, TotalAR ^a		Enter

a. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.741 ^a	.549	.530	2.198

a. Predictors: (Constant), TotalPR, TotalPE, TotalKP, TotalAR

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	557.991	4	139.498	28.887	.000 ^a
	Residual	458.759	95	4.829		
	Total	1016.750	99			

a. Predictors: (Constant), TotalPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: TotalK

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.992	2.422		.822	.413
	TotalPE	.381	.079	.410	4.843	.000
	TotalAR	.535	.112	.408	4.766	.000
	TotalKP	.079	.092	.060	.856	.394
	TotalPR	-.059	.061	-.068	-.966	.336

a. Dependent Variable: TotalK

HASIL REGRESI SETELAH MODERATING

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	KPPR, TotalPE, TotalKP, TotalAR ^a		Enter

a. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.741 ^a	.548	.529	2.198

a. Predictors: (Constant), KPPR, TotalPE, TotalKP, TotalAR

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	557.590	4	139.398	28.841	.000 ^a
	Residual	459.160	95	4.833		
	Total	1016.750	99			

a. Predictors: (Constant), KPPR, TotalPE, TotalKP, TotalAR

b. Dependent Variable: TotalK

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.874	2.028		.431	.667
	TotalPE	.380	.079	.409	4.832	.000
	TotalAR	.540	.112	.412	4.815	.000
	TotalKP	.141	.106	.108	1.328	.188
	KPPR	-.003	.004	-.074	-.922	.359

a. Dependent Variable: TotalK