

## DAFTAR PUSTAKA

- ACI. 2009. *Report on Soil Cement. Byulleten Eksperimentalnoi Biologii i Meditsiny* (230.1R, Vol. 76). Farmington Hills: American Concrete Institute.
- Alatas, I. M., Kamaruddin, S. A., Nazir, R., & Irsyam, M. 2016. Effect of weathering on disintegration and shear strength reduction of clay shale. *Jurnal Teknologi*, 78(7-3), 93-99.
- Alatas, I. M., Kamaruddin, S. A., Nazir, R., Irsyam, M., & Himawan, A. 2015. Shear Strength Degradation of Semarang Bawen Clay Shale due to Weathering Process. *Jurnal Teknologi*, 77(11), 109-118.
- ASTM. 1997. C939-97: Standard Test Method for Flow of Grout for Preplaced-Aggregate Concrete. *ASTM International*. West Conshohocken.
- ASTM. 2010. D4318-10: Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils. *ASTM International*. West Conshohocken.
- ASTM. 2011. D2487-11: Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System). *ASTM International*. West Conshohocken.
- ASTM. 2013a. C219-13a: Standard Terminology Relating to Hydraulic Cement. *ASTM International*. West Conshohocken.
- ASTM. 2013b. D2166/D2166M-13: Standard Test Method for Unconfined Compressive Strength of Cohesive Soil. In *ASTM International*. West Conshohocken.
- ASTM. 2014. D854-14: Standard Test Methods for Specific Gravity of Soil Solids by Water Pycnometer. *ASTM International*. West Conshohocken.
- Athanasopoulou, A. 2016. The role of curing period on the engineering characteristics of a cement-stabilized soil, 5(4), 38-52.
- Bagheri, Y., Ahmad, F., & Ismail, M. A. 2014. Strength and Mechanical Behavior of Soil – Cement – Lime – Rice Husk Ash ( Soil – CLR ) Mixture. *Material and Structures*, 47(1-2), 55-66.
- Bell, F. G. 1976. The Influence of the Mineral Content of Clays on Their Stabilization by Cement. *Bulletin of the Association of Engineering Geologists*, 8(4), 267-278.
- Chew, S. H., Kamruzzaman, A. H. M., & Lee, F. H. 2004. Physicochemical and Engineering Behavior of Cement Treated Clays. *Journal of Geotechnical and Geoenvironmental Engineering*, 130(7), 696-706.

- Chummuneerat, S., Jitsangiam, P., & Nikraz, H. 2014. Performances of hydrated cement treated crushed rock base for Western Australian roads. *Journal of Traffic and Transportation Engineering (English Edition)*, 1(6), 432–438.
- Dang, L. C., & Khabbaz, H. 2018. Enhancing the Strength Characteristics of Expansive Soil Using Bagasse Fibre. In *Proceedings of China-Europe Conference on Geotechnical Engineering* (pp. 792–796). Vienna, 13-16 August 2016: Springer, Cham.
- Djelloul, R., Mrabent, S. A. B., Hachichi, A., & Fleureau, J. M. 2018. Effect of Cement on the Drying–Wetting Paths and on Some Engineering Properties of a Compacted Natural Clay from Oran, Algeria. *Geotechnical and Geological Engineering*, 36(2), 995–1010.
- Egorova, A. A., Rybak, J., Stefaniuk, D., & Zajęczkowski, P. 2017. Basic Aspects of Deep Soil Mixing Technology Control. In *IOP Conference Series: Materials Science and Engineering* (pp. 1–10). Prague, 12-16 Juni 2017: IOP Publishing.
- Eskisar, T. 2015. Influence of Cement Treatment on Unconfined Compressive Strength and Compressibility of Lean Clay with Medium Plasticity. *Arabian Journal for Science and Engineering*, 40, 763–772.
- Eskisar, T., Altun, S., & Kal, İ. (2014). Assessment of strength development and freeze–thaw performance of cement treated clays at different water contents. *Cold Regions Science and Technology*, 111, 50–59.
- Gartner, E. M., Young, J. F., Damidot, D. A., & Jawed, I. 2002. Hydration of Portland cement. In J. Bensted & P. Barnes (Eds.), *Structure and Performance of Cements* (2nd ed., pp. 57–113). London: Spon Press.
- Grainger, P. 1984. The Classification of Mudrocks for Engineering Purposes. *Quarterly Journal of Engineering Geology*, 17, 381–387.
- Hardiyatmo, H. C. 2012. *Mekanika Tanah 1* (6th ed.). Yogyakarta: Gajah Mada University Press.
- Ho, L. S., Nakarai, K., Ogawa, Y., Sasaki, T., & Morioka, M. 2017. Strength development of cement-treated soils : Effects of water content, carbonation, and pozzolanic reaction under drying curing condition. *Construction and Building Materials*, 134, 703–712.
- Horpibulsuk, S., Miura, N., & Nagaraj, T. S. 2005. Clay–Water/Cement Ratio Identity for Cement Admixed Soft Clays. *Journal of Geotechnical and Geoenvironmental Engineering*, 131(2), 187–192.
- Horpibulsuk, S., Rachan, R., Chinkulkijniwat, A., & Raksachon, Y. 2010. Analysis of strength development in cement-stabilized silty clay from microstructural considerations. *Construction and Building Materials*, 24(10), 2011–2021.

- Ilggen, A. G., Heath, J. E., Akkutlu, I. Y., Bryndzia, L. T., Cole, D. R., Kharaka, Y. K., Suarez-Rivera, R. 2017. Shales at all scales: Exploring coupled processes in mudrocks. *Earth-Science Reviews*, 166, 132–152.
- Kang, G., Tsuchida, T., & Kim, Y. 2017. Strength and stiffness of cement-treated marine dredged clay at various curing stages. *Construction and Building Materials*, 132, 71–84.
- Lee, F., Lee, Y., Chew, S., & Yong, K. 2005. Strength and Modulus of Marine Clay-Cement Mixes. *Journal of Geotechnical and Geoenvironmental Engineering*, 131, 178–186.
- Li, L., Shao, W., Li, Y., & Cetin, B. 2014. Effects of Climatic Factors on Mechanical Properties of Cement and Fiber Reinforced Clays. *Geotech Geol Eng*, 33, 537–548.
- Muntohar, A. S. 2009. Influence of Plastic Waste Fibers on the Strength of Lime-Rice. *Civil Engineering Dimension*, 11(1), 32–40.
- Muntohar, A. S. 2014a. *Mekanika Tanah*. Yogyakarta: Lembaga Penelitian, Publikasi, dan Pengabdian Masyarakat.
- Muntohar, A. S. 2014b. *Prinsip-Prinsip Perbaikan Tanah*. Yogyakarta: Lembaga Penelitian, Publikasi, dan Pengabdian Masyarakat.
- Nygård, R., Gutierrez, M., Bratli, R. K., & Høeg, K. 2006. Brittle-ductile transition, shear failure and leakage in shales and mudrocks. *Marine and Petroleum Geology*, 23(2), 201–212.
- Pakbaz, M. S., & Alipour, R. 2012. Influence of cement addition on the geotechnical properties of an Iranian clay. *Applied Clay Science*, 67–68, 1–4.
- Pakbaz, M. S., & Farzi, M. 2015. Comparison of The Effect of Mixing Methods (dry vs. wet) on Mechanical and Hydraulic Properties of Treated soil with Cement or Lime. *Applied Clay Science*, 105–106, 156–169.
- Sadisun, I. A., Shimada, H., Ichinose, M., & Matsui, K. 2005. Study on the physical disintegration characteristics of Subang claystone subjected to a modified slaking index test. *Geotechnical and Geological Engineering*, 23, 199–218.
- Sariosseiri, F., & Muhunthan, B. 2009. Effect of Cement Treatment on Geotechnical Properties of Some Washington State Soils. *Engineering Geology*, 104(1–2), 119–125.
- Solanki, P., & Zaman, M. 2012. Microstructural and Mineralogical Characterization of Clay Stabilized Using Calcium-Based Stabilizers. In V. Kazmiruk (Ed.), *Scanning Electron Microscopy* (pp. 771–798). InTech.
- Tucker, M. E. 2003. *Sedimentary Rocks in the Field: Third Edition*. John Wiley & Sons Ltd (3rd ed.). West Sussex, England: John Wiley & Sons Ltd.

Wardani, S. P. R., & Muntohar, A. S. 2018. *Perbaikan Tanah*. Yogyakarta: Lembaga Penelitian, Publikasi, dan Pengabdian Masyarakat.

Yoobanpot, N., Jamsawang, P., & Horpibulsuk, S. 2017. Strength Behavior and Microstructural Characteristics of Soft Clay Stabilized with Cement Kiln Dust and Fly Ash Residue. *Applied Clay Science*, 141, 146–156.