

LAMPIRAN

Lampiran 1

Data Angka Kepadatan Tulang Angkatan 2016

NO	HASIL
1	-0.1
2	-0.7
3	-1
4	-0.6
5	-1.4
6	-1.3
7	-0.7
8	-2
9	-1.2
10	-1.8
11	-1.2
12	-2.2
13	-0.3
14	-1.8
15	-1.7
16	-0.6
17	-0.4
18	-0.8

Data Angka Kepadatan Tulang Angkatan Pre Suplemen 2017

NO	HASIL
1	-3.0
2	-2.7
3	-2.6
4	-3.2
5	-1.5
6	-1.8
7	-1.1
8	0.1
9	-2.0
10	-2.0
11	-2.4
12	-1.4
13	-1.1
14	-1.0
15	-1.6
16	-1.1
17	-2.4
18	-0.1

Data Angka Kepadatan Tulang Angkatan Post Suplemen 2017

NO	HASIL
1	-1.4
2	-0.7
3	-1.9
4	-1.5
5	-1.0
6	-1.1
7	0.0
8	-0.6
9	-0.8
10	-1.3
11	-1.4
12	-1.3
13	-0.7
14	-1.2
15	-1.4
16	-1.2
17	-1.0
18	0.3

Lampiran 2

Hasil Uji *Fisher's*

BMD * FRAKTUR_STRES Crosstabulation

Count				
		FRAKTUR_STRES		Total
		IYA	TIDAK	
BMD	NORMAL	3	5	8
	OSTEOPENIA	6	4	10
Total		9	9	18

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.900 ^a	1	.343		
Continuity Correction ^b	.225	1	.635		
Likelihood Ratio	.908	1	.341		
Fisher's Exact Test				.637	.319
Linear-by-Linear Association	.850	1	.357		
N of Valid Cases ^b	18				

a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 3,50.

b. Computed only for a 2x2 table

Lampiran 3

Hasil Uji *Paired sample t-test*

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 PRE - POST	-.70556	.71659	.16890	-1.06191	-.34921	-4.177	17	.001