

DAFTAR PUSTAKA

- Balsak, S., Kaydu, A., Erdem, S., Fuat Alakus, M., et al. (2018) Brimonidine–timolol versus brinzolamide–timolol for treatment of elevated intraocular pressure after phacoemulsification surgery. *International Ophthalmology*. [Online] 38 (4), 1583–1589. Available from: doi:10.1007/s10792-017-0626-z.
- Coban-Karatas, M., Sizmaz, S., Altan-Yaycioglu, R., Canan, H., et al. (2013) Risk factors for intraocular pressure rise following phacoemulsification. *Indian Journal of Ophthalmology*. [Online] 61 (3), 115. Available from: doi:10.4103/0301-4738.99997.
- Delfi (2012) Perbandingan Efektifitas Tetes Mata Natrium Diklofenak 0,1% Dan Dekسامetason 0,1% Dalam Menekan Inflamasi Pasca Bedah Katarak. Universitas Sumatra Utara
- Dorland, W.A. Newman. (2002). *Kamus Kedokteran Dorlan Edisi 29*. (Huriawati Hartanto, dkk, penerjemah). Jakarta: EGC. (Buku asli diterbitkan tahun 2000).
- Erdogan, H., Ozec, A.V., Caner, C., Toker, M.I., et al. (2011) Effect of latanoprost/timolol and dorzolamide/tiomolol on intraocular pressure after phacoemulsification surgery. *International Journal of Ophthalmology*. [Online] 4 (2), 190–194. Available from: doi:10.3980/j.issn.2222-3959.2011.02.17.
- Georgakopoulos, C.D., Makri, O.E., Plotas, P. & Pharmakakis, N. (2013) Brinzolamide-timolol fixed combination for the prevention of intraocular pressure elevation after phacoemulsification: Brinzolamide-timolol for postoperative IOP. *Clinical & Experimental Ophthalmology*. [Online] n/a-n/a. Available from: doi:10.1111/ceo.12092.
- Gogate, P., Optom, J., Deshpande, S. & Naidoo, K. (2015) Meta-analysis to compare the safety and efficacy of manual small incision cataract surgery and phacoemulsification. *Middle East African Journal of Ophthalmology*. [Online] 22 (3), 362. Available from: doi:10.4103/0974-9233.159763
- Ilyas, Sidarta. (2010). *Ilmu Penyakit Mata* (3rd ed.). Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Kementrian Kesehatan RI. (2013). Riset Kesehatan Dasar 2013. Diakses 12 Mei 2017, dari <http://www.depkes.go.id/resources/download/general/Hasil%20Riskasdas%202013.pdf>

- Hayashi, K., Yoshida, M., Sato, T. & Manabe, S.-I. (2019) Effect of Topical Hypotensive Medications for Preventing Intraocular Pressure Increase after Cataract Surgery in Eyes with Glaucoma. *American Journal of Ophthalmology*. [Online] Available from: doi:10.1016/j.ajo.2019.03.012 [Accessed: 14 April 2019].
- Holm, J.L., Bach-Holm, D., Holm, L.M. & Vestergaard, A.H. (2019a) Prophylactic treatment of intraocular pressure elevation after uncomplicated cataract surgery in nonglaucomatous eyes – a systematic review. *Acta Ophthalmologica*. [Online] Available from: doi:10.1111/aos.14092 [Accessed: 14 April 2019].
- Örnek, K., Büyüktortop, N., Örnek, N., Oğurel, R., et al. (2013) Effect of 1% brinzolamide and 0.5% timolol fixed combination on intraocular pressure after cataract surgery with phacoemulsification. *International journal of ophthalmology*. 6 (6), 851.
- Pharmakakis, N., Giannopoulos, K., Stasinou, S., Makri, O.E., et al. (2011) Effect of a fixed brimonidine–timolol combination on intraocular pressure after phacoemulsification. *Journal of Cataract & Refractive Surgery*. [Online] 37 (2), 279–283. Available from: doi:10.1016/j.jcrs.2010.08.046.
- Ramadhani, Aisyah Nur (2015) Perbandingan Tingkat Keberhasilan Visus Pasca Operasi Ekstraksi Katarak Ekstrakapsuler (EKEK) di RSUD Penembahan Senopati Bantul Dengan Fakoemulsifikasi Di Klinik Mata AMC Yogyakarta. Universitas Muhammadiyah Yogyakarta
- Rasyidah, M. & Setyandriana, Y. (2016) Pengukuran Tekanan Intraokular pada Mata Normal Dibandingkan dengan Mata Penderita Miop sebagai Faktor Risiko Glaukoma. *Jurnal Mutiara Medika*. 11 (3), 189–194.
- Rathore, K.S., Nema, R.K. & Sisodia, S.S. (2010) Timolol maleate a gold standard drug in glaucoma used as ocular films and inserts: an overview. *International Journal of Pharmaceutical Sciences Review and Research*. 3 (1), 23–29.
- Sherwood, Lauralee. (2014) *Fisiologi Manusia :dari Sel ke Sistem Edisi 8*. (Brahm U dkk : penerjemah dan editor). Jakarta :EGC.
- Türk, A., Ceylan, O.M., Gökçe, G., Borazan, M., et al. (2015) *Comparison of brimonidine-timolol and dorzolamide-timolol in the management of intraocular pressure increase after phacoemulsification*.
- Yudiyanta, N.K. & Novitasari, R.W. (2015) Assessment Nyeri. *Jurnal CDK*. [Online] 226. Available from: http://www.kalbemed.com/Portals/6/19_226Teknik-Assessment%20Nyeri.pdf [Accessed: 26 May 2017].

