

DAFTAR PUSTAKA

- Akrom. (2013). Mekanisme kemopreventif ekstrak heksan BJH pada tikus SD diinduksi DMBA:kajian antioksidan dan imunomodulator, *Disertasi*, Program Doktor Ilmu Kedokteran dan kesehatan FK UGM, Yogyakarta .
- Andriastuti, E., Soepinarko, I., Fatmawati, E., Yunita, F. (2006). Tablet Hisap Rimpang Temulawak (*Curcuma Xanthorrhiza* Roxb.) Untuk Mencegah Kanker Mulut, *Laporan Penelitian Lomba Inovasi Dan Teknologi Mahasiswa*, Fakultas Farmasi, Universitas Ahmad Dahlan, Yogyakarta.
- Andriastuti, E. (2008). Pengaruh Pemberian THEE rimpang temulawak (*C. xanthorrhiza* Roxb.) Terhadap Aktivitas Sekresi ROI Oleh Makrofag Peritoneum Pada Tikus Betina Galur *Sprague Dawley* Yang Diinduksi Sel kanker SP C1, *Skripsi*, Fakultas Farmasi, Universitas Ahmad Dahlan, Yogyakarta.
- Aréchaga-Ocampo, E., Pereira-Suárez, A.L., Moral-Hernández, O. del, Cedillo-Barrón, L. (2008). HPV+ cervical carcinomas and cell lines display altered expression of *caspases*. *Gynecologic Oncology*. [Online] 108 (1), 10–18. Available from: doi:10.1016/j.ygyno.2007.08.070.
- Bose, S., Panda, A.K., Mukherjee, S., Sa, G. (2015). Curcumin and tumor immune-editing:resurrecting the immune system, *Cell Division*, 10, 6
- Berridge, Micheal. (2005). Tetrazolium dyes as tools in cell biology: New insights into their cellular reduction, Malaghan Institute of Medical Research, Wellington, New Zealand
- Cancer Chemoprevention Research Center (2009). *Prosedur Tetap : Pengamatan Ekspresi Protein dengan Menggunakan Metode Imunositokimia*, Universitas Gadjah Mada, Yogyakarta, <http://ccrc.farmasi.ugm.ac.id/wp-content/uploads/12-imunositokimia1.pdf> , diakses pad tanggal 1 Agustus 2017
- Cancer Chemoprevention Research Center (2012). Uji Sitotoksik Metode MTT, Universitas Gadjah Mada, Yogyakarta, <http://ccrc.farmasi.ugm.ac.id/wp-content/uploads/12-imunositokimia1.pdf> , diakses pad tanggal 20 Agustus 2017.
- Cheah, Y.H., Azimahtol, H.P., Abdullah, N.R.(2006). Xanthorrhizol Exhibits Antiproliferative Activity on MCF-7 Breast Cancer Cells via Apoptosis Induction, *Anticancer Research* 26: 4527-4534.
- Donatus, I. A., Didik Gunawan, Djoko Wahyono, Toerono, dan Mulyono, (1983). *Risalah Simposium Penelitian Tumbuhan Obat III*, Fakultas Farmasi, Universitas Gajah Mada, Yogyakarta.
- Diananda, R., (2009). *Kanker Serviks: Sebuah Peringatan Buat Wanita*. In: Diananda, R. Mengenal Seluk-Beluk Kanker. Yogyakarta: Katahari, 43-60.
- Cory S, Huang DC and Adams JM(2003).The Bcl-2 family: roles in cell survival and oncogenesis. *Oncogene* 22: 8590-8607.
- Fan, T.-J., Han, L.-H., Cong, R.-S. & Liang, J. (2005). *Caspase* family proteases and apoptosis. *Acta Biochimica Et Biophysica Sinica*. 37 (11), 719–727.
- Ghojzadeh, M., Azar, Z.F., Saleh, P., Naghavi-Behzad, M., *et al.* (2012). Knowledge and attitude of Iranian University students toward human papilloma virus. *Asian Pacific journal of cancer prevention: APJCP*. 13 (12), 6115–6119.

- Green, D.R. (2011). Google-Books-ID: s8jBcQAACAAJ. *Means to an End: Apoptosis and Other Cell Death Mechanisms*. Cold Spring Harbor Laboratory Press
- Guimaraes, M.C.M.. (2015). Immunohistochemical Expression of p16^{INK4a} and bcl-2 According to HPV Type and to the Progression of Cervical Squamous Intraepithelial Lesion. *Journal of histochemistry & cytochemistry*, 53(4), 509-16
- Handayani, Tri. (2007). Regulation of p53-, Bcl-2- and Caspase-dependent Signaling Pathway in Xanthorrhizol-induced Apoptosis of HepG2 Hepatoma Cell, Anticancer Research, School of Biosciences and Biotechnology, Faculty of Science and Technology, National University of Malaysia., Selangor
- He, Ya-Jun (2015). Curcumin, the main active constituent of turmeric (*Curcuma longa* L.), induces apoptosis in hepatic stellate cells by modulating the abundance of apoptosis-related growth factors, De Gruyter.
- Hou Q, Cymbalyuk E, Hsu HC, Xu M and Hsu YT(2003): Apoptosis modulatory activities of transiently expressed Bcl-2: roles in cytochrome c release and Bax regulation. *Apoptosis* 8: 617-629.
- Hu, Shan.(2016). Curcumin inhibits proliferation and promotes apoptosis of breast cancer cells,Department of Breast and Thyroid Surgery,Clinical Laboratory Center,Shaoxing People's Hospital, Shaoxing Hospital of Zhejiang University, Shaoxing, Zhejiang ,P.R. China.
- Jagetia, G.C. & Aggarwal, B.B. (2007). “Spicing Up” of the Immune System by Curcumin, *Journal of Clinical Immunology*, 27, 1, January 2007.
- Kamuhabwa, A. Nshimo,C. Witte,P(2000).Cytotoxicity of some medicinal plant extracts used in Tanzanian traditional medicine. *Journal of Ethnopharmacology*. Tanzania
- Kertia, N., Imono, A.D., Catur, E., Rahardjo, P., Asdie, A.H., others, (2005). Effect of the combination of *C. domestica* extract and essential oil of *C. xanthorrhiza* roxb. on leucocyte count in synovial fluid compared to that of pyroxicam. *Indones. J. Pharm.* 155–161.
- Kluck RM, Bossy-Wetzel E, Green DR and Newmeyer DD(1997).The release of cytochrome c from mitochondria: a primary site for Bcl-2 regulation of apoptosis. *Science* 275: 1132-1136.
- Kong, F., Ye, B., Cao, J., Cai, X., Lin, L., Huang, S., Huang, W., Huang, Z. (2016). Curcumin Represses NLRP3Inflammasome Activation via TLR4/MyD88 /NF-κB and P2X7R Signaling in PMA-Induced Macrophages, *Frontier in Pharmacology*, 7, Article 369
- Lucey, B.P., Nelson-Rees, W.A. & Hutchins, G.M. (2009). Henrietta Lacks, HeLa cells, and cell culture contamination. *Archives of Pathology & Laboratory Medicine*. [Online] 133 (9), 1463–1467. Available from: doi:10.1043/1543-2165-133.9.1463.
- Meergans, T., Hildebrandt, A.K., Horak, D., Haenisch, C., *et al.* (2000). The short prodomain influences *caspase 3* activation in HeLa cells. *The Biochemical Journal*. 349 (Pt 1), 135–140.
- Muhammad Daniyal (2015). *Update knowledge on cervical cancer incidence and prevalence in Asia*.

- Oltvai ZN, Milliman CL and Korsmeyer SJ: Bcl-2 heterodimerizes in vivo with a conserved homolog, Bax, that accelerates programmed cell death. *Cell* 74: 609-619, 1993.
- Oon, S.F., Nallappan, M., Tee, M.T., Shohaimi, S., Kassim, N.K., Sa'ariwijaya, M.S.F, Chea, Y.H. (2015). Xanthorrhizol: a review of its pharmacological activities and anticancer properties, *Cancer Cell International*, 15:100
- Pandey, S., Mishra, M. & Chandrawati, (2012). Human papillomavirus screening in north Indian women. *Asian Pacific journal of cancer prevention: APJCP*. 13 (6), 2643–26
- Rao, M.N.A. (1990). *Antioxydant Properties of Curcumin*, Departement of Pharmaceutical Chemistry, College of Pharmaceutical Sciences, Manipal, India.
- Rasyidi, M. (2009). Epidemiologi Kanker Serviks, *Indonesian Journal of Cancer* Vol. III, No. 3
- Robertson JD and Orrenius S(2000).Molecular mechanisms of apoptosis induced by cytotoxic chemicals. *Crit Rev Toxicol* 30: 609-627.
- Shankar S, Srivastava RK (2007). Bax and Bak genes are essential for maximum apoptotic response by curcumin, a polyphenolic compound and cancer chemopreventive agent derived from turmeric, *Curcuma longa*. *Carcinogenesis*.
- Srinivasula SM, Ahmad M, Fernandes-Alnemri T and Alnemri ES(1998): Autoactivation of procaspase-9 by Apaf-1-mediated oligomerization. *Mol Cell* 1: 949-957.
- Sudarsono, Gunawan, D., Wahyuono, S., Donatus, I. A., Purnomo. (1996) *.Tumbuhan Obat II*, Pusat Studi Obat Tradisional UGM, Yogyakarta.
- Sukardia, I. (2000). *Onkologi Klinik edisi 2*, Airlangga University Press.
- Tarney, C.M. & Han, J. (2014). Postcoital Bleeding: A Review on Etiology, Diagnosis, and Management. *Obstetrics and Gynecology International*. [Online] 2014. Available from: doi:10.1155/2014/192087.
- Teoh PL and Azimahtol Hawariah LP(1999): Effects of styrylpyrone derivative (SPD) on expression of Bcl-2 and Bax genes in human ovarian carcinoma cell line, Caov-3. *Malays Appl Biol* 28: 107-111.
- Tezcan, S., Ozgur, D., Ulger, M., Aslan, G., *et al.* (2014) Human papillomavirus genotype distribution and E6/E7 oncogene expression in Turkish women with cervical cytological findings. *Asian Pacific journal of cancer prevention: APJCP*. 15 (9), 3997–4003.
- Thornberry NA and Lazebnik Y(1998).*Caspases: enemies within*. *Science* 281: 1312-1316.
- Wang, Ying.(2018).The Curcumin Analogs 2-Pyridyl Cyclohexanone Induce Apoptosis via Inhibition of the JAK2–STAT3 Pathway in Human Esophageal Squamous Cell Carcinoma Cells, *Frontier in Pharmacology*, Guangdong, China.
- Woo M, Hakem R, Soengas MS, Duncan GS, Shahinian A, Kagi D, Hakem A, McCurrah M, Khoo W, Kaufman SA, Senaldi G, Howard T, Lowe SW and Mak TW(1998).Essential contribution of *caspase 3*/CPP32 to apoptosis and its associated nuclear changes. *Genes Dev* 12: 806-819.