

DAFTAR PUSTAKA

- American Cancer Society. (2013). *Nausea and Vomiting*. Amerika.
- Angkara, S.B. (2016). *Penanganan Delayed Nausea Akibat Kemoterapi Oleh Pasien dan Keluarga di RSUD Panembahan Senopati Bantul Yogyakarta*. Skripsi, Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Apriany, D. (2010). *Pengaruh terapi musik terhadap mual muntah lambat akibat kemoterapi pada anak usia sekolah yang menderita kanker di RSUP Dr. Hasan Sadikin Bandung*. Thesis, Universitas Indonesia, Depok.
- Ariawan, Iwan. (1998). *Besar dan Metode Sampel pada Penelitian Kesehatan*. Fakultas Kesehatan Masyarakat, UI, Depok.
- Arikunto, S. (2013). *Prosedur Penelitian: Suatu Pendekatan Praktik*. Jakarta: Rineka Cipta.
- Aziza, S. A. N., Retnowati, R., & Suratmo, S. (2013). Isolasi dan Karakterisasi Terhadap Minyak Mint dari Daun Mint Segar Hasil Distilasi Uap. *Jurnal Ilmu Kimia Universitas Brawijaya*, 2(2), 580-586.
- Basch, E., Prestrud, A. A., Hesketh, P. J., Kris, M. G., Feyer, P. C., Somerfield, M. R., dkk. (2011). Antiemetics: American Society of Clinical Oncology clinical practice guideline update. *Journal of Clinical Oncology*, 29(31), 4189-4198.
- Boehm, K., Büsing, A., & Ostermann, T. (2012). Aromatherapy as an adjuvant treatment in cancer care—a descriptive systematic review. *African Journal of Traditional, Complementary and Alternative Medicines*, 9(4), 503-518.
- Bourdeau, L., Frankel, P., Yu, W., Hendrix, G., Pal, S., Badr, L., dkk. (2012). Chemotherapy-Induced Nausea and Vomiting in Asian Women With Breast Cancer Receiving Anthracycline-Based Adjuvant Chemotherapy. *The journal of supportive oncology*, 10(4), 149-154.
- Buckle, J. (2014). *Clinical Aromatherapy: Essential Oils in Healthcare* (3rd ed.). United America Serikat: Elsevier .
- Cancer Care Ontario. (2005). Edmonton Symptom Assessment System (ESAS). Diunduh 17 Januari 2016, dari <https://www.cancercare.on.ca/common/pages/UserFile.aspx?fileId=13262>.
- Chan, A., Kim, H., Hsieh R.K., Yu, S., Lopes, G.L., Su,W. dkk. (2015). Incidence and predictors of anticipatory nausea and vomiting in Asia Pacific clinical practice—a longitudinal analysis. *Supportive Care in Cancer*, 23(1), 283-291.

- Dahlan, S.M. 2013. *Statistik Untuk Kedokteran dan Kesehatan* (ed. 5). Jakarta: Salemba Medika.
- Desen, W. (2008). Buku Ajar Onkologi Klinis (ed. 2) (W. Japris, penerjemah). Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia (FKUI).
- Doty, R. L., & Kamath, V. (2014). The influences of age on olfaction: a review. *Applied Olfactory Cognition*, 5, 213-232. https://books.google.co.id/books?hl=id&lr=&id=K0g6BgAAQBAJ&oi=fnd&pg=PA213&dq=influence+factor+of+smell+function&ots=-NcO2sqlIA&sig=JAtIyg7dPjUwyHmFaPAQP6Ed92Q&redir_esc=y#v=o nepage&q=influence%20factor%20of%20smell%20function&f=false
- Fasching, P. A., Heusinger, K., Haeberle, L., Niklos, M., Hein, A., Bayer, C. M., dkk. (2011). Ki67, chemotherapy response, and prognosis in breast cancer patients receiving neoadjuvant treatment. *BMC cancer*, 11(1), 486.
- Firmansyah, MA, (2010), *Penatalaksanaan Mual Muntah Yang Diinduksi Kemoterapi*. Cermin Dunia Kedokteran Vol. 37. Jakarta, Kalbe Farma.
- Fitzpatrick, J. J. & Kazen M. (2011). *Encyclopedia of Nursing Research* (3rd ed.). New York: Springer publishing company.
- Fitzpatrick, J. J. & Kazen M. (2011). *Encyclopedia of Nursing Research* (3rd ed.). New York: Springer publishing company.
- Glare, P., Miller, J., Nikolova, T., & Tickoo, R. (2011). Treating nausea and vomiting in palliative care: a review. *Clinical interventions in aging*, 6, 243.
- Goodman & Gilman. (2011). *Dasar Farmakologi Terapi* (ed. 10). Jakarta: EGC.
- Herz, R. S. (2009). Aromatherapy facts and fictions: a scientific analysis of olfactory effects on mood, physiology and behavior. *International Journal of Neuroscience*, 119(2), 263-290.
- Hunt, R., Dienemann, J., Norton, H. J., Hartley, W., Hudgens, A., Stern, T., & Divine, G. (2013). Aromatherapy as treatment for postoperative nausea: a randomized trial. *Anesthesia & Analgesia*, 117(3), 597-604.
- Hurlock, E. B. (2002). *Psikologi Perkembangan* (ed. 5). Jakarta: Erlangga.
- Imai, K., Ikenaga, M., Kodama, T., Kanemura, S., Tamura, K., & Morita, T. (2013). Sublingually administered scopolamine for nausea in terminally ill cancer patients. *Supportive Care in Cancer*, 21(10), 2777-2781.
- Internasional, NANDA. (2012). *Diagnosa Keperawatan: Definisi dan Klasifikasi 2012/2014* (M. Sumarwati & N.B. Subekti, penerjemah). Jakarta: EGC.
- Jaelani. (2009). *Aroma Terapi* (ed. 1). Jakarta: Pustaka Populer Obor.

- Janelsins, M. C., Tejani, M. A., Kamen, C., Peoples, A. R., Mustian, K. M., & Morrow, G. R. (2013). Current pharmacotherapy for chemotherapy-induced nausea and vomiting in cancer patients. *Expert opinion on pharmacotherapy*, 14(6), 757-766.
- Johnson, N., Bryant, A., Miles, T., Hogberg, T., & Cornes, P. (2011). Adjuvant chemotherapy for endometrial cancer after hysterectomy. *Cochrane Database Syst Rev*, 10.
- Kementerian Kesehatan RI. (2015). *InfoDATIN*. Jakarta: Pusat Data dan Informasi Kementerian Kesehatan RI.
- Kuntarti. 2011. Pengantar Farmakologi (Online). diakses pada 3 Desember 2015, <http://www.staff.ui.ac.id/system/files/users/kuntarti/material/pengantarfarmakologi.pdf>.
- Lua, P. L., Salihah, N., & Mazlan, N. (2015). Effects of inhaled ginger aromatherapy on chemotherapy-induced nausea and vomiting and health-related quality of life in women with breast cancer. *Complementary Therapies in Medicine*.
- Lua, P.L & Zakaria, N. S. (2012). A brief review of current scientific evidence involving aromatherapy use for nausea and vomiting. *The Journal of Alternative and Complementary Medicine*, 18(6), 534-540.
- Mayden, K. D. (2012). Mind-Body Therapies: Evidence and Implications in Advanced Oncology Practice. *Journal of the advanced practitioner in oncology*, 3(6), 357.
- McKenna, D.J., Jones, K., Hughes, K., Humphrey, S. (2011). *Botanical Medicines: The Desk Reference for Major Herbal Supplements* (2nd ed.). New York: Routledge.
- Molassiotis, A., Aapro, M., Dicato, M., Gascon, P., Novoa, S. A., Isambert, N., ... & Roila, F. (2014). Evaluation of risk factors predicting chemotherapy-related nausea and vomiting: results from a European prospective observational study. *Journal of pain and symptom management*, 47(5), 839-848.
- Mullol, J., dkk. (2012). Furthering the understanding of olfaction, prevalence of loss of smell and risk factors: a population-based survey (OLFACAT study). *BMJ open*, 2(6), e001256.
- Mustian, K.M., Devine, K., Ryan, J.L., Janelsins, M.C., Sprod, L.K., Pepon, L.J., dkk. (2011). Treatment of nausea and vomiting during chemotherapy. *US oncology & hematology*, 7(2), 91-97.

- Muthia, R., Wahyu, W., & Dachriyanus. (2013). Effect Of Ginger Infusion On Chemotherapy Induced Nausea And Vomiting In Breast Cancer Patients. *Journal of Biology, Agriculture and Healthcare*, 3(13), 42-46.
- NIC team. (2008). *Nursing Intervention Classification* (4th ed.). United State of America: Mosby Elsevier.
- Nirmala, V. & Edison, J.S. (2011). *Research Methodology in Nursing* (1st ed.). India: Jaypee Brothers Medical Publisher.
- NOC team. (2008). *Nursing Outcome Classification* (4th ed.). United State of America: Mosby Elsevier.
- Nursalam. (2013). *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis* (ed. 3). Jakarta: Salemba Medika
- Oktaviani, R. (2013). *Akupresur Zusanli (St36) dan Taibai (Sp3) Untuk Menurunkan Mual Pada Pasien Dispepsia Di RSUD Banyumas*. Skripsi, Universitas Jenderal Soedirman, Purwokerto.
- Oktaviani, R., Mardiyono, M., & Achiriyati, D. (2014). Acupressure On Zusanli (St36) And Taibai (Sp3) in Reducing Nausea for Patients with Dyspepsia at Banyumas Hospital. *Nurse Media Journal of Nursing*, 4(2), 745-753.
- Otto, S.E. (2005). *Buku Saku Keperawatan Onkologi*. Jakarta: EGC.
- Perwitasari, D. A., Atthobari, J., Mustofa, M., Dwiprahasto, I., Hakimi, M., Gelderblom, H., dkk. (2012). Impact of chemotherapy-induced nausea and vomiting on quality of life in indonesian patients with gynecologic cancer. *International Journal of Gynecological Cancer*, 22(1), 139-145.
- Polit, D.F., Beck, C.T. (2012). *Nursing Research : Generating and Assesing Evidence for Nursing Practice 9th Ed.* Philadelphia: Lippincott Williams & Walkins.
- PPNI, AIPNI, & AIPDiKI. (2012). *Standar Kompetensi Perawat Indonesia*. Jakarta.
- Putri, K.N.D. (2010). *Perbandingan Efektifitas Ondansentron dan Metoklopramid dalam Menekan Mual Muntah Paska Laparotomi*. Skripsi Strata Satu di Program Studi Kedokteran Fakultas Kedokteran Universitas Sebelas Maret. Surakarta
- Regional Palliative Care Program, Capital Health, Caritas Health Group. (2001). Guidelines for using the Edmonton Symptom Assessment System (ESAS). Diunduh 17 Januari 2016, dari http://www.npcrc.org/files/news/edmonton_symptom_assessment_scale.pdf.

- Rezkin, P. (2009). *Hubungan antara usia pasien dan derajat keganasan tumor ovarium primer tipe sel benih di Jakarta selama 10 tahun (1997 – 2006)*. Skripsi, Universitas Indonesia, Jakarta.
- Richardson, L. A., & Jones, G. W. (2009). A review of the reliability and validity of the Edmonton Symptom Assessment System. *Current Oncology*, 16(1), 55.
- Rithirangsrioj, K., Manchana, T., & Akkayagorn, L. (2015). Efficacy of acupuncture in prevention of delayed chemotherapy induced nausea and vomiting in gynecologic cancer patients. *Gynecologic oncology*, 136(1), 82-86.
- Saleh, A. Z. (2006). *Kemoterapi - Buku Acuan Nasional Onkologi Ginekologi* (ed. 1). Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo (YBP-SP).
- Santosh, D., Joseph, S., Jose, A., Satheendran, S., Ratnakar, U. P., Rao, S. P., & Ojeh, N. (2011). Anxiolytic and Antiemetic effects of Aromatherapy in cancer Patients on Anticancer Chemotherapy. *Pharmacologyonline*, 3, 736-744.
- Saryono. (2009). *Metodologi penelitian kesehatan penuntun praktis bagi pemula*. Yogyakarta: Mitra Cendekia.
- Sastrohamidjojo, H. (2004). *Kimia Minyak Atsiri*. Yogyakarta: Gadjah Mada University Press.
- Sekine, I., Segawa, Y., Kubota, K., & Saeki, T. (2013). Risk factors of chemotherapy-induced nausea and vomiting: Index for personalized antiemetic prophylaxis. *Cancer science*, 104(6), 711-717.
- Sihombing, M., & Sapardin, A. N. (2014). Faktor Risiko Tumor Payudara Pada Perempuan Umur 25-65 Tahun di Lima Kelurahan Kecamatan Bogor Tengah. *Jurnal Kesehatan Reproduksi*, 5(3 Des), 175-184.
- Smeltzer, S.C. & Bare, B.G. (2002). *Buku Ajar Keperawatan Medikal Bedah Brunner dan Suddarth* (ed. 8, vol. 1) (A. Waluyo, I.M. Karyasa, Julia, H.Y. Kuncara, Y. Asih). Jakarta: EGC.
- Stringer, J., & Donald, G. (2011). Aromasticks in cancer care: an innovation not to be sniffed at. *Complementary therapies in clinical practice*, 17(2), 116-121.
- Sukardi. (2005). *Metodologi Penelitian Pendidikan Kompetensi dan Praktek*. Jakarta: Bumi Aksara.
- Sukardja, I. D. G. (2000). *Onkologi Klinik* (ed. 2). Surabaya: Airlangga University Press (AUP).

- Susanti, L & Tarigan, M. (2010). Karakteristik Mual Dan Muntah Serta Upaya Penanggulangan Oleh Penderita Kanker Yang Menjalani Kemoterapi. *Fakultas Keperawatan: USU*.
- Susanto, H. (2006). *Gangguan Hematologi pada Kemoterapi – Buku Acuan Nasional Onkologi Ginekologi* (ed. 1). Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo (YBP-SP).
- Tayarani-Najaran, Z., Talasaz-Firoozi, E., Nasiri, R., Jalali, N., & Hassanzadeh, M. K. (2013). Antiemetic activity of volatile oil from *Mentha spicata* and *Mentha × piperita* in chemotherapy-induced nausea and vomiting. *ecancermedicalscience*, 7.
- Toepak, E. P., Retnowati, R., & Masruri, M. (2013). Isolasi dan Karakterisasi Terhadap Minyak Mint dari Daun *Mentha Arvensis* Segar Hasil Distilasi Uap-Air. *Jurnal Ilmu Kimia Universitas Brawijaya*, 2(2), 574-579.
- Utami, S. (2012). *Aku Sembuh dari Kanker Payudara, Mendeteksi Gejala Dini, Pencegahan dan Pengobatan*. Jakarta : Oryza
- Utaminingrum, W., Hakim, L., & Raharjo, B. (2013). Evaluasi Kepatuhan Dan Respon Mual Muntah Penggunaan Antiemetik Pada Pasien Kanker Payudara Yang Menjalani Kemoterapi Di Rsud Prof. Dr. Margono Soekarjo. *Pharmacy, Jurnal Farmasi Indonesia*, 10(02).
- Voigt, M., Fröhlich, C. W., Waschke, K. F., Lenz, C., Göbel, U., & Kerger, H. (2011). Prophylaxis of postoperative nausea and vomiting in elective breast surgery. *Journal of clinical anesthesia*, 23(6), 461-468.
- WHO. 2013. Latest World Cancer Statistics. *International Agency for Research on Cancer* (IARC).
- WHO. (2015). Cancer. Diakses 17 November 2015, dari <http://www.who.int/mediacentre/factsheets/fs297/en/>
- Wood, J.M., Chapman, K., & Eilers, J. (2011). Tools for Assessing Nausea, Vomiting, and Retching: A Literature Review. *Cancer nursing*, 34(1), E14-E24.
- Wulantri, A. (2014). *Gambaran Masalah Keperawatan Pemenuhan Kebutuhan Dasar Fisiologis pada Pasien Kanker yang Menjalani Terapi Pembedahan dan Kemoterapi di RSUD Panembahan Senopati Bantul*. Karya Tulis Ilmiah. Fakultas Kedokteran dan Ilmu Kesehatan: Universitas Muhammadiyah Yogyakarta.