

## LAMPIRAN

### DOKUMENTASI PENELITIAN





## HASIL ANALISIS DATA

### 1. Kontrol negatif

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Pre Test	.209	5	.200*	.901	5	.418
Post Test	.177	5	.200*	.981	5	.941

#### Paired Samples Test

	Paired Differences						T	Df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference					
				Lower	Upper				
Pair 1 Pre Test - Post Test	-7.56200	4.47775	2.00251	-13.12186	-2.00214	-3.776	4	.019	

### 2. Kontrol positif

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Pre Test	.212	5	.200*	.925	5	.566
Post Test	.178	5	.200*	.981	5	.940

### Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 Pre Test - Post Test	-4.46600	3.36682	1.50569	-8.64646	-.28554	-2.966	4	.041

### 3. Standar

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	Df	Sig.	Statistic	df	Sig.
Pre Test	.394	5	.011	.710	5	.012
Post Test	.197	5	.200*	.951	5	.744



5. P2

**Tests of Normality**

Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
Statistic	df	Sig.	Statistic	df	Sig.
.135	5	.200*	.989	5	.976
.180	5	.200*	.952	5	.755

**Paired Samples Test**

Paired Differences					t	df	Sig. (2-tailed)
Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
			Lower	Upper			
2.11020E1	2.42531	1.08463	18.09058	24.11342	19.455	4	.000

6. P3

**Tests of Normality**

Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
Statistic	df	Sig.	Statistic	df	Sig.
.168	5	.200*	.961	5	.814
.148	5	.200*	.995	5	.994

### Paired Samples Test

Paired Differences					t	df	Sig. (2-tailed)
Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
			Lower	Upper			
2.9918 0E1	3.93809	1.76117	25.02821	34.80779	16.988	4	.000