

DAFTAR PUSTAKA

- Al-Attar MA. The influence of dietary grapeseed oil on DMBA-induced liver enzymes disturbance in the frog, *Rana ridibunda*. Pakistan Journal of Nutritional 2004; 3:304-309
- Atawodi SE. Antioxidant potential of African medicinal plants. Afr J Biotechnol. 2005; 4(2):128-133.
- Avwioro OG. Histochemistry and tissue pathology, principles and techniques. Claverianum press, Nigeria. 2010
- B.A Amadi, Duru M.K.C., Agomuo E.N. 2012. Chemical Profiles of Leaf, Stem, Root and Flower of Ageratum conyzoides. Asian J Plant Sci Res. 2(4) : 428-432.
- Balqis, U., Darmawi., E. Handharyani dan M.Hambal. 2011. Deteksi keberadaan Antigen pada kutikula *Ascarisis galli* dengan imunoglobulin *yolk* melalui metode imunohistokia. Unsyiah Banda Aceh.
- Baratta JL, Ngo A, Lopez B, Kasabwalla N, Longmuir KJ, Robertson RT. 2009. Cellular organization of normal mouse liver: a histological, quantitative immunocytochemical, and fine structural analysis. Histochemical Cellular Biology. 17:6-381.
- Bisht, V.K & Purohit. V. 2010. Medicine and Aromatic Plants Diversity of Asteraceae in Uttarakhand. Herbal Research & Development Institute. Gopeshwar. Uttarakhand.India. Nature and Science
- Bray, F., Jemal, A., Grey, N., Ferlay, J., and Forman, D. (2012). Global cancer transitions according to the Human Development Index (2008–2030): a population-based study. The lancet oncology 13, 790-801.
- Chen C, Chen G and Chen W., 2008, Molecular Simulation of Her2/neu Degradation by Inhibiting HSP. *Journal of Chemical Society*, 137(40), 12760-12763.
- Chen, Jianchu et al., (2015). The flavonoid nobiletin inhibits tumor growth and angiogenesis of ovarian cancers via the Akt pathway. International Journal Of Oncology 46: 2629-2638.
- Chew, K.K., M.Z. Khoo, S.Y. Ng, Y.Y. Thoo, W.M.W. Aida dan C.W. Ho. 2011. Effect of ethanol concentration, extraction time and extraction temperature on the recovery of phenolic coumponds and antioxidant capacity of Centella asiatica extract. International Journal of Food Research 18(4):14271435.
- Claverie, J. and Notredame, C., 2006, Bioinformatic for Dummies, 2nd edition, Wiley Publishing Inc., Indiana.
- Culling CFA. Handbook of histopathological and histochemical techniques. 3rd ed. London: Butterworth, 1974.
- Dewi, N. L. A., Adnyani, L. P. S., Pratama, R. B. R., Yanti, N. N. D., Manibuy, J. I., Warditiani N. K, 2018. Pemisahan, Isolasi, dan Identifikasi Senyawa Saponin dari Herba Pegagan (*Centella asiatica L. Urban*). Jurnal Farmasi Udayana, Vol 7, No 2, Tahun 2018, 68-76

- Dobson, L. d., Conway, C., Hanley, A., Johnson, A., Costello, S., O'Grady, A., Connolly, Y., Magee, H., O'Shea, D., Jeffers, M., Kay, E. (2010). Image Analysis as an Adjust to Manual HER2 Immunohistochemical Review: a Diagnostic Tool to Standardize Interpretation. *Histopathology*, 27-38.
- Gritter, R, J., Bobbits, J.M., and A. E. Schwarting, 1991. Introduction to Chromatography (Pengantar Kromatografi), Edisi ke-2, diterjemahkan oleh K. Padmawinata, Bandung: Penerbit ITB
- Hamilton JP, Gurakar A, Koteish A, Li ZP, Mezey E. Liver Cancer: 39th Annual topics in gastroenterology and hepato-biliary update conference. US: Maryland; 2013
- Harborne, J.B. 1973. Phytochemical Methode. Campman and Hall Ltd, Amerika.
- Harborne J.B. 1998. Phytochemical Methods : A Guide to Modern Technique of Plant Analysis 3 rd edition. London : Chapman and Hall
- Holm LG, Plucknett DL, Pancho JV, Herberger JP, 1977. The World's Worst Weeds. Distribution and Biology. Honolulu, Hawaii, USA: University Press of Hawaii.
- Hsiao, P.C., Lee, W.J., Yang, S.F., Tan, P., Chen, H.Y., Lee, L.M., Chang, J.L., Lai, G.M., Chow, J.M., Chien, M.H., 2014, Nobiletin suppresses the proliferation and induces apoptosis involving MAPKs and caspase-8/-9/3 signals in human acute myeloid leukemia cells, *Tumor Biology*, 35(12), 11903-11911
- Hsu CC, Lai SC. 2007. "Matrix metalloproteinase-2, -9 and -13 are involved in fibronectin degradation of rat lung granulomatous fibrosis caused by *Angiostrongylus cantonensis*". *International Journal of Experimental Pathology*. 88(6):43-437.
- IARC, 2012. http://globocan.iarc.fr/Pages/fact_sheets_cancer.aspx.html diakses pada 3 Juni 2018.
- Janarthanan, Karthikeyan. V, Jeykar. B, Balakrishnan. B. R, Senthilkumar. K. L , Anandharaj.G. 2016. Pharmacognostic Studies on the Whole Plants of *Ageratum conyzoides* Linn. (Asteraceae). *European Journal of Pharmaceutical and Medical Research*. 3 (5): 618626.
- Kamboj A, Saluja AK. *Ageratum conyzoides* L. A review on its phytochemical and pharmacological profile. *Int J Green Pharm*. 2008; 2(2):59-68.
- Kim, S.S., Hwang, J.C., Lim, S.G., Ahn, S.J., Cheong, J.Y., and Cho, S.W. (2014). Effect of virological response to entecavir on the development of hepatocellular carcinoma in hepatitis B viral cirrhotic patients: comparison between compensated and decompensated cirrhosis. *The American journal of gastroenterology* 109, 1223-1233.
- King, R.J.B., 2000, Cancer Biology, 2nd Ed., Pearson Eduation Limited, London.
- Koirewoa, Y.A., Fatimawali, and W.I. Wiyono, Isolasi dan Identifikasi Senyawa Flavonoid dalam Daun Beluntas (*Pluchea indica* L.), 2008, Universitas Sam Ratulangi: Manado: p. 83-96
- Korb, O., Stutzle, T., Exner, T.E., 2006, PLANTS: *Application of Ant Colony Optimisation to Structure-Based Drug Design*, Springer-Verlag Berlin Heidelberg.

- Kowalska, T., KaczmarSKI, K., Prus, W., 2003. Theory and Mechanism of Thin-Layer Chromatography. In: Sherma, J & Fried, B(Eds). Hand Book of Thin Layer Chromatography. 3rd edition, revised and expanded. Marcel Dekker, Inc.NY
- Kumar V, Abbas AK, Fausto N., 2005. Robbins and Cotran Pathologic Basis of Disease. 7th ed. Philadelphia, Elsevier
- Kumar, V., Abbas, A.K., Aster, J.C. & Fausto, N., 2010. Robbins and Cotran pathologic basis of disease 8th ed. Philadelphia: Saunders.
- Kunimasa K, Kuranuki S, Matsuura N, Iwasaki N, Ikeda M, Ito A, Sashida Y, Mimaki Y, Yano M, Sato M, et al: Identification of nobiletin, a polymethoxyflavonoid, as an enhancer of adiponectin secretion. *Bioorg Med Chem Lett* 19: 2062-2064, 2009.
- Lafaro KJ, Demirjian AN, Pawlik TM. Epidemiology of hepatocellular carcinoma. *Sur Oncol Clin N Am.* 2015;24:1-17
- Lee KS, Kim SR, Park SJ, et al. Mast Cells Can Mediate Vascular Permeability through Regulation of the PI3K-HIF-1α-VEGFAxis. *Am J Respir Crit Care Medi* 2008; 178:787-97. Marks MK, Nwachukwu AC. *Weed Res* 1986; 26:151.
- Liu L, Liu L, Zeng F, Wang K, Huang J, Xin L & Zhu PQ (2011). Meta-analysis of the association between VEGF-634 G>C and risk of malignancy based on 23 case-control studies. *Journal of cancer research and clinical oncology* 137(6): 1027-1036.
- Markham, K.R., Techniques of Flavonoid Identification, Academic Press, London, 1982.
- Markham, K.R., Techniques of Flavonoid Identification, Academic Press, London, 1988.
- Matsumura A, Kubota T, Taiyoh H, Fujiwara H, Okamoto K, Ichikawa D et al. HGF regulates VEGF expression via the c-Met receptor downstream pathways, PI3K/Akt, MAPK and STAT3, in CT26 murine cells. *International Journal of Oncology* 2013;42: 535 – 542)
- Meiyanto, E. & Hermawan, A. & Anindayajati. Natural products for cancer-targeted therapy: citrus flavonoids as potent chemopreventive agents. *Asian Pacific journal of cancer prevention: APJCP* 13,427–436 (2012).
- Meyer, N.; Penn, L.Z. Reflecting on 25 years with myc. *Nat. Rev. Cancer* 2008, 8,976–990. [CrossRef] [PubMed]
- Miller, D.M.; Thomas, S. D; Islam, A.; Muench, D; Sedoris, K.C. m and cancer metabolism. *Clin. Cancer Res.* 2012, 18, 5546–5553
- Miyata Y, Sato T, Yano M and Ito A: Activation of protein kinase C βII/ε-c-Jun NH₂-terminal kinase pathway and inhibition of mitogen-activated protein/extracellular signal-regulated kinase 1/2 phosphorylation in antitumor invasive activity induced by the polymethoxy flavonoid, nobiletin. *Mol Cancer Ther* 3: 839-847, 2004.
- Motiejunas, D., & Wade, R. (2006). Structural, Energetics, and Dynamic Aspects of Ligand-Receptor Interactions. In J. B. Taylor & D. J.

- Mohring JR, Hammond CN, Schatz PF (2006). Techniques in Organic Chemistry. New York. W.H. Freeman and Company. Pp. 177-188
- Moustafa SMA, Menshawi BM, Wassel GM, Mahmoud K, Mounier MM. Screening of some plants in Egypt for their cytotoxicity against four human cancer cell lines. *Int J Pharm Tech Res.* 2014; 6(3): 1074-1084.
- Nasrin F. Antioxidant and cytotoxic activities of Ageratum conyzoides stems. *Int Curr Pharm J.* 2013; 2(2):33-37
- O'Hurley G, Sjostedt E, Rahman A, et al. Garbage in, garbage out: a critical evaluation of strategies used for validation of immunohistochemical biomarkers. *Mol Oncol* 2014; 8: 783-98.
- Patri M dan Padmini P. Polycyclic aromatic hydrocarbons in air and their neurotoxic potency in association with oxidative Stress: a Brief Prospective. *Annual Review of Neuroscience* 2009;16:340-349, diunduh dari <http://annualofneurosciences.org/journal/index.php/annual/article/view/43/67>, pada tanggal 22 Januari 2014.
- Peters, Gordon., dan Vousden, K.H., 1997, Oncogenes dan Tumor Suppressors, Oxford University Press, New York.
- Plank MJ, Sleeman BD. Tumour-induced angiogenesis: a review. *J. Theo. Med.* 2004; 5: 137–53.
- Prasetyo dan Entang Inoriah, 2013 Pengelolaan Budidaya Tanaman Obat-Obatan (Bahan Simplisia). Cetakan Ke-1. Bengkulu: Badan Penelitian Fakultas Pertanian UNIB.
- Ren, W., Qiao, Z., Wang, H., Zhu, L., Zhang, L., 2003, Flavonoids: Promising Anticancer Agents, *Medicinal Research Review*, 23(4): 519-534
- Richard L. Baron, MD and Mark S. Peterson MD. Screening the Cirrhotic Liver for Hepatocellular Carcinoma with CT and MR Imaging: Opportunities and Pitfalls. *RSNA 2001 Volume 21:* 117 – 132.
- Rohman, Abdul. 2007. Kimia Farmasi Analisis. Pustaka Pelajar: Yogyakarta
- Rosen LS, ‘Clinical Experience With Angiogenesis Signaling Inhibitors: Focus on Vascular Endothelial Growth Factor (VEGF) Blockers’, *Cancer Control*, Vol. 9, No. 2, 2002, 36-44
- Saito T, Abe D and Sekiya K: Nobiletin enhances differentiation and lipolysis of 3T3-L1 adipocytes. *Biochem Biophys Res Commun* 357: 371-376, 2007.
- Sanders, J.A.; Gruppuso, P.A. Nucleolar localization of hepatic c-myc: A potential mechanism for c-myc regulation. *Biochim. Biophys. Acta* 2005, 1743, 141–150.
- Sarker, S.D., Latif, Z., Gray, A.L., 2005, *Natural Product Isolation* (2th Ed), New Jersey: Humana Press.
- Sasahira T, Ueda N, Kurihara M, Matsushima S, Ohmori H, Fujii K, Bhawal UK, Yamamoto K, Krita T, Kuniyasu H. Tropomyosin receptor kinases Band C are tumor progressive and metastatic marker in colorectal carcinoma. *Hum Pathol.* 2013; 44(6): 1098106.
- Satir AA. An update on the pathogenesis and pathology of hepatocellular carcinoma. *Bahrain Medical Bulletin* 2007; 29(2):1-8.

- Schacht V, Kern JS. Basics of immunohistochemistry. *J Invest Der matol* 2015; 135: e30
- Schneider, G., & Baringhaus, K.-H., 2008, *Molecular Design: Concepts and Applications*. Germany. WILEY-VCH.
- Semela, David. Angiogenesis in hepatocellular carcinoma development and progression. Elsevier. *Gastroenterol Hepatol*. 2012;35(Espec Congr 1):108-112
- Sengupta P. 2012. Environmental and occupational exposure of metals and their role in male reproductive functions. *Drug and Chemical Toxicology*. 36(3): 53-68.
- Senja, R.M., Issusilaningtyas E., Nugroho A.K., Setyowati E.P. (2014) Perbandingan Metode Ekstraksi Dan Variasi Pelarut Terhadap Rendemen Dan Aktivitas Antioksidan Ekstrak Kubis Ungu (*Brassica oleracea L. var. capitata f. rubra*). Universitas Gadjah Mada
- Shibuya, M. Role of VEGF-Flt receptor system in normal and tumor angiogenesis. *Adv Cancer Res*. 1995; 67:281-316
- Soresi M, Magliris C, Campagna P, et al. Usefulness of alpha-fetoprotein in the diagnosis of hepatocellular carcinoma. *Anticancer Research*. 2003; 23; 1747-53.
- Stefanovic D, Stefanovic M, Nikin Z. Romanowsky-Giemsa as a counterstain for immunohistochemistry: optimizing a traditional reagent. *Biotech Histochem* 2013; 88: 329-35
- Sudatri IW, Setyawati I, Suartini NM, Yulihastuti DA. 2016. Penurunan fungsi hati tikus betina (*Rattus norvegicus*) yang diinjeksi white vitamin c dosis tinggi dalam jangka waktu lama ditinjau dari kadar sgpt, sgot serta gambaran histologi hati. *Jurnal Metamorfosis*. 3(1): 44-51.
- Suhendra, C.P., Widiarta I.W.R., Wiadnyani A. (2019) Pengaruh Konsentrasi Etanol terhadap Aktivitas Antioksidan Ekstrak Rimpang Ilalang (*Imperata cylindrical (L Beauv.)* pada Ekstraksi Menggunakan Gelombang Ultrasonik. *Jurnal Ilmu dan Teknologi Pangan* Vol. 8, No.1, 27-35
- Tandon S K, Chandra S, and Tripathi H C. (1994) Pharmacological effects of *Ageratum conyzoides* roots Indian Journal of Pharmaceutical Sciences 56, 182.
- Ulubelen, A., Kerr, K. M, Mabry, T.: *Phytochemistry* 1980, 19, 1761-1766; 1982, 21, 1145-1147.
- Whitfield, J.R.; Soucek, L. Tumor microenvironment: Becoming sick of myc. *Cell Mol. Life Sci.* 2012, 69, 931–934. [CrossRef] [PubMed]
- Wegiera. M. Helena, D.S. Marcin.J.D. Magdalena. K. And Kamila. K. 2012. Cytotoxic Effect of Some Medicinal Plants From Asteraceae Family. Chair and Departement Of Pharmaceutical Botany. Medical University. Vol.69. No.2
- Wulandari, Lestyo. (2011) Kromatografi Lapis Tipis Cetakan Pertama. Jember: Taman Kampus Presindo
- Xiang ZL, Zeng ZC, Fan J, Tang ZY, Zeng HY & Gao DM (2011). Gene expression profiling of fixed tissues identified hypoxia-inducible factor-1 α , VEGF, and matrix metalloproteinase-2 as biomarkers of lymph node metastasis in hepatocellular carcinoma. *Clinical Cancer Research* 17(16): 5463-5472

- Xuan T D, Shinkichi T, Hong N H, Kanh T D, and Min C I. (2004) Assessment of phytotoxic action of Ageratum conyzoides L. (billy goat weed) on weeds, *Crop Protection*, 915-922
- Yaziji H, Barry T. Diagnostic Immunohistochemistry: what can go wrong? *Adv Anat Pathol* 2006; 13: 238-46.
- Zhang CH, Xu GL, Jia WD, Li JS, Ma JL, Ren WH, Ge YS, Yu JH, Liu WB & Wang W (2012). Activation of STAT3 signal pathway correlates with twist and E-cadherin expression in hepatocellular carcinoma and their clinical significance. *Journal of Surgical Research* 174(1): 120-129.