

## DAFTAR PUSTAKA

- Alexander, (2001). Teknik Alexander: Konsep dan Filosofi Kontemporer. Jakarta : EGC, pp. 141-148.
- Andreasen, G.F., & Bishara, S. (1970). Comparison of Time Related Force Between Plastic Alastiks and Latex Elastic. *Angle Orthod*, 40(4), pp. 319-28.
- Anusavice, J. K., (2004). Ilmu Bahan Kedokteran Gigi. Jakarta: EGC, pp.50.
- Ajami, S., Farjood, A., & Zare, M. (2017). Synergic effect of salivary pH baselines and low pH intakes on the force relaxation of orthodontic latex elastics. *Dental Reseach Journal*, 1(14), pp. 68.
- Ardhana, W. (2001). Identifikasi Perawatan Orthodontik Spesialistik dan Umum, *Majalah Kedokteran Gigi*, 20(1), pp. 1-8.
- Bhalajhi, S.I., (2004), Orthodontic the Art and Science, 3rd ed., Arya Publishing House, New Delhi, pp.1-5.
- Bourbia, M., n.d, Biodegradation of Dental Resin Composites and Adhesives by Streptococcus mutans: An in vitro Study, pp. 87.
- Bramantio, (1999), *Pengaruh Lama dan Jarak Pergangan terhadap Besar Gaya Elastik Karet Ortodonti*, FKG UI, pp.44
- Chaikumpollert, O., Yamamoto, Y., Suchiva, K., and Kawahara, S., (2012), Mechanical properties and cross-linking structure of cross-linked natural rubber, *polym J.*, 44(1), pp. 727-77.
- Combe, E.C., (1992), *Sari Dental Material (terj.)*, Balai Pustaka Jakarta, pp. 41.
- Cristandi, P., Cristnawati, Cendrawasih, F., (2016), Pengaruh Lama Perendaman Dalam Tiga Jenis Minuman Berkarbonasi Terhadap KekuatanTarik Karet Elastik Latek Ortodonti, *Dent. J*, pp. 20-25.
- Dealmeida, P.D.V., Gregio, A.M., Machado, M.A.N., deLima, A.A.S., and Azevedo, L.R., (2008), Saliva Composition and Functions: A Comperhensive Review, *J Contemp Dent Pract.*, 9(3), pp. 1-11.
- Dequeiroz, G. M. O., Silva, L. F., Ferreira, J. T. L., Gomes, J. A. D., and Sathler, L., (2007), Electrochemical Behavior and pH Stability of Artificial Salivas for Corrosion Test, *Brazil Oral Reseach.*, 21(3), pp. 209-15.
- Diana, S., Rinna E. S., & Indeswati, D. (2005). Peranan Sorbitol dalam Mempertahankan Kestabilan pH Saliva pada Proses Pencegahan Karies. *Majalah Kedokteran Gigi*, 38(1). pp. 25-28.
- Dossantosa, P.M.M., and Romanosc, M.T., (2012), The influence of pH levels on mechanical and biological properties of nonlatex and latex elastics, *Angle Orthod.*, 82(4), pp. 709–14.

- Everson, M.B., (2012), A Comparison of the Force Degradation of Marketed Latex Elastics in Varying Normal Resting pHs, Thesis, University of Illinois, Chicago, pp. 17-51.
- Fernandes, D.J., Abrahão, G.M., Elias, C.N., Mendes, A.M., (2011). Force Relaxation Characteristics of Medium Force Orthodontic Latex Elastics: A *Pilot Study*. ISRN Dent, pp. 1–5.
- Ferriter, J.P., Meyers, C.E., Lorton, L., (1990). The effect of hydrogen ion concentration on the force-degradation rate of orthodontic polyurethane chain elastics. *Am. J. Orthod. Dentofacial Orthopedi.* 98, pp. 404–410.
- Gioka, C., Zinelis, S., Eliades, T., Eliades, G., (2006). Orthodontic Latex Elastics: *Angle Orthod.* 76, pp. 5.
- Gonzaga, A.S., Faria, B.S., Melo, L.K. da S.M., de Amorim, D.C.M., Simplício, H., Caldas, S.G.F.R., (2017). Influence of temperature and humidity on the long-term storage of latex and non-latex orthodontic elastics. *Journal of Orthodontics.* 44, pp. 183–192.
- Hayasaki, S.M., Henriques, J.F.C., Janson, G., and Roberto de Freitas, M.,(2005). Influence of Extraction and Nonextraction Orthodontic Treatment in Japanese- Brazillians with Class I and Class II Division 1 Malocclusion, *American Journal Orthodontics.*, 127(1). P. 30-6.
- Henriques, J.F.C., Hayasaki, S.M., Henriques, R.P., (2003). Elásticos ortodônticos: como selecioná-los e utilizá-los de maneira eficaz. *J Bras Ortodon Ortop Facial.* 8(48), pp. 471-5.
- Hwang, C.-J., Cha, J.-Y., (2003). Mechanical and biological comparison of latex and silicone rubber bands. *Am. J. Orthod. Dentofacial Orthopedi.* 124, pp. 379–386.
- Kanchana, P., Godfrey, K., (2000). Calibration of force extension and force degradation characteristics of orthodontic latex elastics. *Am. J. Orthod. Dentofacial Orthopedi.* 118, pp. 280–287.
- Kersey, M.L., Glover, K., Heo, G., Raboud, D., Major, P.W., (2003). An in vitro comparison of 4 brands of nonlatex orthodontic elastics. *American Journal of Orthodontics. Dentofacial Orthopedic.* 123, pp. 401–407.
- Lacerda dos Santos, R., Pithon, M.M., Romanos, M.T.V., (2012). The influence of pH levels on mechanical and biological properties of nonlatex and latex elastics. *Angle Orthod.* 82, pp. 709–714.
- López, N., Vicente, A., Bravo, L.A., Calvo Guirado, J.L., Canteras, M., (2012). In vitro study of force decay of latex and non-latex orthodontic elastics. *Eur. J. Orthod.* 34, pp. 202–207.
- Marks, D.B., Marks, A.D., and Smith, C.M., (1996). *Biokimia Kedokteran Dasar: sebuah Pendekatan Klinis*, EGC, Jakarta, p. 113.

- Mathew, M.T., Abbey, S., Hallab, N.J., Hall, D.J., Sukotjo, C., Wimmer, M.A., (2012). Influence of pH on the tribocorrosion behavior of CpTi in the oral environment: synergistic interactions of wear and corrosion. *J. Biomed. Mater. Res. B Appl. Biomater.* 100B, pp. 1662–1671.
- Pederson, A.M., Bardow, A., Jensen, S.B., Nauntofte, B., (2002). Saliva and Gastrointestinal Function of Taste, Mastication, Swallowing, and Digestion. *Oral Dish.* 8, pp. 117-129.
- Preetha, A., Banerjee, R., n.d. Comparison of Artificial Saliva Substitutes 9.
- Proffit, W.R, Fields, Jr., H.W., and Sarver, D.M., (2006). *Contemporary Orthodontics 4<sup>th</sup> ed.* Alih Bahasa. Suminar, Gramedia, Jakarta, pp. 21.
- Russell, K.A., Milne, A.D., Khanna, R.A., Lee, J.M., (2001). In vitro assessment of the mechanical properties of latex and non-latex orthodontic elastics. *Am. J. Orthod. Dentofacial Orthopedi.* 120, pp. 36–44.
- Sauget, P.S., Stewart, K.T., Katona, T.R., (2011). The effect of pH levels on nonlatex vs latex interarch elastics. *Angle Orthod.* 81, pp. 1070–1074.
- Santos, R.L., M.M., Romanos, M.T.V., (2012). The influence of pH levels of mechanical and biological properties of nonlatex and latex elastics, *Angle Orthod.*, 82(4), pp. 709-14.
- Seibt, S., Salmoria, I., Cericato, G.O., Paranhos, L.R., Rosario, H.D., Haje, O.E., (2016). Comparative analysis of force degradation of latex orthodontic elastics of 5/16’’ diameter: an in vitro study. *Minerva Stomatologica.* 65(5), pp. 284-90.
- Shabham, A., Amin, F., Mahmubeh, Z., (2017). Synergic effect of salivary pH baselines and low pH intakes on the force relaxation of orthodontic latex elastics. *Dental Research Journal.* pp. 255.
- Singh, G., (2007). *Textbook Of Orthodontics 2<sup>nd</sup> ed .*, Unipress Publishing, pp. 225-9.452-4.
- Soesilo, D., Rinna, E.S., Indeswati, D., (2005). The Rule of Sorbitol in Maintaining Saliva pH to Prevent Caries Process. *Dent. J.* 38, pp. 25-28.
- Sumardjo, D., (2006). Pengantar Kimia : Buku Panduan Kuliah Mahasiswa Kedokteran dan Program Strata I Fakultas Bioeksakta, EGC, Jakarta, pp. 191-447.
- Sumekar, W., dan Suparwitri, S., (2013). Perbandingan Kekuatan Tarik Elastik Ortodontik Latek Dan Non Latek Dalam Saliva Buatan Dengan Ph Dan Waktu Yang Berbeda, *Jurnal Kedokteran Gigi*, 4(2), pp.169-75.
- Stevenson, J.S., and Kusy, R.P., (1994). Force Appliance and Decay Characteristics of Untreated and Treated Polyurethane Elastomeric Chain, *Angle Orthod.*, 64(6). pp. 455-67.
- Tagiran, A.S., (2005). Penggunaan Elastik Pada Perawatan Ortodonti. *Skripsi*, Universitas Sumatera Utara, Medan, pp. 1-9.

- Utami, Mediana, N, Hafiedz, (2008). Evaluation of Force Elastomeric Chain on The Immersion of Tea Packaging. *Jurnal Kedokteran Gigi*. 4(2), pp. 381-384.
- Vieira, C.I., Oliveira, C.B., Ribeiro, A.A., Caldas, S.G., Martins, L.P., Gandini Jr., L.G., and Santos-Pinto, A., (2013). In Vitro Comparison Of The Force Degradation Of Orthodontic Intraoral Elastics From Different Compositions, *JRSBO*, 10(1). pp. 40-8.
- Von Fraunhofer, J.A., Coffelt, M.T.P., Orbell, G.M., (1992). The effect of Artificial Saliva and Topical Fluoride Treatments on The Degradation of The Elastic Properties of Orthodontic Chains. *Angle Orthod*. 62, pp. 265-267.
- Wang, T., Zhou, G., Tan, X., Dong, Y., (2007). Evaluation of Force Degradation Characteristics of Orthodontic Latex Elastics in Vitro and In Vivo. *Angle Orthod*. 77, pp. 688–693.
- William, A.B., Theodore, E., (2001). Orthodontic Materials Scientific and Clinical Aspect, New York: Thieme. pp. 83.
- William, J. K., (2002). An Introduction to Fixed Appliance. Jakarta: EGC. pp.23-5.
- Wong. A.K., (1976). Orthodontic elastic materials, *Angle Orthod*. 46(2), pp.196-205.
- Yuwana, C.P., Christnawati, C., Farmasyanti, C., (2017). The Effect of Immersion Time in Three Kinds of Carbonated Beverages on Orthodontic Elastic Latex's Tensile Strength (In Vitro). UI Proc. *Health Medical*. pp. 1.