

## Daftar Pustaka

- Alguire P.C. (1990). Tonometry. In: Walker HK, Hall WD, Hurst JW, eds. *Clinical Methods: The History, Physical, and Laboratory Examinations*. 3rd ed. Boston: Butterworth. <http://www.ncbi.nlm.nih.gov/books/NBK222/>. Accessed May 25, 2018.
- Amarnath, M.V., Samuel, C., Sundararajan, D. (2015). Assessment of the factors influencing and comparing the intraocular pressure with the help of schiotz indentation tonometer and goldmann's applanation tonometer: a clinical study. *International Journal of Medical Research & Health Sciences*. 4(1):58. doi:[10.5958/2319-5886.2015.00010.7](https://doi.org/10.5958/2319-5886.2015.00010.7)
- American Academy of Ophthalmology. (2017). Glaucoma : Diagnosis and management. <https://www.nice.org.uk/guidance/ng81/resources/glaucoma-diagnosis-and-management-large-print-version-pdf-4656139165>
- Amm, M., Hedderich, J. (2005). Transpalpebrale Tonometrie mit einem digitalen, tragbaren Tonometer in gesunden Augen und nach perforierender Keratoplastik. *Der Ophthalmologe*. 102(1):70-76. doi:[10.1007/s00347-004-1082-5](https://doi.org/10.1007/s00347-004-1082-5)
- Aziz, K., Friedman, D.S. (2018). Tonometers—which one should I use? *Eye*. 32(5):931-937. doi:[10.1038/s41433-018-0040-4](https://doi.org/10.1038/s41433-018-0040-4)
- Bali, S.J., Bhartiya, S., Sobti, A., Dada, T., Panda, A. (2012). Comparative Evaluation of Diaton and Goldmann Applanation Tonometers. *Ophthalmologica*. 228(1):42-46. doi:[10.1159/000336047](https://doi.org/10.1159/000336047)
- Bland, J.M., Altman, D.G. (1986). Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet*. 1(8476):307-310.
- Chakraborty, A.K., Majumder, M., Sen, S. (2014). Comparison of transpalpebral tonometer with Goldmann applanation tonometer. *Taiwan Journal of Ophthalmology*. 4(3):110-115. doi:[10.1016/j.tjo.2014.03.002](https://doi.org/10.1016/j.tjo.2014.03.002)
- Chua, J., Tham, YC., Liao, J., et al. (2014). Ethnic differences of intraocular pressure and central corneal thickness: the Singapore Epidemiology of Eye Diseases study. *Ophthalmology*. 121(10):2013-2022. doi:[10.1016/j.ophtha.2014.04.041](https://doi.org/10.1016/j.ophtha.2014.04.041)
- Cordero I. (2014). Understanding and caring for a Schiotz tonometer. *Community Eye Health*. 27(87):57.
- Diaton. (t.t). Diaton User Guides. [Versi elektronik]. Diakses dari <https://www.TonometerDiaton.com>
- Doherty, M.D., Carrim, Z.I., O'Neill, D.P. (2012). Diaton tonometry: an assessment of validity and preference against Goldmann tonometry: Diaton tonometry versus Goldmann tonometry. *Clinical & Experimental Ophthalmology*. 40(4):e171-e175. doi:[10.1111/j.1442-9071.2011.02636.x](https://doi.org/10.1111/j.1442-9071.2011.02636.x)

- Duane's Clinical Ophthalmology.* (1989). Revised edition, 1989 / editor, William Tasman ; associate editor, Edward A. Jaeger. Philadelphia : Lippincott, 1989. <https://search.library.wisc.edu/catalog/999936067602121>.
- Elamed. (2018). TVGD-01 Operating Manual Book. [Versi elektronik]. Diakses dari <https://elamed.com/>
- Gharaei, H., Kargozar, A., Raygan, F., Daneshvar, R. (2008). Comparison of Perkins, Tono- Pen and Schiøtz tonometers in paediatric patients under general anaesthesia. *Eastern Mediterranean Health Journal.* 14(6):7.
- Giaconi, J.A., Law, S.K., Coleman, A.L., Caprioli, J. (2010). *Pearls of Glaucoma Management.* Springer Science & Business Media.
- Ilyas, S. (2007). Glaukoma (Tekanan Bola Mata Tinggi) Edisi 3. Jakarta: CV. Sagung Seto
- Jeelani, M., Taklikar, R., Taklikar, A., Itagi, V., Bennal, A. (2014). Variation of Intraocular Pressure with Age and Gender. 4(1):4.
- Li, Y., Shi, J., Duan, X., Fan, F. (2010). Transpalpebral measurement of intraocular pressure using the Diaton tonometer versus standard Goldmann applanation tonometry. *Graefes Arch Clin Exp Ophthalmol.* 248(12):1765-1770. doi:[10.1007/s00417-009-1243-y](https://doi.org/10.1007/s00417-009-1243-y)
- Maheshwari, R., Choudhari, N.S., Singh, M.D. (2012). Tonometry and Care of Tonometers. *Journal of Current Glaucoma Practice.* 6(3):124-130. doi:[10.5005/jp-journals-10008-1119](https://doi.org/10.5005/jp-journals-10008-1119)
- Malihi, M., Sit, A.J. (2012). Effect of head and body position on intraocular pressure. *Ophthalmology.* 119(5):987-991. doi:[10.1016/j.ophtha.2011.11.024](https://doi.org/10.1016/j.ophtha.2011.11.024)
- McMonnies, C.W. (2016). Intraocular pressure and glaucoma: Is physical exercise beneficial or a risk? *J Optom.* 9(3):139-147. doi:[10.1016/j.optom.2015.12.001](https://doi.org/10.1016/j.optom.2015.12.001)
- Muller A, Godenschweger L, Lang GE, Kampmeier J. (2004). Prospective comparison of the new indentation tonometer TGdC-01, the non-contact tonometer PT100 and the conventional Goldmann applanation tonometer. *Klin Monatsbl Augenheilkd* 221:762–768
- Murgatroyd, H., Bembridge, J. Intraocular pressure. (2008). *Continuing Education in Anaesthesia Critical Care & Pain.* 8(3):100-103. doi:[10.1093/bjaceaccp/mkn015](https://doi.org/10.1093/bjaceaccp/mkn015)
- Moses R. A. (1971). Theory of the Schiotz tonometer and its empirical calibration. *Transactions of the American Ophthalmological Society,* 69, 494–562.
- N, Lin. (2007). Central Corneal Thickness (CCT) Decreases With Age. *Invest. Ophthalmol. Vis. Sci.* 48(13):4332.
- Nadeem, S., Naeem, B.A., Tahira, R., Khalid, S., Hannan, A. (2015). Comparison of Goldmann Applanation, Diaton Transpalpebral and Air Puff Tonometers. :7.
- Nadiawati, RH. (2015) *Perbedaan hasil pengukuran tekanan intraokular menggunakan tonometer Schiotz dengan non contact tonometer pada pasien mata di Surakarta.* Karya Tulis Ilmiah Strata satu, Universitas Negeri Solo, Solo. <https://digilib.uns.ac.id/dokumen/51173/Perbedaan-Hasil-Pengukuran->

- Tekanan-Intraokular-Menggunakan-Tonometer-Schiotz-dengan-Non-Contact-Tonometer-pada-Pasien-Mata-di-Surakarta. Accessed May 25, 2018.
- Naduvilath, T.J., John, R.K., Dandona, L. (2000). Sample size for ophthalmology studies. *Indian Journal of Ophthalmology*. 48(3):245.
- Nagarajan, S., Velayutham, V., Ezhumalai, G. (2016). Comparative evaluation of applanation and indentation tonometers in a community ophthalmology setting in Southern India. *Saudi Journal of Ophthalmology*. 30(2):83-87. doi:[10.1016/j.sjopt.2015.11.002](https://doi.org/10.1016/j.sjopt.2015.11.002)
- Nema, H.V., Nema, N. (2014). *Diagnostic Procedures in Ophthalmology*. JP Medical Ltd
- Ohana, O., Varssano, D., Shemesh, G. (2017). Comparison of intraocular pressure measurements using Goldmann tonometer, I-care pro, Tonopen XL, and Schiotz tonometer in patients after Descemet stripping endothelial keratoplasty. *Indian Journal of Ophthalmology*. 65(7):579. doi:[10.4103/ijo.IJO\\_31\\_17](https://doi.org/10.4103/ijo.IJO_31_17)
- Oskarsdottir S, Bengtsson B, Heijl A. (2014). Age, intraocular pressure and glaucoma risk. *Investigative Ophthalmology & Visual Science*. 55(13):4297-4297.
- Ozel, A.B., Moroi, S.E., Reed, D.M., et al. (2014). Genome-wide association study and meta-analysis of intraocular pressure. *Hum Genet*. 133(1):41-57. doi:[10.1007/s00439-013-1349-5](https://doi.org/10.1007/s00439-013-1349-5)
- Ponka D, Baddar F. (2014). Schiötz tonometry. *Can Fam Physician*. 60(3):252.
- Razeghinejad, M.R., Amini, H., Torkaman, F., Tabatabaei, H.R. (2008). Correlation of Central Corneal Thickness with Schiotz and Goldmann Tonometry. 2(2):6.
- Sadida R. (2016). Pengaruh Olahraga Aerial Yoga Terhadap Tekanan Intraokular. *Ejournal Undip*;5(4):7.
- Sandner, D., Böhm, A., Kostov, S., Pillunat, L. (2005). Measurement of the intraocular pressure with the “transpalpebral tonometer” TGDC-01 in comparison with applanation tonometry. *Graefes Arch Clin Exp Ophthalmol*. 243(6):563-569. doi:[10.1007/s00417-004-1037-1](https://doi.org/10.1007/s00417-004-1037-1)
- Shemesh, G., Waisbord, M., Varssano, D., Michaeli, A., Lazar, M., Kurtz, S. (2009). Measurements of Intraocular Pressure by Goldmann Tonometry, Tonopen XL, and the Transpalpebral Tonometer, TGDC-01, After Penetrating Keratoplasty: A Comparativye Study: *Cornea*. 28(7):724-727. doi:[10.1097/ICO.0b013e3181930be8](https://doi.org/10.1097/ICO.0b013e3181930be8)
- Stamper, R.L. (2011). A History of Intraocular Pressure and Its Measurement: *Optometry and Vision Science*. 88(1):E16-E28. doi:[10.1097/OPX.0b013e318205a4e7](https://doi.org/10.1097/OPX.0b013e318205a4e7)
- Stevens, S. (2008). How to measure intraocular pressure: Schiötz tonometry. *Community Eye Health*. 21(66):34-34.
- Sukahar, A.A. (2017). *Pengaruh olahraga angkat beban terhadap tekanan intraokular*. Karya Tulis Ilmiah strata satu, Universitas Diponegoro, Semarang.

- Syam, P.P., Mavrikakis I, Liu C. (2005). Importance of early morning intraocular pressure recording for measurement of diurnal variation of intraocular pressure. *Br J Ophthalmol.* 89(7):926-927. doi:[10.1136/bjo.2004.052787](https://doi.org/10.1136/bjo.2004.052787)
- Vaughan and Asbury's General Ophthalmology, 17th edition. *Clinical and Experimental Optometry.* 91(6):577-577. doi:[10.1111/j.1444-0938.2008.00309.x](https://doi.org/10.1111/j.1444-0938.2008.00309.x)
- Waisbord, M., Shemesh, G., Top L.B., Lazar. M., Loewenstein, A. (2010). Comparison of the Transpalpebral Tonometer TGDC-01 with Goldmann Applanation Tonometry. *European Journal of Ophthalmology.* 20(5):902-906. doi:[10.1177/112067211002000514](https://doi.org/10.1177/112067211002000514)
- Weinreb, R.N., Aung. T., Medeiros, F.A. (2014). The pathophysiology and treatment of glaucoma: a review. *JAMA.* 311(18):1901-1911. doi:[10.1001/jama.2014.3192](https://doi.org/10.1001/jama.2014.3192)
- World Health Organization. (2010). Global estimates of visual impairment. *British Journal Ophthalmology Online.*
- Wisse R.P., Peeters, N., Imhof S.M., van der Lelij, A.(2016). Comparison of Diaton transpalpebral tonometer with applanation tonometry in keratoconus. *Int J Ophthalmol.* 9(3):395-398. doi:[10.18240/ijo.2016.03.12](https://doi.org/10.18240/ijo.2016.03.12)