

DAFTAR PUSTAKA

- Akritidou, S., Husted, G.R., Kazakos, K., Olesen, K., (2017). The effect of using interactive communication tools in adults with type-2 diabetes. *Nurs. Rep.* 7. <https://doi.org/10.4081/nursrep.2017.6155>
- Aagaard, J., Foldager, L., Makki, A., Hansen, V., Müller-Nielsen, K., 2017. The efficacy of psychoeducation on recurrent depression: a randomized trial with a 2-year follow-up. *Nord. J. Psychiatry* 71, 223–229. <https://doi.org/10.1080/08039488.2016.1266385>
- Allorerung, D.L., Sekeon, S.A.S., Joseph, W.B.S., n.d. HUBUNGAN ANTARA UMUR, JENIS KELAMIN DAN TINGKAT PENDIDIKAN DENGAN KEJADIAN DIABETES MELITUS TIPE 2 DI PUSKESMAS RANOTANA WERU KOTA MANADO TAHUN 2016 8.
- Amoah, V.M.K., Anokye, R., Boakye, D.S., Acheampong, E., Budu-Ainooson, A., Okyere, E., Kumi-Boateng, G., Yeboah, C., Afriyie, J.O., (2019). A qualitative assessment of perceived barriers to effective therapeutic communication among nurses and patients. *BMC Nurs.* 18, 4. <https://doi.org/10.1186/s12912-019-0328-0>
- Abdullah, Linda (2018). Hubungan komunikasi terapeutik dengan tingkat depresi lansia di pstw budi sejahtera banjarbaru provinsi kalimantan selatan tahun 2017. 2-TRIK: Tunas-Tunas Riset Kesehatan <http://2trik.jurnalelektronik.com/index.php/2trik>
- Abdul Muhith, Sandu Siyoto (2018). Aplikasi Komunikasi Teraupetik Nursing & Health. Yogyakarta : CV. Andi Offset

- Bobo, W.V., Angleró, G.C., Jenkins, G., Hall-Flavin, D.K., Weinshilboum, R., Biernacka, J.M., (2016). Validation of the 17-item Hamilton Depression Rating Scale definition of response for adults with major depressive disorder using equipercentile linking to Clinical Global Impression scale ratings: analysis of Pharmacogenomic Research Network Antidepressa: Validation of HDRS Definition of Response. *Hum. Psychopharmacol. Clin. Exp.* 31, 185–192. <https://doi.org/10.1002/hup.2526>
- Badescu., (2016). The association between Diabetes mellitus and Depression. *Journal of Medicine and Life* Vol. 9, Issue 2, April-June 2016, pp.120-125
- Bergmame, L., Shaw, S.R., 2018. Psychoeducational interventions to improve adolescents' medical management of diabetes: A comprehensive review. *Health Psychol. Rep.* 6, 10–39. <https://doi.org/10.5114/hpr.2018.70357>
- Bevan Jones, R., Thapar, Anita, Stone, Z., Thapar, Ajay, Jones, I., Smith, D., Simpson, S., 2018. Psychoeducational interventions in adolescent depression: A systematic review. *Patient Educ. Couns.* 101, 804–816. <https://doi.org/10.1016/j.pec.2017.10.015>
- Dharma, Kusuma Kelana (2011), Metodologi Penelitian Keperawatan : Panduan Melaksanakan dan Menerapkan Hasil Penelitian, Jakarta, Trans InfoMedia.
- Chew, B.-H., Vos, R., Mohd-Sidik, S., Rutten, G.E.H.M., (2016). Diabetes-Related Distress, Depression and Distress-Depression among Adults with Type 2 Diabetes Mellitus in Malaysia. *PLOS ONE* 11, e0152095. <https://doi.org/10.1371/journal.pone.0152095>
- Che, T., Teng, X., Huang, Q., Mu, Y., Tang, X., Mu, X., Wei, Y., (2018). Agomelatine versus fluoxetine in glycemic

control and treating depressive and anxiety symptoms in type 2 diabetes mellitus subjects: a single-blind randomized controlled trial. *Neuropsychiatr. Dis. Treat.* Volume 14, 1527–1533.
<https://doi.org/10.2147/NDT.S167608>

De Groot, M., Golden, S.H., Wagner, J., (2016). Psychological conditions in adults with diabetes. *Am. Psychol.* 71, 552–562. <https://doi.org/10.1037/a0040408>

Dagmara Paiva, Liliana Abreu, Ana Azevedo, Susana Silva (2019). Patient-centered communication in type 2 diabetes: The facilitating and constraining factors in clinical encounters. *Health Services Research* : DOI: 10.1111/1475-6773.13126

Davis, W.A., Bruce, D.G., Dragovic, M., Davis, T.M.E., Starkstein, S.E., (2018). The utility of the Diabetes Anxiety Depression Scale in Type 2 diabetes mellitus: The Fremantle Diabetes Study Phase II. *PLOS ONE* 13, e0194417. <https://doi.org/10.1371/journal.pone.0194417>

De Groot, M., Shubrook, J.H., Hornsby, W.G., Pillay, Y., Mather, K.J., Fitzpatrick, K., Yang, Z., Saha, C., (2019). Program ACTIVE II: Outcomes From a Randomized, Multistate Community-Based Depression Treatment for Rural and Urban Adults With Type 2 Diabetes. *Diabetes Care* 42, 1185–1193. <https://doi.org/10.2337/dc18-2400>

Derek, M.I., Rottie, J.V., Kallo, V., (2017). HUBUNGAN TINGKAT STRES DENGAN KADAR GULA DARAH PADA PASIEN DIABETES MELITUS TIPE II DI RUMAH SAKIT PANCARAN KASIH GMIM MANADO 5, 6.

Dinas Kesehatan. Profil Kesehatan Kabupaten/Kota se-DIY. Yogyakarta: Dinas Kesehatan D.I. Yogyakarta; 2017

Elina Chrisniati, Carla Raymondalexas Marchira, Hari Kusnanto (2019). Depression and the quality of life among patients with type 2 diabetes mellitus in Sardjito hospital. (BKM Journal of Community Medicine and Public Health)

Golden, S.H., Shah, N., Naqibuddin, M., Payne, J.L., Hill-Briggs, F., Wand, G.S., Wang, N.-Y., Langan, S., Lyketsos, C., (2017). The Prevalence and Specificity of Depression Diagnosis in a Clinic-Based Population of Adults With Type 2 Diabetes Mellitus. *Psychosomatics* 58, 28–37. <https://doi.org/10.1016/j.psym.2016.08.003>

Geldard, Kathryn. dan David Geldard. (2011). *Konseling Remaja*, Yogyakarta. Pustaka Belajar

Hamni Fadlilah Nasution (2018). Instrumen Penelitian Dan Urgensinya Dalam Penelitian Kuantitatif. Dosen Fakultas Ekonomi dan Bisnis Islam IAIN Padangsidimpuan

Halista, R.A, dan Lisiswanti, R. (2015). Depresi pada Penderita Diabetes Mellitus Tipe 2. *Jurnal Majority*,4(9), 73-77

Izzati Wisnatul,Nirmala.Hubungan Tingkat Stres Dengan Peningkatan Kadar Gula Darah Pada Psien DM di Wilayah Kerja Puskesmas Perkotaan Rasimah Ahmad Bukittiggi Tahun 2015

Imelda, S.I., 2019. Faktor-Faktor Yang Mempengaruhi Terjadinya diabetes Melitus di Puskesmas Harapan Raya Tahun 2018. *Sci. J.* 8, 28–39. <https://doi.org/10.35141/scj.v8i1.406>

Isnaini, N., Ratnasari, R., 2018. Faktor risiko mempengaruhi kejadian Diabetes mellitus tipe dua. *J. Kebidanan Dan Keperawatan Aisyiyah* 14, 59–68. <https://doi.org/10.31101/jkk.550>

- Joseph, J.J., Golden, S.H., (2017). Cortisol dysregulation: the bidirectional link between stress, depression, and type 2 diabetes mellitus: Role of cortisol in stress, depression, and diabetes. Ann. N. Y. Acad. Sci. 1391, 20–34. <https://doi.org/10.1111/nyas.13217>
- Khambaty, T., Callahan, C.M., Perkins, A.J., Stewart, J.C., (2017). Depression and Anxiety Screens as Simultaneous Predictors of 10-Year Incidence of Diabetes Mellitus in Older Adults in Primary Care. J. Am. Geriatr. Soc. 65, 294–300. <https://doi.org/10.1111/jgs.14454>
- Ketut Dian Wahyuni, I Wayan Candra (2019). PENGARUH PELATIHAN PANCA CARA TEMUAN MAKNA TERHADAP PENURUNAN TINGKAT DEPRESI PADA PASIEN DIABETES MELITUS. Jurnal Gema Keperawatan
- Kumala, R.N., Wijaya, A., Yosdimyati, L., (2016). HUBUNGAN KOMUNIKASI TERAPEUTIK PERAWAT DENGAN KEPATUHAN DIET PADA PASIEN DIABETES MELITUS DI POLI PENYAKIT DALAM RSUD JOMBANG 7.
- Livana, Indah Permata Sari, Hermanto (2018). Gambaran Tingkat Persepsi Pasien Diabetes Mellitus di Kabupaten Kendal. Jurnal Kesehatan Poltekkes Ternate, 11(2), 2018, pages 48 – 57
- Liuw, F.F., Kandou, G.D., Malonda, N.S.H., n.d. HUBUNGAN ANTARA JENIS KELAMIN DAN DIABETES MELITUS TIPE 2 DENGAN KUALITAS HIDUP PADA PENDUDUK DI KELURAHAN KOLONGAN KECAMATAN TOMOHON TENGAH KOTA TOMOHON 7.

- Mulder, B.C., Lokhorst, A.M., n.d. (2015). Effective Nurse Communication With Type 2 Diabetes Patients: A Review. *West. J. Nurs. Res.* 33.
- Maame Kissiwaah Amoah, V., Anokye, R., Boakye, D.S., Gyamfi, N., (2018). Perceived barriers to effective therapeutic communication among nurses and patients at Kumasi South Hospital. *Cogent Med.* 5. <https://doi.org/10.1080/2331205X.2018.1459341>
- Macêdo, E.A., Appenzeller, S., Costallat, L.T.L., (2018). Depression in systemic lupus erythematosus: gender differences in the performance of the Beck Depression Inventory (BDI), Center for Epidemiologic Studies Depression Scale (CES-D), and Hospital Anxiety and Depression Scale (HADS). *Lupus* 27, 179–189. <https://doi.org/10.1177/0961203317713142>
- Martin, C.T., Chanda, N., (2016). Mental Health Clinical Simulation: Therapeutic Communication. *Clin. Simul. Nurs.* 12, 209–214. <https://doi.org/10.1016/j.ecns.2016.02.007>
- Mahendro Prasetyo Kusumo (2017). Pengaruh Komunikasi Terapeutik Perawat Terhadap Kepuasan Pasien Di Rawat Jalan RSUD Jogja. *Jurnal Medicoeticolegal dan Managemen Rumah Sakit*. Januari 2017
- Naicker, K., Johnson, J.A., Skogen, J.C., Manuel, D., Øverland, S., Sivertsen, B., Colman, I., (2017). Type 2 Diabetes and Comorbid Symptoms of Depression and Anxiety: Longitudinal Associations With Mortality Risk. *Diabetes Care* 40, 352–358. <https://doi.org/10.2337/dc16-2018>
- Natasubagyo, O.S., Kusrohmaniah, S., 2019. Efektivitas Psikoedukasi untuk Peningkatan Literasi Depresi. *Gadjah Mada J. Prof. Psychol. GamaJPP* 5, 26. <https://doi.org/10.22146/gamajpp.48585>

- Nafiaa H, Benchikhi L and Ouanass A (2017). Quality of Life and Psychological Aspects of Diabetes. *Mental Health & Human Resilience International Journal* : ISSN: 2578-5095
- Negi, S., Kaur, H., Singh, G., Pugazhendi, S., (2017). Quality of nurse patient therapeutic communication and overall patient satisfaction during their hospitalization stay. *Int. J. Med. Sci. Public Health* 6, 1. <https://doi.org/10.5455/ijmsph.2017.0211522112016>
- Notoatmodjo.(2014). Metodologi Penelitian Kesehatan.Jakarta : PT. Rineka Cipta
- Noviana Dewi, Faqih Purnomasidi Psychology, Dhian Riskiana Putri (2019). The Effect of Depression, Anxiety, and Stress on Blood Sugar in the Elderly Based on the Aspect of Islamic Psychology. *Advances in Social Science, Education and Humanities Research*, volume 339
- Polonsky, W.H., Capehorn, M., Belton, A., Down, S., Alzaid, A., Gamerman, V., Nagel, F., Lee, J., Edelman, S., (2017). Physician–patient communication at diagnosis of type 2 diabetes and its links to patient outcomes: New results from the global IntroDia® study. *Diabetes Res. Clin. Pract.* 127, 265–274. <https://doi.org/10.1016/j.diabres.2017.03.016>
- Price Sylvia A, Wilson Lorraine M. Patofisiologi: Konsep Klinis Proses-Proses Penyakit. Jakarta: EGC; 2012.
- Perrin, N., Bodicoat, D.H., Davies, M.J., Robertson, N., Snoek, F.J., Khunti, K., 2019. Effectiveness of psychoeducational interventions for the treatment of diabetes-specific emotional distress and glycaemic control in people with type 2 diabetes: A systematic review and meta-analysis. *Prim. Care Diabetes* 13, 556–567. <https://doi.org/10.1016/j.pcd.2019.04.001>

PERKENI, (2015). Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia, PERKENI, Jakarta.

Prasetyo Kusumo, M., (2017). Pengaruh Komunikasi Terapeutik Perawat Terhadap Kepuasan Pasien di Rawat Jalan RSUD Jogja. *J. Medicoeticolegal Dan Manaj. Rumah Sakit* 1018196jmmr2016 6, 72–81.
<https://doi.org/10.18196/jmmr.6130>

Priyo Sasmito, Majadanlipah, Raihan, Ernawati (2018). Penerapan Teknik Komunikasi Terapeutik Oleh Perawat pada Pasien. *Jurnal Kesehatan Poltekkes Ternate*, 11(2), 2018, Pages 58-64

Riset Kesehatan Dasar (Riskesdas) (2018). Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018.

Riyaldi, S. (2016). Hubungan Motivasi Kerja Dan Lama Kerja Perawat Dengan Penerapan Komunikasi Terapeutik Pada Klien Di Ruah Sakit PKU Muhammadiyah Kota Gede Yogyakarta. Yogyakarta

Semenkovich, K., Brown, M.E., Svrakic, D.M., Lustman, P.J., (2015). Depression in Type 2 Diabetes Mellitus: Prevalence, Impact, and Treatment. *Drugs* 75, 577–587.
<https://doi.org/10.1007/s40265-015-0347-4>

Sugiyono. (2017). Metode Penelitian Kuantitatif, Kualitatif, dan R&D. Bandung: Alfabeta

Sutinah, S., Maulani, M., 2017. HUBUNGAN PENDIDIKAN, JENIS KELAMIN DAN STATUS PERKAWINAN DENGAN DEPRESI PADA LANSIA. *J. Endur.* 2, 209.
<https://doi.org/10.22216/jen.v2i2.1931>

Tri Anjaswarni (2016). Komunikasi Dalam Keperawatan. Pusdik SDM kesehatan : Jakarta selatan

Utami, A.W., Liza, R.G., Ashal, T., n.d. Hubungan Kemungkinan Depresi dengan Kualitas Hidup pada Lanjut Usia di Kelurahan Surau Gadang Wilayah Kerja Puskesmas Nanggalo Padang 7.

Wang, Y., Lopez, J.M.S., Bolge, S.C., Zhu, V.J., Stang, P.E., 2016. Depression among people with type 2 diabetes mellitus, US National Health and Nutrition Examination Survey (NHANES), 2005–2012. BMC Psychiatry 16, 88. <https://doi.org/10.1186/s12888-016-0800-2>

White, R.O., Eden, S., Wallston, K.A., Kripalani, S., Barto, S., Shintani, A., Rothman, R.L., 2015. Health communication, self-care, and treatment satisfaction among low-income diabetes patients in a public health setting. Patient Educ. Couns. 98, 144–149. <https://doi.org/10.1016/j.pec.2014.10.019>

Wahidmurni (2017). Pemaparan Metode Penelitian Kuantitatif. Disertasi Fakultas Ilmu Tarbiyah dan Keguruan UIN Maulana Malik Ibrahim Malang

Werner-Seidler, A., Hitchcock, C., Bevan, A., McKinnon, A., Gillard, J., Dahm, T., Chadwick, I., Panesar, I., Breakwell, L., Mueller, V., Rodrigues, E., Rees, C., Gormley, S., Schweizer, S., Watson, P., Raes, F., Jobson, L., Dalglish, T., 2018. A cluster randomized controlled platform trial comparing group MEmory specificity training (MEST) to group psychoeducation and supportive counselling (PSC) in the treatment of recurrent depression. Behav. Res. Ther. 105, 1–9. <https://doi.org/10.1016/j.brat.2018.03.004>

Živanović, D., Ćirić, Z., (2017). Therapeutic Communication in Health Care. SciFed Nursing & Healthcare Journal.