

LAMPIRAN

<pre> class LoginController extends Controller public function actionCreate(){ \$this->allowUser(Yii::app()->user->getState('level')); \$model=new Login; if(isset(\$_POST['Login'])){ \$model->attributes=\$_POST['Login']; if(\$model->save())\$this->redirect(array('view','id'=>\$model->id_login)); }\$this->render('create',array('model'=>\$model,)); } public function actionUpdate(\$id) { \$this->allowUser(Yii::app()->user->getState('level'));\$model=\$this->loadModel(\$id); if(isset(\$_POST['Login'])){ \$model->attributes=\$_POST['Login']; if(\$model->save())\$this->redirect(array('view','id'=>\$model->id_login)); }\$this->render('update',array('model'=>\$model,)); } public function actionDelete(\$id) { \$this->allowUser(Yii::app()->user->getState('level'));\$this->loadModel(\$id)->delete();if(!isset(\$_GET['ajax'])) \$this->redirect(isset(\$_POST['returnUrl']) ? \$_POST['returnUrl'] : array('admin'));} public function actionAdmin(){ \$model=new Login('search'); \$model->unsetAttributes(); if(isset(\$_GET['Login'])) \$model->attributes=\$_GET['Login']; \$this->render('admin',array('model'=>\$model,)); } \$model=new ContactForm; if(isset(\$_POST['ContactForm'])) \$model->attributes=\$_POST['ContactForm']; if(\$model->validate()) </pre>	<pre> class PelangganController extends Controller{ public function actionCreate(){ \$model=new Pelanggan; if(isset(\$_POST['Pelanggan'])) { \$model->attributes=\$_POST['Pelanggan'];if(\$model->save())\$this->redirect(array('view','id'=>\$model->pelanggan_id)); } \$this->render('create',array('model'=>\$model,)); } publicfunctionactionUpdate(\$id){ \$model=\$this->loadModel(\$id);if(isset(\$_POST['Pelanggan'])){\$model->attributes=\$_POST['Pelanggan']; (\$model->save())\$this->redirect(array('view','id'=>\$model->pelanggan_id));}\$this->render('update',array('model'=>\$model,)); } public function actionDelete(\$id){ \$this->loadModel(\$id)->delete(); if(!isset(\$_GET['ajax']))\$this->redirect(isset(\$_POST['returnUrl']) ? \$_POST['returnUrl'] : array('admin'));} public function actionAdmin(){ \$model=new Pelanggan('search'); \$model->unsetAttributes(); valuesif(isset(\$_GET['Pelanggan'])) \$model->attributes=\$_GET['Pelanggan']; \$this->render('admin',array('model'=>\$model,)); } classKendaraanControllerextends Controller public function actionCreate() { \$model=new Kendaraan;if (isset(\$_POST['Kendaraan'])) { \$_POST['Kendaraan']['kendaraan_foto'] =\$model->kendaraan_foto;\$model->attributes=\$_POST['Kendaraan']; </pre>
---	---

<pre> { \$name='=?UTF- 8?B?.base64_encode(\$model- >name).'?=';\$subject='=?UTF- 8?B?.base64_encode(\$model- >subject).'?='; \$headers="From: \$name <{\$model->email}>\r\n". "Reply-To: {\$model->email}\r\n". "MIME-Version: 1.0\r\n". "Content-Type: text/plain; charset=UTF- 8";mail(Yii::app()- >params['adminEmail'],\$subject,\$model- >body,\$headers);Yii::app()->user- >setFlash('contact','Thank you for contacting us. We will respond to you as soon as possible. '); \$this->refresh(); } \$this->render('contact',array('model'=>\$m odel)); } public function actionLogin() { \$model=new LoginForm; if(isset(\$_POST['ajax'])&& \$_POST['ajax']==='login-form') {echo CActiveForm::validate(\$model); Yii::app()->end();}if(isset(\$_POST['Login Form'])){\$model->attributes=\$_POST['Lo ginForm'];if(\$model- >validate()&&\$model->login())\$this- >redirect(Yii::app()->user- >returnUrl);} \$this->render('login',array('m odel'=>\$model));} class TarifController extends Controller public function actionCreate(){ \$model=new Tarif; if(isset(\$_POST['Tarif'])){ \$model->attributes=\$_POST['Tarif']; if(\$model->save())\$this- >redirect(array('view','id'=>\$model- >tarif_id));} \$this- >render('create',array('model'=>\$model,)) ; } public function actionUpdate(\$id) { \$model=\$this->loadModel(\$id); if(isset(\$_POST['Tarif'])){ </pre>	<pre> \$rand = rand(0,9999); \$uploadedFile1=CUploadedFile: :getInstance(\$model,'kendaraan_foto'); \$file_name1 = \$rand."- ".\$uploadedFile1; \$model->kendaraan_foto = \$file_name1; if(\$model->save()){ if(!empty(\$uploadedFile1)) { \$uploadedFile1->saveAs(Yii::app()->b asePath.'../../admin/images/kendaraan/ '.\$file_name1);}else{ \$model- >kendaraan_foto=""; } \$this->redirect(array('view','id'=>\$mo del->kendaraan_id));} \$this->render('cr eate',array('model'=>\$model,));} public function actionUpdate (\$id){ \$model=\$this->loadModel(\$id); \$kendaraan_foto=\$model->kendaraan_ foto;if(isset(\$_POST['Kendaraan'])) { \$_POST['Kendaraan']['kendaraan_fot o'] = \$model->kendaraan_foto; \$model->attributes=\$_POST['Kendara an'];\$rand=rand(0,9999);\$uploadedFile 1=CUploadedFile::getInstance(\$model ,'kendaraan_foto');\$file_name1=\$rand."" .\$uploadedFile1;if(!empty(\$uploadedF ile1)){ \$model->kendaraan_foto=\$fileN ame1;}else{ \$model- >kendaraan_foto=\$kendaraan_foto; }if(\$model->save()){if(!empty(\$uploa dedFile1)){ \$uploadedFile1- >saveAs(Yii::app()->basePath.'../../ad min/images/kendaraan/'.\$file_name1);} else{ \$model->kendaraan_foto= \$kendaraan_foto;} \$this->redirect(array ('view','id'=>\$model->kendaraan_id)); } } \$this->render('update',array('model'=>\$ model,)); } public function actionDelete (\$id) { \$this->loadModel(\$id)->delete(); </pre>
--	--

<pre> \$model->attributes=\$_POST['Tarif']; if(\$model->save())\$this- >redirect(array('view','id'=>\$model- >tarif_id));}\$this>render('update',array(model'=>\$model,));} public function actionDelete(\$id) {\$this->loadModel(\$id)->delete(); if(!isset(\$_GET['ajax']))\$this- >redirect(isset(\$_POST['returnUrl'])? \$_POST['returnUrl'] : array('admin')));} class TransaksiController extends Controller PublicfunctionactionCreate(){ \$model=new Transaksi;if(isset(\$_POST['Transaksi'])) { \$model>attributes=\$_POST['Transaksi'] ; \$model->pelanggan_id= Yii::app()- >user->getState('idnya'); \$model->status_sopir = \$_POST['sopir']; if(\$model->save())\$this- >redirect(array('view','id'=>\$model- >Transaksi_id));} \$this- >render('create',array('model'=>\$model,)); } public function actionUpdate(\$id) { \$model=\$this->loadModel(\$id); if(isset(\$_POST['Transaksi'])) { \$model>attributes=\$_POST['Transaksi'] ; if(\$model->save())\$this- >redirect(array('view','id'=>\$model- >Transaksi_id)); }\$this- >render('update',array('model'=>\$model,)); } public function actionDelete(\$id) { \$this->loadModel(\$id)->delete(); if(!isset(\$_GET['ajax'])) \$this>redirect(isset(\$_POST['returnUrl']) ? \$_POST['returnUrl'] : array('admin'));} </pre>	<pre> if(!isset(\$_GET['ajax']))\$this- >redirect(isset(\$_POST['returnUrl'])? \$_POST['returnUrl'] : array('admin')); }public function actionIndex(){ \$dataProvider=new CActiveDataProvider('Kendaraan'); \$this->render('index',array('dataProvider'=>\$dataProvider,));} </pre>
--	--

<p>Model Admin</p> <pre>class Admin extends CActiveRecord { public function tableName(){return 'admin';}public function rules(){return array(array('username, password', 'required'),array('username, password', 'length', 'max'=>6),array('id_admin, username, password', 'safe', 'on'=>'search'),);}public function relations(){return array();}public function attributeLabels(){return array('id_admin' => 'Id Admin','username' => 'Username','password' => 'Password',);}public function search(){ \$criteria=new CDbCriteria;\$criteria- >compare('id_admin',\$this- >id_admin);\$criteria- >compare('username',\$this- >username,true);\$criteria- >compare('password',\$this- >password,true);return new CActiveDataProvider(\$this, array('criteria'=>\$criteria,);}public static function model(\$className=__CLASS__){ret urn parent::model(\$className);}}</pre>	<p>Contck Form Model</p> <pre>class ContactForm extends CFormModel { public \$name; public \$email; public \$subject; public \$body; public \$verifyCode; public function rules() { return array(array('name, email, subject, body', 'required'), array('email', 'email'), array('verifyCode', 'captcha', 'allowEmpty'=>!CCaptcha::checkReq uirements()),);}public function attributeLabels(){return array('verifyCode'=>'Verification Code',);} }</pre>
<p>Kendaraa Model</p> <pre>class Kendaraan extends CActiveRecord{associated database table namepublic function tableName(){return 'kendaraan';}rules for model attributes.public function rules(){</pre>	<p>Login Model</p> <pre>class Login extends CActiveRecord{public function tableName(){return 'login';}public function rules(){return array(array('username, password, nama_lengkap, level',</pre>

<pre> public function rules(){return array(array('kendaraan_platnomor, kendaraan_merk, kendaraan_tipe, kendaraan_status', 'required'),array('kendaraan_tahunrakit , kendaraan_seat', 'numerical', 'integerOnly'=>true),array('kendaraan_ platnomor', 'length', 'max'=>30),array('kendaraan_merk', 'length', 'max'=>20),array('kendaraan_tipe', 'length', 'max'=>20),array('kendaraan_status', 'length', 'max'=>5), array('kendaraan_id, kendaraan_platnomor, kendaraan_merk, kendaraan_tipe, kendaraan_tahunrakit, kendaraan_seat, kendaraan_foto, kendaraan_fasilitas, kendaraan_status', 'safe', 'on'=>'search'),);} public function relations(){return array();} public function attributeLabels(){return array('kendaraan_id' => 'Kendaraan', 'kendaraan_platnomor' => 'Kendaraan Platnomor', 'kendaraan_merk' => 'Kendaraan Merk', 'kendaraan_tipe' => 'Kendaraan Tipe', 'kendaraan_tahunrakit' => 'Kendaraan Tahunrakit', 'kendaraan_seat' => 'Kendaraan Seat', 'kendaraan_foto' => 'Kendaraan Foto', </pre>	<pre> 'required'),array('no_hp', 'length', 'max'=>20),array('level', 'length', 'max'=>8),array('id_login, username, password, nama_lengkap, no_hp, level', 'safe', 'on'=>'search'),);} public function relations(){return array();} public function attributeLabels(){return array('id_login' => 'Id Login', 'username' => 'Username', 'password' => 'Password', 'nama_lengkap' => 'Nama Lengkap', 'no_hp' => 'No Hp', 'level' => 'Level',);} public function search(){ \$criteria=new CDbCriteria;\$criteria- >compare('id_login',\$this- >id_login);\$criteria- >compare('username',\$this- >username);\$criteria- >compare('password',\$this- >password);\$criteria- >compare('nama_lengkap',\$this- >nama_lengkap);\$criteria- >compare('no_hp',\$this- >no_hp,true);\$criteria- >compare('level',\$this- >level,true);return new CActiveDataProvider(\$this, array('criteria'=>\$criteria,);} public static function model(\$className=__CLASS__){ret urn parent::model(\$className);} } </pre>
---	--

<pre>'kendaraan_fasilitas' => 'Kendaraan Fasilitas','kendaraan_status' => 'Kendaraan Status',);} public function search(){ \$criteria=new CDBCriteria;\$criteria- >compare('kendaraan_id',\$this- >kendaraan_id);\$criteria- >compare('kendaraan_platnomor',\$this >kendaraan_platnomor,true);\$criteria- >compare('kendaraan_merk',\$this- >kendaraan_merk,true);\$criteria- >compare('kendaraan_tipe',\$this- >kendaraan_tipe,true);\$criteria- >compare('kendaraan_tahunrakit',\$this ->kendaraan_tahunrakit);\$criteria- >compare('kendaraan_seat',\$this- >kendaraan_seat);\$criteria- >compare('kendaraan_foto',\$this- >kendaraan_foto,true);\$criteria- >compare('kendaraan_fasilitas',\$this- >kendaraan_fasilitas,true);\$criteria- >compare('kendaraan_status',\$this- >kendaraan_status,true);return new CActiveDataProvider(\$this, array('criteria'=>\$criteria,));} public static function model(\$className=__CLASS__){ret urn parent::model(\$className);}}</pre>	<p>Pelanggan Model</p> <pre>class Pelanggan extends CActiveRecord {public function tableName(){return 'pelanggan';} public function rules(){return array(array('pelanggan_nama, pelanggan_alamat, pelanggan_telpon, email, password', 'required'),array('pelanggan_nama', 'length', 'max'=>25),array('pelanggan_telpon', 'length', 'max'=>12),array('email', 'length', 'max'=>20),array('password', 'length', 'max'=>6), array('pelanggan_id, pelanggan_nama, pelanggan_alamat, pelanggan_telpon, email, password', 'safe', 'on'=>'search'),);} public function attributeLabels(){return array('pelanggan_id' => 'Pelanggan','pelanggan_nama' => 'Pelanggan Nama','pelanggan_alamat' => 'Pelanggan Alamat','pelanggan_telpon' => 'Pelanggan Telpon','email' => 'Email','password' => 'Password',);} public function search(){ \$criteria=new CDBCriteria;\$criteria- >compare('pelanggan_id',\$this- >pelanggan_id);\$criteria- >compare('pelanggan_nama',\$this- >pelanggan_nama,true);\$criteria- >compare('pelanggan_alamat',\$this- >pelanggan_alamat,true);\$criteria-</pre>
--	---

	<pre> >compare('pelanggan_telpon',\$this- >pelanggan_telpon,true);\$criteria- >compare('email',\$this- >email,true);\$criteria- >compare('password',\$this- >password,true);return new CActiveDataProvider(\$this, array('criteria'=>\$criteria,));} public static function model(\$className=__CLASS__){ret urn parent::model(\$className);} </pre>
--	--

<p>Sopir Model</p> <pre> public function tableName(){return 'sopir';}public function rules(){return array(array('sopir_alamat, sopir_nama, sopir_telpon, sopir_status', 'required'),array('sopir_nama', 'length', 'max'=>25),array('sopir_telpon', 'length', 'max'=>12),array('sopir_ktp, sopir_sim', 'length', 'max'=>20),array('sopir_status', 'length', 'max'=>5),array('sopir_id, sopir_alamat, sopir_nama, sopir_telpon, sopir_ktp, sopir_sim, sopir_status', 'safe', 'on'=>'search'),);}public function relations(){return array();}public function attributeLabels(){return array('sopir_id' => 'Sopir','sopir_alamat' => 'Sopir Alamat','sopir_nama' => 'Sopir Nama','sopir_telpon' => 'Sopir Telpon','sopir_ktp' => 'Sopir Ktp','sopir_sim' => 'Sopir Sim', 'sopir_status' => 'Sopir Status',);} </pre>	<p>Tarif Model</p> <pre> class Tarif extends CActiveRecord{public \$namaMerk;public \$namaTipe; public function tableName(){return 'tarif';} public function rules(){return array(array('kendaraan_id, tarif_perhari, tarif_overtime', 'required'),array('kendaraan_id, tarif_perhari, tarif_overtime', 'numerical', 'integerOnly'=>true), array('tarif_id, kendaraan_id, tarif_perhari, tarif_overtime,namaMerk,namaTipe', 'safe', 'on'=>'search'),);} public function relations(){return array('kendaraan' => array(self::BELONGS_TO, 'Kendaraan', 'kendaraan_id'),);}public function attributeLabels(){return array('tarif_id' => 'Tarif','kendaraan_id' => 'Kendaraan', </pre>
---	---

<pre> public function search(){ \$criteria=new CDBCriteria;\$criteria- >compare('sopir_id',\$this- >sopir_id);\$criteria- >compare('sopir_alamat',\$this- >sopir_alamat,true);\$criteria- >compare('sopir_nama',\$this- >sopir_nama,true);\$criteria- >compare('sopir_telpon',\$this- >sopir_telpon,true);\$criteria- >compare('sopir_ktp',\$this- >sopir_ktp,true);\$criteria- >compare('sopir_sim',\$this- >sopir_sim,true);\$criteria- >compare('sopir_status',\$this- >sopir_status,true);return new CActiveDataProvider(\$this, array('criteria'=>\$criteria,)); }public static functionmodel(\$className=__CLAS S__){return parent::model(\$className);} } </pre>	<pre> 'tarif_perhari' => 'Tarif Perhari','tarif_overtime' => 'Tarif Overtime',);}public function search(){ \$criteria=new CDBCriteria;\$criteria- >compare('tarif_id',\$this- >tarif_id);\$criteria- >compare('kendaraan_id',\$this- >kendaraan_id);\$criteria- >compare('tarif_perhari',\$this- >tarif_perhari);\$criteria- >compare('tarif_overtime',\$this- >tarif_overtime);\$criteria- >compare('kendaraan.kendaraan_merk ', \$this->namaMerk, true);\$criteria- >with = array('kendaraan');\$criteria- >compare('kendaraan.kendaraan_tipe', \$this->namaTipe, true);\$criteria->with = array('kendaraan');return new CActiveDataProvider(\$this, array('criteria'=>\$criteria,)); }public staticfunctionmodel(\$className=__C LASS__){returnparent::model(\$class Name);}public function getMenuList(){ \$connection=Yii::app()->db;\$sql="SELECT kendaraan_id, kendaraan_platnomor, kendaraan_tipe FROM kendaraan ORDER BY kendaraan_tipe"; \$menu=\$connection- >createCommand(\$sql)- >query(); \$menu- >bindColumn(1,\$option_value); \$menu>bindColumn(2,\$option_name) ; \$menu>bindColumn(3,\$option_tipe); \$balik["]=" - Pilih Kendaraan";while(\$menu- >read()!==false){ </pre>
<p>Transaksi Model</p> <pre> class Transaksi extends CActiveRecord{ public function tableName(){return 'transaksi'};public function rules(){return array(array('pelanggan_id, kendaraan_id, transaksi_tglmulai, transaksi_hari,no_ktp, transaksi_total', 'required'),array('pelanggan_id, sopir_id, kendaraan_id, transaksi_total', 'numerical', 'integerOnly'=>true), </pre>	

<pre> array('transaksi_hari,status_sopir', 'length', 'max'=>10),array('transaksi_status', 'length', 'max'=>7),array('transaksi_tglselesai', 'safe'),array('transaksi_id, pelanggan_id, sopir_id,status_sopir, kendaraan_id,no_ktp, transaksi_tglmulai, transaksi_tglselesai, transaksi_hari, transaksi_tglovertime, transaksi_hariovertime, transaksi_total, transaksi_status', 'safe', 'on'=>'search'),);}public function relations(){return array('kendaraan' => array(self::BELONGS_TO, 'Kendaraan', 'kendaraan_id'), 'pelanggan' => array(self::BELONGS_TO, 'Pelanggan', 'pelanggan_id'),'sopir' => array(self::BELONGS_TO, 'Sopir', 'sopir_id'),);}public function attributeLabels(){return array('transaksi_id' => 'Transaksi','pelanggan_id' => 'Pelanggan', 'sopir_id' => 'Sopir','kendaraan_id' => 'Kendaraan','transaksi_tglmulai' => 'Transaksi Tglmulai','transaksi_tglselesai' => 'Transaksi Tglselesai','transaksi_hari' => 'Transaksi Hari', 'transaksi_tglovertime' => 'Transaksi Tglovertime','transaksi_hariovertime' => 'Transaksi Hariovertime', 'transaksi_total' => 'Transaksi Total','transaksi_status' => 'Transaksi Status','no_ktp' => 'Nomor KTP',);} </pre>	<pre> \$balik[\$option_value]=\$option_name. " - ".\$option_tipe;}return \$balik;} } </pre>
---	---

```

public function search(){ $criteria=new
CDbCriteria; $criteria-
>compare('transaksi_id',$this-
>transaksi_id); $criteria-
>compare('pelanggan_id',$this-
>pelanggan_id); $criteria-
>compare('sopir_id',$this-
>sopir_id);$criteria-
>compare('kendaraan_id',$this-
>kendaraan_id); $criteria-
>compare('transaksi_tglmulai',$this-
>transaksi_tglmulai,true); $criteria-
>compare('transaksi_tglselesai',$this-
>transaksi_tglselesai,true); $criteria-
>compare('transaksi_hari',$this-
>transaksi_hari,true); $criteria-
>compare('transaksi_tglovertime',$this
>transaksi_tglovertime,true);$criteria-
>compare('transaksi_hariovertime',$th
is->transaksi_hariovertime); $criteria-
>compare('transaksi_total',$this-
>transaksi_total); $criteria-
>compare('transaksi_status',$this-
>transaksi_status,true); $criteria-
>compare('no_ktp',$this-
>no_ktp,true); return new
 CActiveDataProvider($this,
 array('criteria'=>$criteria,)); }public
 static function
 model($className=__CLASS__){ret
urn
parent::model($className);}public
 static function
 model($className=__CLASS__){ret
urn
parent::model($className);}public
 function
 getMenuList(){ $connection=Yii::app(
)->db;$sql="SELECT kendaraan_id,
kendaraan_platnomor, kendaraan_tipe

```

```

FROM kendaraan where
kendaraan_status='bebas' ORDER BY
kendaraan_tipe";$menu=$connection-
>createCommand($sql)-
>query();$menu-
>bindColumn(1,$option_value);
$menu->bindColumn(2,$option_name)
; $menu->bindColumn(3,$option_tipe);

$balik["]="- Pilih Kendaraan -
";while($menu->read()!==false)
$balik[$option_value]=$option_name.
" - ".$option_tipe;}return
$balik;}public function
getpelanggan(){ $connection=Yii::app(
)->db; $sql="SELECT pelanggan_id,
pelanggan_nama FROM pelanggan
ORDER BY
pelanggan_nama";$menu=$connectio
n->createCommand($sql)-
>query();$menu-
>bindColumn(1,$option_value);
$menu->bindColumn(2,$option_name)
; $menu-
>bindColumn(3,$option_tipe);
$balik["]="- Pilih Pelanggan -
";while($menu->read()!==false){
$balik[$option_value]=$option_name.
" - ".$option_value;}return
$balik;}public function
getsopir(){ $connection=Yii::app()-
>db;$sql="SELECT sopir_id,
sopir_nama FROM sopir ORDER BY
sopir_nama";$menu=$connection-
>createCommand($sql)-
>query();$menu-
>bindColumn(1,$option_value);$men
u->bindColumn(2,$option_name);$me
nu-
>bindColumn(3,$option_tipe);$balik["

```

<pre>]="- Pilih Sopir -";while(\$menu- >read()!==false){ \$balik[\$option_value]=\$option_name. " - ".\$option_value; }return \$balik;}public function gettarif(\$id){ \$connection=Yii::app()- >db; \$sql="select * from tarif where kendaraan_id='".\$id.'";\$menu=\$conn ection->createCommand(\$sql)- >queryRow();return \$menu['tarif_perhari']; }}</pre>	
--	--

<p>View kendaraan</p> <pre><div class="form"><?php \$form=\$this- >beginWidget('CActiveForm', array('id'=>'kendaraan- form','enableAjaxValidation'=>false, 'htmlOptions' => array('enctype' => 'multipart/form-data',),)); ?> <p class="note">Fields with * are required.</p><?php echo \$form-> <div class="row"><?php echo \$form-> labelEx(\$model,'kendaraan_platnomor'); ?> <?php echo \$form-> textField(\$model,'kendaraan_platno mor',array('size'=>30,'maxlength'=>30)); ?> <?php echo \$form-> error(\$model,'kendaraan_platnomor') ; ?> </div><div class="row"><?php echo \$form>labelEx(\$model,'kendaraan_m erk'); ?><?php echo \$form-> textField(\$model,'kendaraan_merk',a</pre>	<p>View Login</p> <pre><div class="form"><?php \$form=\$this>beginWidget('CActiveFo rm', array('id'=>'login- form','enableAjaxValidation'=>false,)) ; ?><p class="note">Fields with * are required.</p><?php echo \$form-> errorSummary(\$model); ?> <div class="row"><?php echo \$form-> labelEx(\$model,'username'); ?> <?php echo \$form>textField(\$model,'us ername'); ?> <?php echo \$form-> error(\$model,'username'); ?> </div><div class="row"><?php echo \$form->labelEx(\$model,'password'); ?> <?php echo \$form-> passwordField(\$model,'password'); ?> <?php echo \$form-> error(\$model,'password'); ?></div> <div class="row"><?php echo \$form-> labelEx(\$model,'nama_lengkap'); ?></pre>
--	---

```

rray('size'=>60,'maxlength'=>100));
?> <?php echo $form-
>error($model,'kendaraan_merk');
?></div><div class="row"><?php
echo$form>labelEx($model,'kendaraa
n_tipe'); ?> <?php echo $form-
>textField($model,'kendaraan_tipe',arr
ay('size'=>47,'maxlength'=>47)); ?>

<?phpecho$form>error($model,'kenda
raan_tipe'); ?> </div><div
class="row"><?php echo $form-
>labelEx($model,'kendaraan_tahunrak
it'); ?> <?php echo $form-
>textField($model,'kendaraan_tahunra
kit'); ?> <?php echo $form-
>error($model,'kendaraan_tahunrakit')
; ?> </div><div class="row"><?php
echo$form>labelEx($model,'kendaraa
n_seat'); ?> <?php echo $form-
>textField($model,'kendaraan_seat');
?> <?php echo $form-
>error($model,'kendaraan_seat'); ?>

</div><div class="row"><?php echo
$form>labelEx($model,'kendaraan_fot
o'); ?> <?php if($this->action-
>id=="update"){echo
CHtml::image(Yii::app()->request-
>baseUrl.'/images/kendaraan/'.$model
>kendaraan_foto,"gambar",array("wid
th"=>100)); }?><?php echo $form-
>fileField($model,'kendaraan_foto',arr
ay('size'=>45,'maxlength'=>45)); ?>

<?phpecho$form>error($model,'kenda
raan_foto'); ?> </div><div
class="row"><?php echo $form-
>labelEx($model,'kendaraan_fasilitas')
;?><?phpecho$form>textArea($model
,'kendaraan_fasilitas',array('rows'=>6,
<?phpecho$form>textField($model,'n
ama_lengkap'); ?> <?php echo $form-
>error($model,'nama_lengkap'); ?>

</div><div class="row"><?php echo
$form->labelEx($model,'no_hp');
?><?phpecho$form>textField($model,
'no_hp',array('size'=>20,'maxlength'=>
20)); ?> <?php echo $form-
>error($model,'no_hp'); ?> </div><div
class="row"><?php echo $form-
>labelEx($model,'level'); ?>

<?phpecho $form-
>radioButtonList($model,
'level',array( 'admin' => 'admin',
'karyawan'=>'karyawan'),array('label
Options'=>array('style'=>'display:inlin
e'), // add this code'separator'=>' ',
) );?> <?php echo $form-
>error($model,'level'); ?></div>

<div class="row buttons"><?php echo
CHtml::submitButton($model-
>isNewRecord ? 'Create' : 'Save'); ?>

</div><?php $this->endWidget();
?></div><!-- form -->

```

<pre>'cols'=>50)); ?> <?php echo \$form- >error(\$model,'kendaraan_fasilitas'); ?> </div><div class="row"><?php echo\$form>labelEx(\$model,'kendaraa n_status'); ?> <?php echo \$form- >radioButtonList(\$model,'kendaraan_ status', array('bebas' => 'bebas', 'jalan' => 'jalan'),array('labelOptions'=>array('style'=>'display :inline'), // add this code'separator'=>' '); ?> <?php echo \$form- >error(\$model,'kendaraan_status'); ?> </div><div class="row buttons"> <?php echo CHtml::submitButton(\$mo del->isNewRecord ? 'Create' : 'Save'); ?> </div><?php \$this->endWidget(); ?></div><!-- form --></pre>	
---	--

<p>View Pelanggan</p> <pre><div class="form"><?php \$form=\$this>beginWidget('CActiveFo rm', array('id'=>'pelanggan- form','enableAjaxValidation'=>false,)) ; ?> <p class="note">Fields with * are required.</p><?php echo \$form- >errorSummary(\$model); ?><div class="row"><?php echo \$form- >labelEx(\$model,'pelanggan_nama'); ?><?php echo \$form- >textField(\$model,'pelanggan_nama',a rray('size'=>50,'maxlength'=>50)); ?> <?php echo \$form- >error(\$model,'pelanggan_nama');</pre>	<p>View Sopir</p> <pre>div class="form"><?php \$form=\$this- >beginWidget('CActiveForm', array('enableAjaxValidation'=>false,)) ; ?> <p class="note">Fields with * are required.</p><?php echo \$form- >errorSummary(\$model); ?><div class="row"><?php echo \$form- >labelEx(\$model,'sopir_alamat'); ?><?php echo \$form->textArea(\$model,' sopir_alamat',array('rows'=>6, 'cols'=>50)); ?><?php echo \$form- >error(\$model,'sopir_alamat'); ?></div><div class="row"></pre>
---	--

<pre> ?></div><div class="row"><?php echo\$form>labelEx(\$model,'pelangga n_alamat'); ?><?php echo \$form- >textArea(\$model,'pelanggan_alamat', array('rows'=>6, 'cols'=>50)); ?> <?php echo \$form>error(\$model,'pelan ggan_alamat'); ?></div> <div class="row"><?php echo \$form- >labelEx(\$model,'pelanggan_telpon'); ?><?php echo \$form- >numberField(\$model,'pelanggan_telp on',array('size'=>12,'maxlength'=>12)) ; ?><?php echo \$form- >error(\$model,'pelanggan_telpon'); ?> </div><div class="row"> <?php echo \$form>labelEx(\$model,'em ail'); ?><?php echo \$form- >textField(\$model,'email',array('size'= >60,'maxlength'=>250)); ?> <?php echo \$form>error(\$model,'email'); ?></div><div class="row"><?php echo\$form>labelEx(\$model,'password '); ?><?php echo \$form- >passwordField(\$model,'password',arr ay('size'=>6,'maxlength'=>6)); ?> <?php echo \$form>error(\$model,'passw ord'); ?></div><div class="row buttons"><?php echo CHtml::submitButton(\$model- >isNewRecord ? 'Create' : 'Save'); ?> </div><?php \$this->endWidget(); ?></div><!-- form --> </pre>	<pre> <?php echo \$form- >labelEx(\$model,'sopir_nama'); ?><?php echo \$form>textField(\$model, 'sopir_nama',array('size'=>60,'maxleng th'=>100)); ?><?php echo \$form- >error(\$model,'sopir_nama'); ?></div><div class="row"><?php echo\$form>labelEx(\$model,'sopir_tel pon'); ?> <?php echo \$form- >textField(\$model,'sopir_telpon',array ('size'=>12,'maxlength'=>12)); ?><?php echo \$form>error(\$model,'sop ir_telpon'); ?></div><div class="row"><?php echo \$form- >labelEx(\$model,'sopir_ktp'); ?> <?php echo \$form>textField(\$model,'so pir_ktp',array('size'=>30,'maxlength'= >30)); ?> <?php echo \$form- >error(\$model,'sopir_ktp'); ?></div> <div class="row"><?php echo \$form- >labelEx(\$model,'sopir_sim'); ?><?php echo \$form>textField(\$model, 'sopir_sim',array('size'=>30,'maxlengt h'=>30)); ?> <?php echo \$form- >error(\$model,'sopir_sim'); ?> </div><div class="row"> <?php echo \$form>labelEx(\$model,'sop ir_status'); ?><?php echo \$form- >radioButtonList(\$model, 'sopir_status', array('bebas' => 'bebas', 'jalan' => 'jalan'),array('labelOptions'=>array('style'=>'display :inline'), // add this code 'separator'= >')); ?><?php echo \$form- >error(\$model,'sopir_status'); ?> </div><div class="row buttons"> </pre>
---	---

	<pre><?php echo CHtml::submitButton(\$model->isNewRecord ? 'Create' : 'Save'); ?></div><?php \$this->endWidget(); ?></div><!-- form --></pre>
--	---

<p>View Tarif</p> <pre><div class="form"><?php \$form=\$this->beginWidget(' CActiveForm', array('id'=>'tarif-form',)); ?> <p class="note">Fields with * are required.</p><?php echo \$form- >errorSummary(\$model); ?><div class="row" ><?php echo \$form- >labelEx(\$model, 'kendaraan_id'); ?> <?php//echo\$form>textField(\$model,'i d_usaha',array('size'=>10,'maxlength'=' >10)); ?> <?php\$this- >widget('ext.select2.ESelect2', array('model' => \$model, 'attribute' => 'kendaraan_id', 'data' => \$model- >getMenuList(), 'htmlOptions' => array('selected'=>'selected', 'required'=' >'required',)); ?> <?php echo \$form- >error(\$model, 'kendaraan_id'); ?> </div><div class="row"> <?php echo \$form->labelEx(\$model, 'tarif_ perhari'); ?> <?php echo \$form- >textField(\$model, 'tarif_perhari'); ?> <?php echo \$form->error(\$model, 'tarif_ perhari'); ?></div><div class="row"> <?php echo \$form->labelEx(\$model, 'tarif_ overtime'); ?><?php echo \$form- >textField(\$model, 'tarif_overtime');</pre>	<p>View Transaksi</p> <pre>\$(document).ready(function(){\$("#Transaksi_transaksi_tglovertime").change(function(){\$.ajax({ url: "<?php echo Yii::app()->request- >baseurl; ?>/transaksi/overtime", data:"awal="+\$("#Transaksi_transaksi_ tglselesai").val()+"&akhir="+\$("#Tran saksi_transaksi_tglovertime").val(), cache: false, success: function(msg){ \$("#Transaksi_transaksi_hariovertime ").val(msg); }}}); \$("#Transaksi_transaksi_tglselesai").change(function(){\$.ajax({url: "<?php echo Yii::app()->request- >baseurl; ?>/transaksi/longday", data: "awal="+\$("#Transaksi_transaksi_tgl mulai").val()+"&akhir="+\$("#Transaks i_transaksi_tglselesai").val(), cache: false, success: function(msg){ \$("#Transaksi_transaksi_hari").val(ms g); }}});\$("#Transaksi_transaksi_total").click(function(){\$.ajax({url: "<?php echo Yii::app()->request->baseurl; ?>/transaksi/gettarif", data: "idnya="+\$("#Transaksi_kendaraan_i d").val()+"&kali="+\$("#Transaksi_tra nsaksi_hari").val(), cache: false,</pre>
--	--

<pre>?><?php echo \$form- >error(\$model,'tarif_overtime'); ?></div><div class="row buttons"><?php echo CHtml::submitButton(\$model- >isNewRecord ? 'Create' : 'Save'); ?></div><?php \$this->endWidget(); ?></div><!-- form --></pre>	<pre>success: function(msg){ \$("#Transaksi_transaksi_total").val(m sg); } })); \$("#Transaksi_transaksi_tglselesai").change(function(){ \$.ajax({ url: "<?php echo Yii::app()->request- >baseUrl; ?>/transaksi/gettarif", data:"idnya="+\$("#Transaksi_kendara an_id").val()+"&kali="+\$("#Transaksi _transaksi_hari").val(),cache: false, success: function(msg){ \$("#Transaksi_transaksi_total").val(m sg); } }));\$("#sopir").click(function(){ if(\$("#sopir").is(':checked')){ if (\$("#Transaksi_transaksi_total").val()! ="") { var tambah = (parseInt(\$("#Transaksi_transaksi_tota l").val()+100000); \$("#Transaksi_transaksi_total").val(ta mbah);}; }else{ var tambah = (parseInt(\$("#Transaksi_transaksi_tota l").val()-100000); \$("#Transaksi_transaksi_total").val(ta mbah); } }));</script><div class="form"><?php \$form=\$this- >beginWidget('CActiveForm', array('id'=>'transaksi-form',);if(\$this->action->id=="update"){ \$mulai = \$model->transaksi_tglmulai; \$selesai = \$model->transaksi_tglselesai; \$over = \$model->transaksi_tglovertime; }else{ \$mulai = date('Y-m-d H:i:s');</pre>
--	--

```

$selesai = date('Y-m-d H:i:s');

$over = date('Y-m-d H:i:s'); }?<p
class="note">Fields with <span
class="required">*</span> are
required.</p><?php echo $form-
>errorSummary($model); ?><div
class="row" ><?php echo $form-
>labelEx($model, 'kendaraan_id');
?><?php // echo $form-
>textField($model,'id_usaha',array('siz
e'=>10,'maxlength'=>10)); ?>
<?php$this>widget('ext.select2.ESelec
t2', array('model' => $model, 'attribute'
=> 'kendaraan_id', 'data' => $model-
>getMenuList(), 'htmlOptions' =>
array('selected'=>'selected','required'=
>'required',,));?> <?php echo $form-
>error($model, 'kendaraan_id'); ?>
</div><div class="row"><?php echo
$form>labelEx($model,'transaksi_tgl
mulai'); ?> <?php
date_default_timezone_set('Asia/Jakar
ta');$this-
>widget('ext.timepicker.EJuiDate Time
Picker', array('model' => $model,
'attribute' => 'transaksi_tglmulai',
'options' => array('hourGrid' => 0,
'hourMin' => 0,
'hourMax' => 24,
'timeFormat' => 'h:m:s',
'dateFormat' => 'yy-mm-dd',
'changeMonth' => true,
'changeYear' => false,),
'htmlOptions' => array('value' =>
$mulai,));?> <?php echo $form-

```

```

>error($model,'transaksi_tglmulai');
?> </div><div class="row">

<?php echo $form-
>labelEx($model,'transaksi_tglselesai'
); ?> <?php$this-
>widget('ext.timepicker.EJuiDate Time
Picker', array('model' => $model,
'attribute' => 'transaksi_tglselesai',
'options' => array( 'hourGrid' => 0,
'hourMin' => 0, 'hourMax' => 24,
'timeFormat' => 'h:m:s', 'dateFormat'
=> 'yy-mm-dd', 'changeMonth' =>
true, 'changeYear' => false,),
'htmlOptions' => array('value' =>
$selesai,));?> <?php echo $form-
>error($model,'transaksi_tglselesai');
?> </div><div class="row"><?php
echo$form>labelEx($model,'transaksi
_hari'); ?> <?php echo $form-
>textField($model,'transaksi_hari',arra
y('readonly'=>'readonly','size'=>10,'ma
xlength'=>10)); ?> <?php echo $form-
>error($model,'transaksi_hari');
?></div><div class="row"><?php
echo $form>labelEx($model,'no_ktp');
?> <?php echo $form-
>numberField($model,'no_ktp',array('
placeholder'=>'click here')); ?> <?php
echo $form->error($model,'no_ktp');
?> </div><div class="row">

<?php echo $form>labelEx($model,'tra
nsaksi_total'); ?> <?php echo $form-
>textField($model,'transaksi_total',arr
ay('readonly'=>'readonly','placeholder'
=>'click here')); ?><?php echo $form-
>error($model,'transaksi_total'); ?>

```

```
</div><div class="row" >
<label> menggunakan sopir </label>
<input type="checkbox" name="sopir"
id="sopir" value="1"/> </div>

<div class="row buttons"><?php echo
CHtml::submitButton($model-
>isNewRecord ? 'Create' : 'Save'); ?>

</div><?php $this->endWidget();
?></div><!-- form -->
```