

## DAFTAR PUSTAKA

- Abraham TE, Simi CK. (2010). Physico chemical properties of aminated tamarind xyloglucan. Diakses 28 September 2011, dari <http://www.ncbi.nlm.nih.gov/pubmed/20817420>.
- American Burn Assosiation (ABA). (2012). Burn Factsheet in 2012. Diakses 31 Maret 2013, dari [http://www.ameriburn.org/resources\\_factsheet.php](http://www.ameriburn.org/resources_factsheet.php).
- Anuar, N. S., Zahari, S. S, Taib, I. A. & Rahman, M. T. (2008). *Effects of green and ripe Carica Papaya epicarp extracts on wound healing and during pregnancy*. Food and Chemical Toxicology. Diakses 28 September 2011 dari <http://dx.doi.org/10.1016/j.fct.2008.03.025>
- Azeez, S., Amudhan, S. Adiga, S., Rao, N. & Udupa., L. A. (2007). Wound healing profile of Area Catechu extract on differetnt wound models in wistar rats. *Kuwait Medical Journal*, 39 (1), 48-52.
- Bambang, Sudewo. (2012). *Buku Pintar Hidup Sehat Cara Mas Dewo*. Jakarta: Gromedia.
- Brunner & Suddarth. (2002). *Keperawatan Medikal Bedah Vol. 2*. Jakarta: EGC.
- Brusselaers N, Monstrey S, Colpaert K, Decruyenaere J, Blot SI, Hoste EA. (2010). Outcome of acute kidney injury in severe burns: a systematic review and meta-analysis. Diakses pada 10 April 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/20333353>
- Dalimartha, S.. (2006). *Atlas Tumbuhan Indonesia Jilid 4*. Puspa Swara: Jakarta. 4-13.
- Damijha, I., Parle, M. (2012). Tamarindus indica for Antioxidant, Antimicrobial, Antilipidemic and Antidiabetic. *International Research of Journal Pharmacy*. IRJP 2012, 3 (8).
- Darwin R. (2000) Dasar-dasar pengobatan penyakit kulit. In: Harahap M, ed. *Ilmu Penyakit Kulit*. Edisi-1. Jakarta: Penerbit Hippocrates.
- David S. Perdanakusuma. (2006). *Penanganan Luka bakar*, Airlangga University Press.
- Di Maio, V.J.M. & Dana, S.E. (1998). Fire and Thermal Injuries, in: Di Maio, V.J.M. & Dana, S.E.(eds) *Hand Book of Forensic Pathology*. USA: Landes Bioscience.

- Ditjen POM. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat*. (1<sup>st</sup> ed.). Jakarta: Departemen Kesehatan RI.
- El-Siddig, K., Gunasena, H. P. M., Prasad, B. A. (2006). *Tamarind, Tamarindus indica*. Southampton Centre for Underutilised Crops, Southampton, UK.
- Fook, J. M. S. S. L., Macedo, L. L. P., Moura, G. E. D. D., *et al.* (2005). A serine proteinase inhibitor isolated from *Tamarindus indica* seeds and its effects on the release of human neutrophil elastase. *J. Life Sciences*, (76), 2881-2891.
- Gallagher JJ, Wolf SE, Herndon DN. (2008). *Burns In: Townsend CM, Beauchamp RD, Evers BM, Mattox KL. Sabiston Textbook of Surgery*. 18<sup>th</sup> Ed. Philadelphia: Saunders Elsevier.
- Ganjar, I. G., dan Rohman A.. (2007). *Kimia Farmasi Analisis*. Yogyakarta: Pustaka Pelajar.
- Gautam B, Vadivel V, Stuetz W, Biesalski HK. (2012). Bioactive compounds extracted from Indian wild legume seeds: antioxidant and type II diabetes-related enzyme inhibition properties. Diakses 31 Maret 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/21970446>.
- Gibran NS. Burns. In: Mulholland MW, Lillemoe KD, Doherty GM, Gerard M, Ronald V, Upchurch GR. (2006). Editors. *Greenfield's Surgery: Scientific Principles and Practice*. 4<sup>th</sup> Ed. Philadelphia: Lippincott Williams and Wilkins.
- Gómez R, Cancio LC. (2007). Management of burn wounds in the emergency department. Diakses 7 April 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/17400077>
- Greenhalgh DG, Saffle JR, Holmes JH, Gamelli RL, Palmieri TL, Horton JW, *et al.* (2007). American Burn Association consensus conference to define sepsis and infection in burns. Diakses 7 April 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/17925660>
- Grunwald TB, Garner WL. (2008). *Acute Burns Plast Reconstr Surgery*. University of Southern California, USC Keck School of Medicine, USA.
- Gupta, B., Ayhan Dermibas. (2010). *Methanol and Ethanol Extract from Grass and Plants*. USA: University of Cambridge.
- Herndon, David N. (2008). *Total Burn Care 3rd edition*. USA: Saunders Elsevier.

- Hogan B.K., Wolf S.E., Hospenthal D.R., D'Avignon L.C., Chung K.K., et al. (2012). Correlation of American Burn Association sepsis criteria with the presence of bacteremia in burned patients admitted to the intensive care unit. *J Burn Care Res.* May-Jun; 33(3):371-8.
- I. C. Bygbjerg. (2012). Double Burden of Noncommunicable and Infectious Diseases in Developing Countries. *Science 21 September 2012: Vol. 337 no. 6101 pp. 1499-1501.*
- Kalra P, Sharma S, Suman, Kumar S. (2011). Antiulcer effect of the methanolic extract of Tamarindus indica seeds in different experimental models. Diakses 30 ,Maret 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/?term=tamarindus+indica+seed+for+ulcer>
- Khan, R. A., Siddiqui, S. A., Azhar, I., & Ahmed, S., P. (2005). Preliminary screening of methanol and butanol. extracts of tamarindus indica for anti-emetic activity. *Journal of Basic and Applied Sciences.* Vol.1 No.2.
- Khanzada SK, Shaikh WS, Kazi TG, Usmanghani K, Kabir A, Sheerazi TH. (2008). Chemical constituents of Tamarindus indica L medicinal plant in Sindi. *Park. J. Bot.* 40:2553-2559.
- Klein MB. (2007). Thermal Chemical and Electrical Injuries. In: Thorne CH, Beasley RW, Aston SJ, Bartlett SP, Gurtner GC, Spear SL. Editors. *Grab and Smith's Plastic Surgery.* 6<sup>th</sup> Ed. Philadelphia: Lippincott Williams and Wilkins.
- Klein M.B., Lezotte D.L., Fauerbach J.A., Herndon D.N., Kowalske K.J., Carrougher G.J., et al. (2007). The national institute on disability and rehabilitation research burn model system database: a toll for the multicenter study of the outcome of burn injury. *Journal of Burn Care & Research.* 28(1), 84-96.
- Kothari V, Shesadri S. (2010). In vitro antibacterial activity in seed extracts of Manilkara zapota, Anona squamosa, and Tamarindus indica. Diakses 26 september 2011, dari <http://www.ncbi.nlm.nih.gov/pubmed/21031260>.
- Kristanto H. (2005). Perbedaan Efektivitas Perawatan Luka Bakar Derajat II dengan Lendir Lidah Buaya (Aloevera) Dibandingkan dengan Cairan Fisiologis (Normal Saline 0,9%) dalam Mempercepat Proses Penyembuhan. Universitas Brawijaya. Indonesia
- Kumar, C.S.; Bhattacharya, S. (2008). Tamarind Seed: Properties, Processing and Utilization. *Critical Reviews in Food Science and Nutrition.* 48, 1-20

- Kus, Lusia (23 November 2011). Kepercayaan Masyarakat Pada Obat Herbal Makin Tinggi. *Kompas Online*. Diakses 30 Maret 2013, dari <http://health.kompas.com/read/2011/12/10/11055041/Kepercayaan.Masyarakat.pada.Obat.Herbal.Makin.Tinggi>
- Lipsker D, Kragballe K, Fogh K, Saurat JH. (2006). Other topical medication. In: Bologna JL, Jorizzo JL, Rapini RP, eds. *Dermatology*; 4th ed. London: Elsevier Limited, 2006:2056-67.
- Loyd, V.A, Nicholas G.P., Howard C. (2005). *A. Ansel's Pharmaceutical Dosage Form and Drug Delivery System*. 8th ed. Baltimore: Md Lippincott.
- Macedo, et al. (2005). Bacterial and fungal colonization of burn wounds. Diakses 31 Maret 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/16184232>.
- Maung KM, Lynn Z. (2012). Effects of Tamarind (*Tamarindus indicus* Linn) seed extract on Russell's viper (*Daboia russelli siamensis*) venom. Diakses 31 Maret 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/23202603>.
- Moenajat, Yefta. (2003). *Luka Bakar : Pengetahuan Klinis Praktis*. Jakarta : Fakultas Kedokteran Universitas Indonesia.
- Nita S. (2011). *Pengaruh Cara Ekstraksi Terhadap Kadar Sari dan Kadar Syllamarin Dalam Biji Silybum marianum*. Badan Litbang Kesehatan, Kementerian Kesehatan. Indonesia.
- Oludiran O., PFA Umebese. (2009). Pattern and outcome of children admitted for burns in Benin City. *Indian J Plast Surg* 2009; 42:189-93
- Pagad S. (2011). *Rattus norvegicus* (mammal). Diakses 20 April 2013, dari [www.issg.org/database/species/ecology.asp?si=19](http://www.issg.org/database/species/ecology.asp?si=19).
- PN Adiyati. (2011). Ragam jenis ektoparasit pada hewan uji coba tikus putih (*Rattus norvegicus*). Diakses 20 April 2013, dari [repository.ipb.ac.id/handle/123456789/51218](http://repository.ipb.ac.id/handle/123456789/51218)
- Prachayasittikul, A. Ayudhya, C.N.I, Ruchiwarat (2008). Antimicrobial and Antioxidative Activities of Bioactive Constituents from *Hydnopitum formickarum*. *Molecules*. 13: 904-21.
- R Sjamsuhidajat. Wim De Jong. (2007). *Buku Ajar Ilmu Bedah Penerbit Buku Kedokteran*. EGC Jakarta.
- Rahmat. (2005). *Asam Jawa, Budi Daya dan Pasca Panen*. Penerbit Kanisius: Yogyakarta. Diakses tanggal 31 Maret 2013, dari [books.google.com/books?isbn=9792108637](http://books.google.com/books?isbn=9792108637)

- Reksoprodjo S, et al. (2005). *Kumpulan Kuliah Ilmu Bedah*. Jakarta: Binarupa Aksara Publisher.
- Rodda A. (2011). Seeding the regrowth of nerves with tamarind. Monash University of Australia. Diakses 31 Maret 2013, dari <http://freshscience.org.au/2011/seeding-the-regrowth-of-nerves-with-tamarind>.
- Rolando M, Valente C. (2007). Establishing the tolerability and performance of tamarind seed polysaccharide (TSP) in treating dry eye syndrome: results of a clinical study. Diakses 30 Maret 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/17394642>
- Sanarto, et al., (2008). Pengaruh frekuensi perawatan *luka bakar* derajat II dengan madu nectar flora terhadap lama penyembuhan luka. Universitas brawijaya. Indonesia
- Saraf S, Parihar S. (2007). Burns Management: A Compendium. *Journal of Clinical and Diagnostic Research*. 5: 426-436.
- Schneider, J C. MD; Holavanahalli, R PhD; Helm, P MD; Goldstein, R PhD; Kowalske, K J. MD. (2006). A Prospective Study of Contractures in Burn Injury: Defining the Problem: 187. *Journal of Burn Care & Research*: March 2006 - Volume 27 - Issue 2 - p S143.
- Sharma S. Topical drug delivery system: A review. *Pharmaceut. Rev.* 2008;6:1-29. Jacob L. (2010). Minor Burn Treatment. Diakses 20 April 2013, dari [www.nlm.nih.gov/medlineplus/ency/presentations/100213\\_1](http://www.nlm.nih.gov/medlineplus/ency/presentations/100213_1).
- Shin H, Kwon OS, Hyun C et al. (2009). Clinical efficacies of topical agents for the treatment of seborrhoeic dermatitis of the scalp: A Comparative study. *J Dermatol*; 36:131-7.
- Sinta, 2010. Perbedaan Efek Pemberian Lendir Bekicot (*Achatina fulica*) dan Bioplacenton Terhadap Penyembuhan Luka Bersih Pada Tikus Putih. Universitas Sebelas Maret. Surakarta.
- Sirois M. (2005). *Laboratory Animal Medicine : Principles and Procedures*. United States of America: Mosby, Inc.
- Soemardji A. (2007). Tamarindus indica L. or Asam Jawa: the Sour but Sweet and Useful. Diakses 31 Maret 2013, dari <http://www.iam.utayama.ac.jp/>

- Sundari D. (2011). Efek Laksatif Jus Daun Asam Jawa (*Tamarindus indica*) pada Tikus Putih yang Diinduksi Gambir. Diakses tanggal 20 April 2013 dari [www.indonesia.digitaljournals.org/index.php/MEPDPK](http://www.indonesia.digitaljournals.org/index.php/MEPDPK)
- Suckow MA, Steven HW, & Craig LF. (2006). *The laboratory rat*. London: Academic Press.
- Ushanandini, S. (2006). The Anti-Snake Venom Properties of *Tamarindus Indica* Seed Extract. Diakses 4 oktober 2011, dari <http://onlinelibrary.wiley.com/doi/10.1002/ptr.1951>
- Vij K. (2008). *Textbook of Forensic Medicine and Toxicology: Principles and Practices*. New Delhi: Elsevier.
- Wasiak J, Cleland H, Campbell F, Spinks A. (2013). Dressings for superficial and partial thickness burns. Diakses 31 Maret 2013, dari <http://www.ncbi.nlm.nih.gov/pubmed/23543513>
- World Health Organization (WHO). (2008). Tradisional Medicine For Asian and African. Diakses 10 April 2013, dari [http://www.who.int/mediacentre/factsheets/fs134/en/Traditional medicine 2008](http://www.who.int/mediacentre/factsheets/fs134/en/Traditional%20medicine%202008)
- Yusof BM, et al., (2011). Tamarind Seed Extract Enhances Epidermal Wound Healing. Diakses 31 Maret 2013, pada [www.ccsenet.org/journal/index.php/ijh/article/download/12265/0612](http://www.ccsenet.org/journal/index.php/ijh/article/download/12265/0612)