

Arief Tahta Prayogi. (2013). Hubungan Antara Kepatuhan Perawat Dalam Melakukan *Home Care* Dengan Peningkatan Status Gizi Balita Malnutrisi di Kota Yogyakarta.

Pembimbing:

Titih Huriah, S.Kep., Ns., M.Kep., Sp.Kom.

INTISARI

Malnutrisi masih menjadi suatu permasalahan di Indonesia termasuk di Daerah Istimewa Yogyakarta. Beberapa penelitian menunjukkan balita malnutrisi tanpa komplikasi sebenarnya dapat di tangani di masyarakat tanpa harus dibawa ke fasilitas pelayanan kesehatan salah satunya yaitu program *home care*. Program *home care* di tentukan oleh beberapa faktor salah satunya adalah kepatuhan perawat.

Tujuan penelitian ini adalah untuk mengetahui hubungan antara kepatuhan perawat dalam melakukan *home care* dengan peningkatan status gizi balita malnutrisi di Kota Yogyakarta.

Metode penelitian adalah studi deskriptif korelasional dengan desain cross-sectional. Sampel penelitian adalah balita gizi buruk dan perawat puskesmas di kota Yogyakarta dan teknik pengambilan sampel menggunakan *consecutive sampling*, semua balita akan dibuat responden karena jumlah kasus gizi buruk balita terbatas tersedia 35 responden setelah z-score pengukuran sebelumnya. Untuk sampel perawat berjumlah 14 perawat. Analisis yang di gunakan menggunakan uji Rank Spearman.

Hasil penelitian menunjukkan nilai koefisien sebesar 0.483 arah positif, bernilai sedang yang artinya tingkat kepatuhan perawat memiliki keeratan sedang dengan peningkatan status gizi balita malnutrisi dan nilai $P= 0.004 < 0.05$. Arah positif berarti bahwa semakin patuh perawat dalam melakukan *home care* maka semakin meningkat status gizi balita malnutrisi. Untuk Perawat, mayoritas di kategorikan patuh dengan nilai *mean* 6.18. Nilai Z score dari pre intervensi *home care* dan post intervensi mengalami peningkatan dengan nilai *mean* 0.37.

Kesimpulan bahwa mayoritas perawat termasuk kategori patuh dalam melakukan *home care* diikuti dengan peningkatan status gizi balita malnutrisi antara sebelum dan setelah perlakuan *home care*. Penelitian ini dapat digunakan sebagai acuan dari perawat dan tenaga kesehatan lain akan pentingnya kepatuhan perawat *home care* berkaitan dengan peningkatan status gizi balita malnutrisi.

Kata kunci : Kepatuhan, *Home care*, Status Gizi.

Arief Tahta Prayogi. (2013). *The Relationship Between Compliance in Doing Home Care Nurses and Increase Nutrition Status in Children Under Five Malnutrition In The City Of Yogyakarta*

Supervisor: Titih Huriah, S.Kep., Ns., M.Kep., Sp.Kom.

ABSTRAK

Malnutrition remains a problem in Indonesia, including Yogyakarta Special Region. Some research shows under five children malnutrition without complications can actually be handled in the community without having to be taken to health care facilities one of which is the home care program. But the home care program is determined by several factors, one of which is compliance nurse.

The purpose of this study was to determine the relationship between compliance in doing home care nurses with increase nutrition status in children under five malnutrition in the city of Yogyakarta.

The research methodology used descriptive correlation study and also used cross-sectional design. The study sample was under five malnutrition in the city of Yogyakarta and nurse in the public health community. Sampling techniques using consecutive sampling, all under five will be made respondents because the number of cases of malnutrition are limited, under five available 35 respondents after z-score measuring before and 14 nurse in the community. Analysis used Spearman Rank test.

The results show the value of the coefficient for 0.483 is moderate , which means compliance of nurses have a moderate relationship with the increase nutrition status in children under five malnutrition and P value = 0.04 less than 0.05. For Nurses compliance majority categorized with a mean of 6.18. Z score value show that have increasing before and after home care intervention. The mean result of increasing Z score is 0.37.

The conclusion, majority of nurses are categorized as quantity obedient of doing home care, nurses compliance rate is followed by an increase nutritional status in children under five malnutrition between before and after treatment home care.This research can use as a references for nurse that the compliance of home care realeted with increasing the nutritional status in malnutrition under five.

Keywords: *Compliance, Home care, Nutritional status.*