

DAFTAR PUSTAKA

- Adamson, A.W., dan Gast A.P., (2007). *Physical Chemistry of Surfaces*, John Wiley & Sons, Inc. New York.
- Ahmad, N. A., C. P. Leo, A. L. Ahmad dan W. K. W. Ramli (2014): Membranes with Great Hydrophobicity: A Review on Preparation and Characterization, *Separation and Purification Reviews*, 44, 109-134.
- Akhlus, S dan Widiastuti, N. 2005. Perolehan Kembali NaOH dari Limbah White Liquor Hasil Pengelantangan Sistem Fotosintizer Katil Bergerak. *Akta Kimia Indonesia* 1 (1/Oktober):35-40.
- Baker, R.W., (2004). *Membrane Technology and Application*, (4th ed.). California : John Willey & Sons, Ltd. 1-125.
- Black, J.M., dan Hawks, J.H. (2005). *Medical Surgical Nursing Clinical Management for Possitive Outcome* (7th ed.). Philadelphia : W.B Saunders Company.
- Burdick dan Jackson, (2000). Material Safety Data Sheet N-Methylpyrrolidone. Honeywell.
- Celia, E., T. Darmanin, E. Taffin de Givenchy, S. Amigoni dan F. Guittard (2013): Recent advances in designing superhydrophobic surfaces, *Journal of Colloid and Interface Science*, 402, 1-18.
- Chakrabarty, B.; Ghoshal, A. K.; Purkait, A. K. (2008). Preparation, characterization and performance studies of polysulfone membranes using PVP as an additive. *Journal Membrane Science*, 315, 36.
- Chakrabarty, B.; Ghoshal, A. K.; Purkait, M. K. (2008). Effect of molecular weight of PEG on membrane morphology and transport properties. *J. Membr. Sci.* 309, 209.
- Cheryan, M. (1998). *Ultrafiltration and Microfiltration Handbook*. Technomic: Lancaster, PA.
- Chong, C., Li, S., Zhao, W., Wei, Q., Nie, S., Sun, S., dkk. (2012). The hydrodynamic permeability and surface property of polyethersulfone ultrafiltration membranes with mussel-inspired polydopamine coatings.

Journal Membrane Science. 417-418, 228–236.
doi:10.1016/j.memsci.2012.06.045

- Chou, W. L., Yu, D. G., Chien, M. dan Yang, C. H. J. (2007). Effect of molecular weight and concentration of PEG additives on morphology and permeation performance of cellulose acetate. *Sciencedirect Separation and Purification Technology*.
- Delacourt, C., Laffont, L., Gibot, P., Wu, M.Y., Kooyman, P., Masquwlier, dkk. (2006). Study of the $i\text{FePO}_4/\text{FePO}_4$ two-phase system by high-resolution electron energy loss spectroscopy. *Chemical Material*, 18, 5520-5529.
- Drelich, J., E. Chibowski, D. D. Meng dan K. Terpilowski (2011): Hydrophilic and superhydrophilic surfaces and materials, *Soft Matter*, 7, 9804-9828.
- Drioli, E. Lorio, G. dan Gatapano, G. (editor Porter, M.C.) (1990). *Handbook of Industrial Membrane Technology*. (First ed.). USA : Noyes Publications.
- Ghosh, A. K.; Jeong, B. H.; Huang, X. F.; Hoek, E. M. V. (2008). Impacts of reaction and curing conditions on polyamide composite reverse osmosis membrane properties. . *Journal Membrane Science*. 311, 34.
- Gu, Y., dan Miki, N. (2007). A microfilter utilizing a polyethersulfone porous membrane with nanopores. *Journal of Micromechanics and Microengineering*. 17, 2308–2315.
- Gu, Y., dan Miki, N. (2009). Multilayered microfilter using a nanoporous PES membrane and applicable as the dialyzer of a wearable artificial kidney. *Journal of Micromechanics and Microengineering*. 19(6), 065031. doi:10.1088/0960-1317/19/6/065031.
- Guillen, G.R., Pan, Y., Li, M., dan Hoek, E.M.V. (2011). Preparation and Characterization of Membranes Formed by Nonsolvent Induced Phase Separation : A Review. *Industrial & Engineering Chemistry Research*. 50, 3798-3817. dx.doi.org/10.1021/ie101928r.
- Harreus, A.L., Backes, R., Eichler, J.O., Feuerhae, R., Jakel, C., Mahn, U., Pinkos, R., Vogelsang, R. (2011). “2-Pyrrolidone in *Ullman's Encyclopedia of Industrial Chemistry*, Wiley-VCH, Weinheim. Doi:10.1002/14356007.a22_457.pub2.

- Idris, A., Zain, N.M., dan Noordin, M.Y. (2007). Synthesis, characterization and performance of asymmetric polyethersulfone (PES) ultrafiltration membranes with polyethylene glycol of different molecular weight as additives. *Desalination*, 207(1), 324-339.
- Kanagaraj, P., Nagendran, A., Rana, D., Matsuura, T., Neelakandan, S., dan Malarvizhi, K. (2015). Effects of Polyvinylpyrrolidone on the Permeation and Fouling Resistance Properties of Polyetherimide Ultrafiltration Membranes. *Industrial & Engineering Chemistry Research*. 54, 4832–4838. DOI: 10.1021/acs.iecr.5b00432.
- Kesting, R.E. (1993). Synthetic Polymeric Membranes. A Structural Perspective, (Ed ke-2). New York :John Wiley & Sons.
- Kim, J. H., dan Lee, K. H. (1998). Effect of PEG additive on membrane formation by phase inversion. *Journal of Membrane Science*, 138, 153-163.
- Leuner, C., dan Dressman, J. (2000). Improving Drug Solutibility for Oral Delivery Using Solid Dispersion. *Eur. Journal. Pharm. Biopharm.* 50(3).
- Mitchell, H.L. (1972). *How PEG Helps the Hobbyist Who Work With Wood*. U.S.Department of Agriculture.
- Mulder, M. (1996). *Basic Principles of Membrane Technology*, (2nd ed.). Dordrecht : Kluwer Academic Publisher,
- Nunes, S. P., Peinemann, K. V. (1992). Ultrafiltration membranes of PVDF/PMMA. *Journal of Membrane Science*, 73, 25–35.
- Nurani, V.M., Mariyanti, S. (2013). Gambaran Makna Hidup Pasien Gagal Ginjal Kronik yang Menjalani Hemodialis. *Jurnal Psikologi*, Volume. 11, No. 1. Jakarta.
- Pratomo, H. (2003). Pembuatan dan Karakterisasi Membran Komposit Polisulfon Selulosa Asetat untuk Proses Ultrafiltrasi. Jurusan Pendidikan Teknik Kimia FMIPA UNY, Karangmalang. Yogyakarta.
- Prihandana, G.S., Sanada, I., Ito, H., Noborisaka, M., Kanno, Y., Suzuki, T., dkk. (2013). Antithrombogenicity of Fluorinated Diamond-Like Carbon Films Coated Nano Porous Polyethersulfone (PES) Membrane. *Journal Materials*. 6, 4309-4323; doi:10.3390/ma6104309

- Prihandana, G.S.; Ito, H.; Nishinaka, Y.; Kanno, Y.; Miki, N. (2012). Polyethersulfone membrane coated with nanoporous Parylene for ultrafiltration. *Journal Microelectromech. Syst.* 21, 1288–1290.
- Powers, K.W., Brown, S.C., Krishna, V.B., Wasdo. S.C., Moudgil, B.M., Roberts, S.M., (2006). Research Strategies for safety evaluation of Nanomaterials. Part VI. Characterization of nanoscale particles for toxicological evaluation. *Toxicol. Sci.* 90(2) : 296-303. *Doi:10.1093/toxsci/kfj099.*
- Redjeki, S. (2011). Proses Desalinasi Dengan Membran. (DP2M). Departemen Pendidikan Nasional.
- Roach, P., Shirtcliffe, N.J., dan Newton, M.I. (2008). Progress in superhydrophobic surface development, *Soft Matter*, 4, 224-240.
- Said, N.I. (2009). Uji Kinerja Pengolahan Air Siap Minum Dengan Proses Biofiltrasi, Ultrafiltrasi Dan Reverse Osmosis (RO) DENGAN AIR Baku Air Sungai. Pusat Teknologi Lingkungan, BPPTeknologi. *JAI*, Vol 5. No. 2. Jakarta Pusat.
- Sanada, I., Ito, H., Prihandana, G.S., Noborisaka, M., Miki, N., Suzuki, T., dan Kanno, Y. (2013). Antithrombogenicity Of Nano Porous Polyethersulfone Membrane Coated With Fluorinated Diamond-Like Carbon. *Final Manuscript.*
- Setyawan, M.A. (2016). Desain dan Fabrikasi Maze-Shaped Microfilter Bahan SS316L Menggunakan Teknik Electropolishing. Departemen Teknik Mesin. UMY.
- Schwarz, H. H. and Hicke, H. G. 1989. Influence of casting solution concentration on structure and performance of cellulose acetate membrane. *Journal Shibata, T. 2004. Cellulose acetate in separation technology. Macromol. Symp.*
- Shargel, I., dan Yu, A. (1999). *Applied Biopharmatics & Pharmacokinetics*, (4th Ed.). Appleton and Lange, Connecticut, 135.
- Suharjono. (2010). *Penderita Gagal Ginjal di Indonesia.* www.ikcc.or.id/content.php?c=1&id=275.
- Shibata, T. 2004. Cellulose acetate in separation technology. *Macromol. Symp.* 208: 353-369.

- Smeltzer, Suzanne C, dan Brenda G, Bare. (2002). Buku Ajar Keperawatan Medikal Bedah Brunner dan Suddarth. (Edisi 8). Jakarta : EGC.
- Sumikaexcel PES, (2010). High Heat Resistance Amorphous Polymer Technical Note. Sumitomo Chemical Company, Ltd Ver. 01.
- Samtleben, W.; Dengler, C.; Reinhardt, B.; Nothdurft, A.; dan Lemke, H.D. (2003). Comparison of the new polyethersulfone high-flux membrane DIAPES HF800 with conventional high-flux membranes during on-line haemodiafiltration. *Nephrol. Dial. Transplant.* 18, 2382–2386.
- Su, B.; Sun, S.; Zhao, C. (2011). Progress in Hemodialysis—From Emergent Biotechnology to Clinical Practice. Croatia : InTech : Rijeka.
- Susanto, H., dan Ulbricht, M. (2009). Characteristics, performance and stability of polyethersulfone ultrafiltration membranes prepared by phase separation method using different macromolecular additives. *Journal of Membrane Science.* 327, 125-135.
- To N, Sanada I, Ito H, Prihandana GS, Morita S, Kanno Y and Miki N (2015) Water-permeable dialysis membranes for multi-layered microdialysis system. *Front. Bioeng. Biotechnol.* 3:70. doi: 10.3389/fbioe.2015.00070
- Tullis, R.H.; Duffin, R.P.; Zech, M.; Ambrus, J.L. (2002). Affinity hemodialysis for antiviral therapy. I. Removal of HIV-1 from cell culture supernatants, plasma, and blood. *Ther. Apher.* 6, 213–220.
- Wang, Y., dan Shi, B. (2011). Concentration of gelatin solution with polyethersulfone ultrafiltration membranes. *Food and Bioprocess Technology*, 89(3), 163-169
- Wenten, I.G. (1995). “Mechanisms and Control of Fouling in Crossflow Microfiltration”, *Journal of Filtration and Separation*, March.
- Wenten, I.G. (2001). Membrane Technology for Industri and Enviromental Protection, UNESCO, Center for Membrane Science and Technology.
- Wenten, I.G., Kresnowati, M. T. A. P. dan Beatrix. (1999). Development of Membrane Technology in Indonesia: Prospect and Challenges didalam Wenten, I. G. ”Teknologi Membran Industrial”. Penerbit Institut Teknologi Bandung.

Wenten, I.G., Himma, N.F., Annisah, S., Prasetya, N. (2015). Diktat Kuliah Membran Superhidrofobik. Departemen Teknik Kimia. ITB.

Werner, C.; Jacobasch, H.J.; Reichelt, G. (1995) Surface characterization of hemodialysis membranes based on streaming potential measurements. *J. Biomater. Sci. Polym.* 7, 61–76.

Yang, G., Xiong, X., and Zhang, L. (2002). “*Microporous formation of blend membranes from cellulose/konjac glucomannan in NaOH/thiourea aqueous solution*”. *J. Memb. Sci.* 201, 161–173. doi:10.1016/S0376

Yang, S.; Liu, Z. Z. (2003). Preparation and characterization of polyacrylonitrile ultrafiltration membranes. *J. Membr. Sci.* 222, 87.

Young, T. H dan Chen, L. W. 1995. Pore formation mechanism of membranes from phase inversion process. *Desalination* 103 : 233-247.

Zhao, C.S.; Liu, T.; Lu, Z.P.; Cheng, L.P.; dan Huang, J. (2001). An evaluation of a polyethersulfone hollow fiber plasma separator by animal experiment. *Artif. Organs*, 25, 60–63.

Dan beberapa sumber produk dan sumber terpercaya :

Wikipedia. (2007; 2016)

Merck Schuchardt OHG. (2016)

Shenzhen Shenke Medical Instrument Technical Development Co., Ltd.

www.acis.id

www.4oakton.com

www.jeol.co.jp