

# LAMPIRAN

**Lampiran 1.**

**FORMULIR *INFORMED CONSENT***  
**(KESEDIAAN MENGIKUTI PENELITIAN)**

Dengan ini saya

Nama : \_\_\_\_\_

Jenis Kelamin : \_\_\_\_\_

Umur : \_\_\_\_\_

Alamat : \_\_\_\_\_

Telepon/HP : \_\_\_\_\_

Menyatakan bersedia mengikuti kegiatan penelitian/survey yang berjudul:  
**“PERBANDINGAN EFEKTIVITAS ANTARA INJEKSI LIDOKAIN 1 MG/KG BB DI TAMBAH TRAMADOL DENGAN INJEKSI LIDOKAIN 1 MG/KG BB PADA PEMBERIAN BLOCK DORSUM PENIS PASIEN SIRCUMSISI”** dengan ketentuan apabila ada hal-hal yang tidak berkenan pada saya, maka saya berhak mengajukan pengunduran diri dari kegiatan penelitian/survey ini.

Peneliti

Responden

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Saksi

Alamat:

Alamat:

Hp/Telp:

HP/Telp:

**Lampiran 2.**

**Data Visual Analog Scale**

Lidokain 1 mg/KgBB	Lidokain 1mg/KgBB di tambah Tramadol
6	6
3	2
6	5
4	5
5	2
4	2
3	2
6	2
8	2
7	6
7	3
6	2
8	4
6	4
6	5
6	3
4	2
5	4

### Lampiran 3.

#### Frequencies Data

##### Statistics

		lidokain	lidokain + tramadol
N	Valid	18	18
	Missing	0	0
Mean		5.5556	3.3889
Median		6.0000	3.0000
Mode		6.00	2.00
Std. Deviation		1.50381	1.50054
Variance		2.261	2.252
Minimum		3.00	2.00
Maximum		8.00	6.00

#### Frequency Table

##### lidokain

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	11.1	11.1	11.1
	4	3	16.7	16.7	27.8
	5	2	11.1	11.1	38.9
	6	7	38.9	38.9	77.8
	7	2	11.1	11.1	88.9
	8	2	11.1	11.1	100.0
Total		18	100.0	100.0	

**lidokain + tramadol**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 2	8	44.4	44.4	44.4
3	2	11.1	11.1	55.6
4	3	16.7	16.7	72.2
5	3	16.7	16.7	88.9
6	2	11.1	11.1	100.0
Total	18	100.0	100.0	

**Lampiran 4.**

**Uji Normalitas**

**One-Sample Kolmogorov-Smirnov Test**

		lidokain	lidokain + tramadol
N		18	18
Normal Parameters <sup>a</sup>	Mean	5.5556	3.3889
	Std. Deviation	1.50381	1.50054
Most Extreme Differences	Absolute	.227	.267
	Positive	.162	.267
	Negative	-.227	-.177
Kolmogorov-Smirnov Z		.964	1.133
Asymp. Sig. (2-tailed)		.310	.153

a. Test distribution is Normal.

**Lampiran 5.**

**Uji T**

**T-Test**

**Group Statistics**

kelompok	N	Mean	Std. Deviation	Std. Error Mean
rasa nyeri Lidokain	18	5.5556	1.50381	.35445
Lidokain + Tramadol	18	3.3889	1.50054	.35368

**Independent Samples Test**

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
rasa nyeri	Equal variances assumed	.199	.658	4.327	34	.000	2.16667	.50073	1.14907	3.18426
	Equal variances not assumed			4.327	34.000	.000	2.16667	.50073	1.14907	3.18426