

DAFTAR PUSTAKA

- Aalaa, M., Malazy, O. T., Sanjari, M., & Peimani, M. (2012). Nurses ' role in diabetic foot prevention and care; a review, 1–6.
- Adabiah.(2014). *Hubungan dukungan keluarga dengan harga diri pada pasien ulkus diabetikum di ruang rawat inap Penyakit dalam RSUP Dr. M. Jamil Padang*.Thesis. Universitas Andalas Sumatera Barat. Padang. di akses tanggal 25 Juni 2015 dari <http://www.repo.unand.ac.id>
- Alligood, M. R. (2014). *Nursing Theorists and Their Work* (Eighth). St. Louis, Missouri: Elsevier Inc and Mosby,inc. diakases tanggal 1 Februari 2015 dari <http://www.elsevier.com> and www.bookaid.org.
- Armstrong, D. G., & Lipsky, B. A. (2005). Preventing Foot Ulcers, 293(2), 217–228.
- Armstrong, D & Rilo, H. (2010). Use of Sugar on the Healing of Diabetic Ulcers : A Review, 4(5), 1139–1145.
- Ayana A. Goddard, MS, Carolyn S. Pierce, DSN, RN, and Kenneth J. McLeod, PhD.(2008). Reversal of Lower Limb Edema by Calf Muscle Pump Stimulation. *Journal of Cardiopulmonary Rehabilitation and Prevention* 2008;28:174–179.
- Balasudaram Jeyakhanthan.(2006). *The reliability of Foot and Ankle Water Volumemetry*. Thesis. Master of Health Science Auckland University of Technology.Aucland.
- Brodovicz, K. G., McNaughton, K., Uemura, N., Meininger, G., Girman, C. J., & Yale, S. H. (2009). Reliability and feasibility of methods to quantitatively assess peripheral edema. *Clinical Medicine & Research*, 7(1-2), 21–31. diakses tanggal 2 Februari 2015 dari [http://www. doi.org/10.3121/cm.r](http://www.doi.org/10.3121/cm.r).
- Byung-Hee & Hae Young Lee. (2010). Angging and Arterial Stiffness. *Circulation Society*. 74:2257-2262. diakses tanggal 28 Desember 2015 dari <http://www.j-circ.or.jp>. 20 Oktober 2015.
- Chang, K. S. P. and A. V. and E. T. E. (2004). Costs of Lower-Extremity Ulcers Among. *DIABETES CARE*, 27(9).

- Chadwick, P., Edmonds, M., McCardle, J., & Armstrong, D. (2013). International best practice guidelines: wound management in diabetic foot ulcers. *Wounds Int*, 4, 1-20.
- Collins, L., & Seraj, S. (2010). Diagnosis and Treatment of Venous Ulcers, 81(8), 989–996.
- Cesarone MR, Belcaro G, Nicolaides AN, Arkans E, Laurora G, De Sanctis MT, Incandela L.(1999). The edema tester in evaluation of swollen limbs in venous and lymphatic disease. *Panminerva Med* 1999;41:10-14.
- Ely, J. W., Osheroff, J. A., Chambliss, M. L., & Ebell, M. H. (2006). Approach to Leg Edema of Unclear Etiology. *The Journal of the American Board of Family Medicine*, 19(2), 148–160. <http://www.doi.org/10.3122/jabfm>.
- Elizabet B Simon. (2014). Leg edema, assessment and management. *MEDSUR nursing*. Vol 23 no.1.
- F P Dix. (2005). Effect of leg elevation on healing. South Manchester: Sage *Journal Phlebology*. diakses tanggal 20 Juli 2015 dari <http://www.phl.sagepub.com/content/20/2/87.abstract>.
- Frykberg, R. G. (2002). Diabetic foot ulcers: pathogenesis and management. *American family physician*, 66(9), 1655-1662. Diakses tanggal 27 Februari 2016 dari <http://europepmc.org/abstract/med/12449264>.
- Greer, N. L. (2012). Advanced wound care therapies for non-healing diabetic, venous, and arterial ulcers a systematic review. United States: Washington, DC: Department of Veterans Affairs, Health Services Research & Development Service, 2012. diakses tanggal 21 Juli 2015 dari <http://www.ncbi.nlm.nih.gov/books/NBK132238>.
- Guyton AC dan Hall JE. (2014). Buku Ajar Fisiologi Kedokteran. Edisi 11. Jakarta. EGC.
- Hariani Lynda & Perdanakusuma David.(2013). Perawatan Ulkus Diabetes. Program Pendidikan Dokter Spesialis Ilmu Bedah Plastik Fakultas Kedokteran Universitas Airlangga Surabaya. diakses tanggal 18 November 2015. <http://www.journal.unair.ac.id/filePDF>.
- Heather Herdman, S. K. (2014). *Nanda International Nursing Diagnoses: Definitions & Classification 2015–2017. Igarss 2014* (Tenth). Oxford: Wiley Blackwell. diakses tanggal 2 April 2015 dari <http://www.doi.org/10.1007/>.
- Herawati.(2015). Indikator Pelayanan Prima Rumah Sakit Umum Daerah. diakses 20 November 2015 dari <http://www.indikator-pelayanan-prima-rumah>.

- Hidayat Achmad, (2000). Pengaruh umur, Diabetes Mellitus dan Hipertensi terhadap terjadinya infeksi luka operasi pasca Transvesikal Prostatektomi. Fakultas Kedokteran Universitas Diponegoro Semarang. diakses tanggal 23 Mei 2016 dari <http://www.eprint.undip.ac.id.thesis>.
- Ho, T. K., Leigh, R. D., & Tsui, J. (2013). The British Journal of Diabetes & Vascular Disease Diabetic foot disease and oedema. *The British Journal of Diabetes & Vascular Disease*, 13: 45. diakses tanggal 2 Juli 2015 dari <http://www.doi.org/10.1177/1474651412472213>.
- Irawati Lilik. (2010). Viskositas darah dan Aspek Medisnya. *Majalah Kedokteran Andalas* No.2. Vol.34. Juli-Desember 2010.
- Jain, A. K. C. (2012). A new classification of diabetic foot complications: a simple and effective teaching tool. *The Journal of Diabetic Foot Complications*, 4(1), 1–5.
- Kamus Besar Bahasa Indonesia. (2016). Kamus Besar Bahasa Indonesia. diakses tanggal 14 Februari 2015 dari <http://www.kbbi.id>.
- Kawasaki, T. (2013). The effect of different positions on lower limbs skin perfusion pressure. *Indian J Plast Surg*. 2013 Sep-Dec. diakses tanggal 20 Mei 2015 dari <http://www.doi.org/10.4103/0970-0358.121995>.
- Kozier. (2011). Buku Ajar Fundamental Keperawatan: Konsep, Proses dan Praktik, Penerjemah Widiarti. Jakarta: EGC.
- Le Gare Stephanie, Charles Gammal Erika Hall,Rachelle Horwitz.(2007) A Device For Measuring The Severity Of Peripheral Edema. Faculty of Worcester Polytechnic Institute.Worcester.
- Liaw MY, W. M. (1989). The effects of leg elevation to reduce leg edema resulting from prolonged standing. PubMed - indexed for MEDLINE. diakses tanggal 2 Mei 2015 dari <http://www.doi.org/2794965>.
- Lyder, C. H., & Ayello, E. A. (2005). Pressure Ulcers: A Patient Safety Issue. Chapter 12.
- MacGregor, L. (2010). International Review. Pressure ulcer prevention, pressure, shear , friction and microclimate in context. A consensus document. *Wound International Enterprise House*.
- Melila, Lucas KRT & Suryamiharja, A. (2007). *Penuntun Penatalaksanaan Nyeri Neuropatik*. Yogyakarta: Medikagama Press.

- Monnet Xavier, Richard, Teboul Jean Louis.(2015). Passive Leg Raising: five rules, not a drop of fluid. *Biomed Central.Paris*.19:18.
- Mora. (2002). The role of pulsatile cold compression in edema resolution following ankle fractures: a randomized clinical trial. *Foot Ankle Int*, 23, 999–1002.
- Moffatt Christine. (2006). International concensus. Best Practice For The Management of Lymphoedema. Medical Education Patnership. London.
- MR, Cesarone, Laurora G, De Sanctis MT, Incandela L, Steigerwalt R, B. G. (1999). The edema tester in the evaluation of swollen limbs in venous and lymphatic disease. *Panminerva Med*;41:10-14.
- Nabuurs-franssen, A. M. H., & Kruseman, N. (2005). Health-related quality of life of diabetic foot ulcer patients and their caregivers. *Diabetologia*, 1906–1910. diakses 20 Maret 2015 dari <http://www.link.springer.com/article/>.
- National Pressure Ulcer Advisory Panel, E. P. U. A. P. and P. P. P. I. A. (2014). *Prevention and Treatment of Pressure Ulcers : Quick Reference Guide*. (Emily Haesler, Ed.). Perth, Australia: Cambridge Media.
- Supriadi., Nishizawa, T., Fukuda, M., Kon, Y., & Junko, M. (2014). Interface pressure , pressure gradient with pressure ulcer development in Intensive Care Units. *Journal of Nursing Education and Practice*.www.sciedu.ca/jnep, 4(9),146–154. diakses pada tanggal 28 Desember 2015 dari <http://www.doi.org/10.5430/jnep>.
- Nursalam. (2009). *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan Pedoman Skripsi, Tesis dan Instrumen Penelitian Keperawatan*. (T. E. S. Medika, Ed.). Jakarta: Salemba Medika. diakses tanggal 20 Mei 2015 dari <http://www.penerbitsalemba.com>.
- Oktavia.(2015).Ulkus Diabetic. diakses pada tanggal 21 November 2015 dari <http://www.10/ulcus-diabetic.html/>.
- PERKENI.(2011). Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia.
- Purnamasari, Endah dan Poerwantoro, Bambang. (2011). *Majalah Kesehatan Pharma Medika*, 2011 Vol.3. No. 2.
- Paul, Chadwick, Edmonds M, McCardle J, A. D. (2013). International Best Practice Guidelines : Wound Management in Diabetic Foot Ulcers. *Wounds International*. London: Wounds International,. diakses tanggal 20 Mei 2015 dari <http://www.woundsinternational.com/clinical-guidelines>.

- Prompers, L. and M. H. and N. S. and J. A. (2008). Resource utilization and cost associated with the treatment of diabetic foot ulcers. Prospective data from the Eurodiale Study. diakses pada tanggal 12 Mei 2015 dari <http://www.doi.org/10.1007>.
- Quilici, B. C. E. (2009). Comparison of reduction of edema after rest and after muscle exercises in treatment of chronic venous insufficiency. *International Archives of Medicine*, 18, 1755–7682–2–18. diakses tanggal 20 Mei 2015 dari <http://www.doi.org/10.1186>.
- Rebolledo, F. A., Soto, J. M. T., Escobedo, J., & Peña, D.(2011).The Pathogenesis of the Diabetic Foot Ulcer: Prevention and Management. *Global Perspective on Diabetic Foot Ulcerations*, 155–178.
- Sherwood, Lauralee. (2001). Fisiologi Manusia dari Sel ke sistem.Edisi 2. Jakarta. EGC.
- Sherwood, Laurale. (2015). Fisiologi Manusia dari Sel ke Sistem.Edisi 8. Jakarta. EGC.
- Sims, D. A. N. (1986). Effects of Positioning on Ankle Edema, 0–4. *The Journal Of Orthopaedic And Sports Physical Therapy*.Colombus. 0196-601 1 /86/0801-0030.
- Singh Simerjit, Pai Dinker, Yuhui Chew.(2013). Diabetic Foot Ulcer-Diagnosis and Management. Review article. diakses tanggal 3 Februari 2016, <http://www.dx.doi.org/10.4172/2329-910x.1000120>.
- Starkey Chad. (2004). *Therapeutic Modalities*. (C. Frantantoro, Ed.) (3rd ed.). Philadelphia.: F.A. Davis Company.
- Stems. (2014). Pathophysiology and etiology of edema in adults. diakses tanggal 28 Juli 2015 dari <http://www.uptodate.com/contents/general-principles-of-the-treatment-of-edema-in-adults/contributors>.
- Suriadi. (2007). Manajemen Luka. Pontianak: Stikep Muhammadiyah.
- Sussman, C & Swanson, G. (1997). Utility of The Sussman Wound Helaing Tool in Predicting Wound Outcomes in Phisical Therapy. *Advances in Wound Care*.
- Takahashi., Black J., Dealey., Gefen.(2010) Pressure in Context. *International Review*. Pressure Ulcer Prevention pressure, shear, friction and microclimate in context.

- Usatine, R. P. U. (2011). *The color atlas of family medicine* (2nd ed.). New York: McGraw-Hill Companies.
- Usman.(2016). *Modifikasi Modern Dressing dan Elevasi Ekstremitas Bawah terhadap Ankle Brachial Index (ABI) dan Skor Penyembuhan Luka Kaki Diabetik di Klinik Kitamura Pontianak*.Tesis. Universitas Muhammadiyah Yogyakarta. Yogyakarta.
- Villeco, J. P., & Otr, L. (2012). Edema : A Silent but Important Factor. *Journal of Hand Therapy*, 25(2), 153–162. diakses tanggal 28 Mei 2015 dari <http://www.doi.org/10.1016/j.jht.2011.09.008>.
- Wulandari Indah. (2015). Pengaruh Elevasi Ekstremitas bawah terhadap proses penyembuhan UKD. *Jurnal Ilmiah Keperawatan STIKES Hang Tuah Surabaya.*, 3.
- Veves, Aristidis, Giurini John M dan Frank W. LoGerfo. (2006). *The Diabetic Foot*. Second Edition. Humana Press. New Jersey.
- Yazdanpanah, L., Nasiri, M., & Adarvishi, S. (2015). Literature review on the management of diabetic foot ulcer. *World Journal of Diabetes*, 6(1), 37–53. doi:10.4239/wjd.v6.i1.37 diakses 25 Agustus 2015 dari <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4317316/>.
- Yoga, A. S. (2013). *Perancangan Alat Bantu Penyangga Kaki Portabel untuk proses melahirkan*. Yogyakarta.Skripsi. Program Studi Teknik Industri Fakultas Teknologi Industri Universitas Atma Jaya Yogyakarta. Yogyakarta.
- Yotsu, R. R. (2014). Comparison of characteristics and healing course of diabetic foot ulcer by etiological classification: Neuropathic, ischemic, and neuro-ischemic type. *Journal of Diabetes and Its Complications*, Vol.28(4), 28;528–535. diakses tanggal 28 Mei 2015 dari <http://www.doi.org/10.1016>.