

DAFTAR PUSTAKA

- Abdurachim K., Kalim H., & Radi, B. (2007). Quality of Life Evaluation Coronary Artery Bypass Graft Surgery in Patient who Underwent Phase III Rehabilitation Program. *Jurnal Kardiologi Indonesia*. Vol. 28: 189-196.
- Afifi, M. (2007). Gender differences in mental health. *Singapore Med J*. 48: 385-91.
- Alonso, J., Ferrer, M., Gandek, B., Ware, J.E, Jr., Aaronson, N.K., Mosconi, P., Rasmussen, N.K., Bullinger, M., Fukuhaba, S., Kaasa, S., & Leplège, A. (2004). Health-related quality of life associated with chronic conditions in eight countries: results from the International Quality of Life Assessment (IQOLA) Project. *Qual Life Res*. 13(2): 283-298
- America Urologic Association (AUA). (2007). *Urologic Disease in America*. diakses 12 Februari 2016 dari www.kidney.niddk.gov
- Anggraini, T. (2015). Potency of citrus (*citrus aurantium*) water as inhibitor calcium lithogenesis on urinary tract. *J Majority*. Vol. 4 No. 1: 99-104
- Anissa. (2013). Penilaian Kualitas Hidup pada Usia Lanjut Dengan Eq-5d Di Klub Jantung Sehat Kelurahan Pondok Kelapa Dan Faktor-Faktor Yang Mempengaruhi. *Tesis*. Universitas Indonesia.
- Antonelli, J.A., Maalouf, N.M., Pearle, M.S., & Lotan, Y. (2014). Use of the National Health and Nutrition Examination Survey to Calculate the Impact of Obesity and Diabetes on Cost and Prevalence of Urolithiasis in 2030. *Eur Urol*; 66(4): 724-729
- Arafa, M.A., & Rabah, D.M. (2010). Study of quality of life and its determinants in patients after urinary stone fragmentation. *Health and Quality of Life Outcomes*. 8: 119-124
- Arikunto, S. (2014). *Prosedur penelitian suatu pendekatan praktik*. Jakarta: Rineka Cipta.
- Bahadori, M., Ghavidel, F., Mohammadzadeh, S., & Ravangard, R. (2014). The effect of an interventional program based on self-care model on health-related quality of life outcomes in hemodialysis patients. *Journal of Education and Health Promotion*. Vol 3. 110
- Billica, W. (2004). *Urolithiasis*. Diakses 11 Februari 2016. Dari <http://www.5ncc.com/Assets/Summary/TP0970.html>

- Bolhke, M., & Nunes, D.L. (2008). Predictors of quality of life among patients on dialysis in southern Brazil. *Sao Paulo Med J.* 126(5):225-6.
- Bosworth, H.B., Siegler, I.C., Olsen, M.K., Brummett, B.H., Barefoot, J.C., Williams, R.B., & Mark, D.B. (2001). Social support and quality of life in patients with coronary artery disease. *Quality of Life Research*, 9(7), 829-839.
- Boyce, C.J., Pickhardt, P.J., Lawrence, E.M., Kim, D.N., & Bruce, R.J. (2010). Prevalence of urolithiasis in asymptomatic adult: objective determination using low dose noncontrast computerized tomography. *J. Urol.* 183(3): 1017-21. doi.10.1016/J.Juro.2009.11.047
- Brunner & Suddart. (2015). *Keperawatan Medikal-Bedah Edisi 12*. Jakarta: Penerbit Buku Kedokteran EGC.
- Brooker, C. (2009). *Ensiklopedia Keperawatan*. Jakarta: Penerbit Buku Kedokteran EGC.
- Carod, A.J.F, & Egido, A.J. (2009). Quality of Life after stroke: The importance of a good recovery. *Department of Neurology Sarah Hospital, The Sarah Network of Rehabilitation Hospitals, Brasilia, Brazil; Stroke Unit, Department of Neurology, San Carlos Hospital, Madrid, Spain*
- CDC. (2005). Health related quality of life surveillance united states, 1993-2002. *MMWR*. 54(SS04):1-35.
- Chang, S.C., Yang, S.S., Chang, C.C., Lin, C.C., Chung, Y.C., & Li, T.C. (2014). Assessment of health-related quality of life in antiviral-treated Taiwanese chronic hepatitis C patients using SF-36 and CLDQ. *Health and Quality of Life Outcomes*. 12.97:1-8.
- Colella, J., Kochis, E., Galli, B., & Manuver, R. (2005). Urolithiasis/ Nephrolithiasis: What's It Alla About?. *Urology Nursing*. Vol. 24. No. 6: 427-449
- Corwin, E.J. (2009). *Buku Saku Patofisiologi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Creswell, J.W. (2014). *Research Design Pendekatan Kualitatif, Kuantitatif, Dan Mixed Edisi Ketiga*. Yogyakarta: Pustaka Pelajar.
- De Haan, R.J., & Faranson, N. (2002). Measuring Quality of Life After Using The SF-36 in stroke. *Stroke*. 33:1176 – 1177

- Domingos, F., & Serra, A. (2011). Nephrolithiasis is associated with an increased prevalence of cardiovascular disease. *Nephrol Dial Transplant.* 26: 864-868
- Eric, N. (2005). Obesity, Weight Gain and the Risk of Kidney Stone, *JAMA*, 293(4):455-462
- Ernawati. (2008). Efektivitas edukasi dengan menggunakan panduan pencegahan Osteoporosis terhadap pengetahuan wanita yang beresiko di Rumah Sakit Fatmawati Jakarta. *Tesis.* Universitas Indonesia.
- Fayers & Machim, (2015). Quality of life: the assessment , analysis and reporting of pastient-reported outcomes. Diakses tanggal 19 April 2016 dari http://books.google.co.id/books/about/quality_of_life.html?id=2WwuJ.eCp4AC&redir_esc=y
- Fwu, C.W., Eggers, P.W., Kimmel, P.L., Kusek, J.W., & Kirkali, Z. (2013). Emergency department visits, use of imaging, and drugs for urolithiasis have incerased in the United States. *Kidney International:* 83, 479-486
- Gamal, M., Assimos, D.G., & Sayed, M.A. (2010). Prospective randomized trial of extracorporeal shock wave lithotripsy for nephrolithiasis-initial result. *The Journal of Urology.* 166(6):2072-80.
- Grace, P.A., & Borley, N.R. (2006). *At a Glance Ilmu Bedah Edisi Ketiga.* Jakarta: Erlangga Medical Series.
- Guundgard, J. (2006). Decomposition of sources of incomes-related health inequality applied on SF-36 summary scores: a Danish health survey. *Health and Quality of Life Outcomes.* 4.53.
- Guyatt, G.H., Feeny, D.H., & Patrick, D.L. (1993). Measuring health-related quality of life. *Ann Intern Med.* 118:622-629
- Harmaini, F. (2006). Uji Keandalan dan Kesahihan Formulir European Quality of Life – 5 Dimensions (EQ-5D) untuk Mengukur Kualitas Hidup Terkait Kesehatan pada Usia Lanjut di RSUPNCM. Indonesia. *Tesis.* Universitas Indonesia.
- Hellen, W. (2007). Altered living: coping, hope and quality of life after stroke. *British Journal of Nursing.* Vol 16 No.20
- Heller, H.J., Sakhaei, K., Moe O.W., & Pak, C.Y. (2002). Etiological role of estrogen status in renal stone formation. *J. Urol.* 168: 1923-7.
- Hopman, W.M. (2009). Associations between chronic disease, age and physical and mental health status. *Chronic Disease in Canada.* Vol.29, N0.2.

- Kim, Y.J., Park, M.S., Kim W.T., Yun, S.J., Kim, W.J., & Lee, S.C. (2011). Hypertension influencerecurrent stone formation in nonobese stone formers. *Urology*; 77(5): 1059-1063
- Krisna, D.N.P. (2011). Faktor resiko penyakit batu ginjal. *KEMAS*. 7(1):51-62
- Li, W.M., Chou, Y.H., Li, C.C., Liu, C.C., Huang, S.P., Wu, W.J., Chen, C.W., Su, C.Y., Lee, M.H., Wei, Y.C., & Huang, C.H. (2009). Association of body mass index and urine pH in patient with urolithiasis. *Urological Research*. Volume 37, Issue 4, pp 193-196
- Lotan, Y., Jimenez, I.B., Wijnkoop, I.L., Daudon, M., Molinier, L., Tack, I., & Nuijten, M.J.C. (2013). Increased Water Intake as a Prevention Strategy of Recurrent Urolithiasis: Major Impact of Compliance on Cost-Effectiveness. *Jurology*. Volume 189, Issue 3, Pages 935-939
- Maalouf, M., Rho. J.M., & Mattson, M.P. (2010). The neuroprotective properties of calories restriction, the katogenic diet, and ketone bodies. *Brain Res.* 59. 293-315
- Marchinko, S. (2008). The wellness planner: Testing an intervention designed to increase empowerment and improve quality of life in individuals with mental illness. *ProQuest Dissertations and Thesis* .University of Manitoba (Canada)). Diakses pada tanggal: 18 April 20016. Dari <http://search.proquest.com/docview/304402398?accountid=17242>
- Mazloomymahmoodabad, S., Masoudy, G., Fallahzadeh, H., & Jalili, Z. (2014). Education based on precede-proceed on quality of life in elderly. *Global Jaournal of Health Sciene*. Vol.6. No.6. 178-84
- Mehmed, M.M., & Ender O., (2015). Effect of urinary stone disease and it's treatment on renal function. *World J Nephrol*: 4(2): 271-276
- Modersitzki, F., Pizzi, L., Grasso, M., & Goldfarb, D.S. (2014). Health-related quality of life (HRQoL) in cystine compared with non-cystine stone formers. *Urolithiasis*. 42(1): 53-60.
- Moe, O.W. (2006). Kidney stones: pathophysiology and medical management. *Lancet*; 367(9507):333-44.
- Mohammed, R.F., Mohammed Z.A., Fathi, A., & Mohammed, J.A. (2015). Impact of Health Program for Elderly Patients Undergoing Extracorporeal Shock waves Lithotripsy on Clearance of Urolithiasis. *Journal of American Science*. 11(6): 188-200.

- Nazro, J., & Memunn, A. (2004). Gender differences in well-being in older age. *J Epidemiol Community Health.* 58:333-9.
- Nursalam. (2014). *Metodologi Penelitian.* Jakarta: Penerbit Salemba Medika.
- Nursalam, & Efendy, R. (2012). *Pendidikan Dalam Keperawatan.* Jakarta: Penerbit Salemba Medika.
- Notoatmodjo, S. (2014). *Metodologi Kesehatan.* Jakarta: Rineka Cipta.
- _____. (2010). *Ilmu perilaku kesehatan.* Jakarta: Rineka Cipta.
- Obligado, S.H., & Goldfarb, D.S. (2008). The association of nephrolithiasis with Hypertension and obesity: a review. *Am J Hypertens.* 21(3):257-64
- O'Callaghan, C. (2009). *At a Glance Sistem Ginjal Edisi Kedua.* Erlangga Medical series. Jakarta.
- Okhunov, Z., Duty, B., Smith, A.D., & Okeke, O. (2011). Management of urolithiasis in patients after urinary diversions. *BJU International.* 108, 330–336. doi:10.1111/j.1464-410X.2011.10194.x
- Pearle, M.S, et al. (2005). Urologic diseases in America project: urolithiasis. *J Urol;*173(3):848-857.
- Penniston, K.L., & Nakada, S.Y. (2007). Health related Quality of Life Differs Between Male and Female Stone Formers. *The Journal of Urology.* Vol. 178; 2435-2440.
- Pickard, S.A, Neary, M.P., & Cella, D. (2007). Health and Quality of Life Outcomes Open Access Research Estimation of minimally important differences in EQ-5D utility and VAS scores in cancer Center for Pharmacoconomic Research, Department of Pharmacy Practice, College of Pharma. *Health and Quality of Life Outcomes* 2007, 5:70 doi:10.1186/1477-7525-5-70.
- Pigna, F., Sakhaei, K., Huet, B.A., & Maaloul, N.M. (2014). Body fat content and distribution and urinary risk factors for nephrolithiasis. *Clin J Am Soc Nephrol.* 7; 9(1): 159-165
- Potter, A.G., & Perry. (2009). *Buku Ajar Fundamental Keperawatan: Konsep, Proses, & Praktik. Volume I. Edisi 7.* Jakarta: Penerbit buku kedokteran EGC.
- Portis A.J., & Sundaram, C.P. (2001). Diagnosis and initial management of kidney stone. *American Family Physician.* Vol. 63. No. 7: 1329-1338

- Prabowo, E., & Pranata, A.E. (2014). *Buku Ajar Asuhan Keperawatan Sistem Perkemihan Pendekatan NANDA, NIC dan NOC.* Yogyakarta: Nuha Medika.
- Pradono, J., Hapsari, D., & Sari, P. (2009). Kualitas hidup penduduk Indonesia menurut *international classification of functioning, disability and health (ICF)* dan faktor-faktor yang mempengaruhi (analisis lanjut data RISKESDAS 2007). *Bul. Penelit. Kesehat.* Supplement 2009: 1-10
- Purnomo, B.B. (2012). *Dasar-Dasar Urologi Edisi Ketiga.* Jakarta: Sagung Seto.
- Rachmawati, Y., Perwitasari, D.A., & Adnan. (2014). Validasi kuesioner SF-36 versi Indonesia terhadap pasien hipertensi di puskesmas yogyakarta. *Pharmacy.* Vol. 11 No. 01: 14-25
- Rahardjo, O., & Hamid, R. (2004). Perkembangan penatalaksanaan batu ginjal di RSCM tahun 1997-2002. *J. I. Bedah Indones.* 32(2):58-63
- Rahman, A.R., Rudiansyah, M., & Triawanti. (2013). Hubungan antara adekuasi hemodialisis dan kualitas hidup pasien di RSUD Ulin Banjarmasin. *Berkala Kedokteran.* Vol.9. No.2: 151-160.
- Rahmi, Upik. (2011). Pengaruh discharge planning terstruktur terhadap kualitas hidup pasien stroke iskemik di RSUD Al-Ihsan dan RS Al-Islam. *Tesis.* Universitas Indonesia.
- Ratu, G., Badji, A., & Hardjoeno. (2006). Profil analisis batu saluran kemih di laboratorium patologi klinik. *Indonesian Journal of Clinical Pathology and Medical Laboratory.* 12(3):114-117.
- Rohmah, A.I.N., Purwaningsih., & Bariyah. K. (2012). Kualitas hidup lanjut usia. *Jurnal Keperawatan.* Vol.3 No.2: 120-132.
- Rully, M.A. (2010). Batu Staghorn pada Wanita: Faktor Resiko dan Tata Laksananya. *Jurnal Ilmiah Mahasiswa kedokteran Indonesia.* Vol. 1 No. 1. 52-58.
- Sastroasmoro, S., & Ismael, S. (2010). *Dasar-dasar metodologi penelitian klinis.* (Ed.2). Jakarta: Sagung Seto.
- Setiawati, S., & Dermawan, A.C. (2008). *Proses Pembelajaran Dalam Pendidikan Kesehatan.* Jakarta: Trans Info Media.
- Setiati, S., Harimurti, K., Dewiasty, E., & Istanti, R. (2010). Predictors and Scoring System for Health-related Quality of Life in an Indonesian Community - Dwelling Elderly Population. *Acta Med Indones-Indones J*

Intern Med. Department of Internal Medicine, Faculty of Medicine, University of Indonesia.

Sharifirad, G., Ghaffari, M., Zanjani, S., & Hassanzadeh, A. (2013). The effectiveness of educational intervention based on PRECEDE model on the level of stress among the elderly at elderly clubs. *Journal of Education and Health Promotion*. Vol. 1:11-16

Shamsuddeen, S.B., Bano, R., & Shammary, E.A. (2013). Risk Factors of Renal Calculi. *IOSR Journal of Dental and Medical Science (IOSR-JDMS)*. Volume 11, Issue 6, 90-95

Shyu, L.Y.I., Chen, M.C., Chen, C.S., Wang, S.P., & Shao, J.H. (2008). A family caregiver-oriented discharge planning program for older stroke patients and their family caregivers. *Journal of Clinical Nursing*. 17: 2497-2508.

Siener, R., & Hesse, A. (2003). Fluid intake and epidemiology of Urolithiasis. *European Journal of Clinical Nutrition*. 57, Suppl 2, 547-551

Smeltzer, S.C., & Bare, G. (2008). *Brunner & Suddarth : Textbook of Medical Surgical Nursing*. Philadelphia: Lippincott Williams & Wilkins..

Spilker, B. (2002). *Quality of Life and Pharmacoconomics in Clinical Trials*, 2nd ed, Philadelphia: Lippincot Raven.

Sukardjo. (2007). Perbedaan efektivitas metode PKM-RS dengan diskusi *problem solving* dalam meningkatkan pengetahuan dan sikap dari pasien DM Tipe II di RSUD Sunan Kalijaga Kabupaten Demak. *Jurnal Promosi Kesehatan Indonesia*. Vol.2. No.2

Suliha, U., Herawani, Sumiati, & Resnayati, Y. (2002). *Pendidikan kesehatan dalam keperawatan*. Jakarta: Penerbit buku Kedokteran EGC.

Testa, M.A., & Simonson, D.C. (1996). Assesment of Quality of Life outcomes. *The New England Journal of Medicine*. 334: 835-39.

Tiselius H.G. (2008). *Guidelines on urolithiasis*. Arnhem, The Netherlands: European Association of Urology

Vijaya, T., Kumar, M.S., Ramarao, N.V., Babu, A.N., & Ramarao N. (2013). Urolithiasis and Its Causes-Short Review. *The Journal of Phytopharmacology*; 2(3) : 1-6

Walters, S.J., Munro, J.F., & Brazier, J.E. (2001). Using SF-36 with Older Adults: A Cross Sectional Community-Based Survey. *Age & Aging*; 30:337-43.

- Ware, J.E., & Sheirbourne, C.D. (2000). The MOS 36 item short form health survey (SF-36). Conceptual frame work and item selection. *SPINE*. 25(24): 3130-39.
- Whynes, D. K. (2013). Does the correspondence between EQ-5D health state description and VAS score vary by medical condition?. *Whynes Health and Quality of Life Outcomes*.11:155.
- Wong, Y.V., Cook, P., & Somani, B.K. (2015). The association of metabolic syndrome and urolithiasis. *International Journal of Endocrinology*. Vol 2015: 1-9. ID.570674:
- World Health Organization. (2016). Health education. Diakses pada tanggal: 18 April 2016. Dari: http://www.who.int/topics/health_education/en/
- Wumaner, A., Keremu, A., Wumaier, D., & Wang, Q. (2014). Variation in urinary stone composition between adult Uyghur and Han patients with urolithiasis in Xinjiang, China. *Urology*. 84(4):772-8.
- Zalihic, A., Viedran, M., & Mirela, M. (2012). Gebder aand quality of life after cerebral stroke. *Bosniaan journal of basic Medical Sciensces*. 10 (2): 9-