

DAFTAR PUSTAKA

- Ahmad, S. (2000). *Interdialytic Fluid Weight Gain is Mainly Caused by Sodium Intake.* Diakses 10 Desember 2015 dari <http://www.hemodialysis.org/pros/20080114/>.
- Ajzen, I., & Fishbein, M. (2005). *Theory Based Behaviour Change Interventions : comments on hobbis and Sutton.* Journal of Health Psychology. Vol. 10. No.1. 27-31.
- Alharbi K., & Enrione, B. E. (2012). Malnutrition si Prevalent Among Hemodialysis Patient In Jeddah Saudi Arabia. *Saudi Journal of Kidney Disease and Transplantation.* 23 (3), 598-608.
- Ashley, C., & Morlidge, C. (2008). Introduction to Renal Therapeutic. Cambridge. Pharmaceutical Press. diakses 6 Januari 2016 dari <http://www.pharmpress.com/product/9780853696889/introduction-to-renaltherapeutics>.
- Azwar, S. (2015). *Sikap Manusia Teori dan Pengukurannya Edisi 2.* Yogyakarta. Pustaka Pelajar.
- Bandura, A. (2000). Sosial Cognitive Theory : An Agentive Perspective. *Annual Review of Psychology* 52:1-26. Diakses 4 Desember 2015.
- Baraz, P., Mohammadi, E., & Braumann, B. (2009). Dietary and Fluid Compliance : an Educational for Patients Having Haemodialysis. *Journal of Advanced Nursing.* 66 (1) 60-68.
- Barnett, T., Li, Y.T., Pinikahana, J., Si Ya, T. (2007). Fluid Compliance Among Patients Having Hemodialysis : Can be Educational Programme Make a Difference?. *Journal of Advanced Nursing,* 61 (3), 300-306 diakses 21 Januari 2015.
- Black, J.M., & Hawks, J.H. (2009). *Medical surgical Nursing : Clinical Management For Positive Outcome.* 8thEd. St.Louis. Elsevier Inc.
- Cahyaningsih, N. D. (2009). *Hemodialisis Panduan Praktis Perawatan Ginjal.* Yogyakarta. Mitra Cendekia.
- Cornelia., Sumedi, E., Anwar, I., Ramayulis, R., Iwaningsih, S., Kresnawan, T. (2013). *Konseling Gizi.* Jakarta. Penebar Plus.

- Daugirdas, J. T., Blake, P. B., Ing, T. S. (2007). *Handbook of Dialysis 4th edition.* Philadelphia. Lippincot William & Wilkins.
- Delaune & Ladner. (2006). *Fundamental of Nursing Standart & Practice Third Edition.* Thomsom Delmar Learning. Clifton Park. NewYork.
- Denhaerynck, K., Manhaeve, D., Dobbels, F., Garzoni, D., Nolte, C., Degeest, S. (2007). Prevalence and Consequences of Nonadherence to Hemodialysis Regimen. *American Journals of Critical Care.* Volume 16, No.3 diakses 21 Desember 2015 dari <http://www.ajcc.aacnjournals.org>.
- Dharma, K.S. (2011). *Metodologi Penelitian Keperawatan Panduan Melaksanakan dan Menerapkan Hasil Penelitian.* Jakarta. Trans Info Media.
- Dikti. (2012). *Standar Kompetensi Perawat Indonesia.* Diakses 26 Februari 2016 dari <http://www.hpeq.dikti.go.id>
- Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M. (2008). *Pharmacotherapy. Pathophysiology Approach.* South Carolina. Mc Graw Hill Companies Inc.
- Guyton, A.C., & Hall, J.E. (2007). *Textbook of Medical Physiologi. 10th Edition.* Philadelphia. W.B Saunders Company.
- Hidayat, A. (2011). *Buku Panduan Kebutuhan Dasar Manusia.* Jakarta. EGC.
- Hidayati, S. (2012). *Efektifitas Konseling Analisis Transaksional Tentang Diet Cairan Terhadap Penurunan Interdialytic Weight Gain (IDWG) Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisa Di Rumah Sakit Umum Daerah Kardinah Tegal.* Tesis. Universitas Indonesia.
- Higgins, G. E., & Marcum, C. D. (2005). Can The Theory of Planned Behaviour Mediate the Effects of Low Self Control on Alcohol use?. *College Student Journal.* Vol.39. Issue: 1 diakses 7 Desember 2015.
- Isroin, L., Istanti, Y.P., Soejono, S.K. (2014). Manajemen Cairan Pada Pasien Hemodialisis Untuk Meningkatkan Kualitas Hidup di RSUD Dr. Harjono Ponorogo. *Muhammadiyah Journal Of Nursing* diakses 11 Januari 2016 dari <http://www.journal.umy.ac.id>.

- Istanti, Y. P. (2011). Faktor-Faktor Yang Berkontribusi Terhadap Interdialytic Weight Gain Pada Pasien Chronic Kidney Disease Yang Menjalani Hemodialisa. *Jurnal Mutiara Medika*. Vol. 11 No.2 118-130 diakses 25 April 2016 dari <http://journal.umy.ac.id/index.php/mm/article/view/938/1034>.
- Istanti, Y. P. (2014). Hubungan Antara Masukan Cairan Dengan Interdialytic Weight Gain (IDWG) Pada Pasien Chronic Kidney Disease Di Unit Hemodialisis RS PKU Muhammadiyah Yogyakarta. *Jurnal PROFESI*. Volume 10/September 2013-Februari 2014.
- Jablonski, A. (2007). The Multidimentional Characteristic of Symtoms Bay patients on Hemodialysis. *Nephrology Nursing Journal*. 3(1) 29.
- Jafari F., Mobasher, M., & Mirzaeian. (2014). Effect of Diet Education on Blood Pressure Changes and Interdialytic Weight in Hemodialysis Patients Admitted in Hajar Hospital in Shahrekord. *Mater Sociomed*. 26(5) : 318-320 diakses 21 Desember 2015 dari <http://www.ncbi.nlm.nih.gov/pubmed/25395881>.
- Jeager, J., & Mehta, R. Asessment of Dry Weight in Hemodialysis. diakses 10 Maret 2016 dari <http://www.jasn.asnjournals.orgcgiccontentfull11122337>.
- Johansson, K., Nuutila, L., Virtanen, H., Katajisto, J., Salamter, S. (2005). Preoperative Education for Orthopedic Patients. Systematic Review. *Journal of Advanced Nursing* 50 (2). 212-223.
- Kallenbach, J.Z., Gutch, C.F., Stoner, M.H., Corea, A.L. (2005). *Review of Hemodialysis for Nurses and Dialysis Personel (7th Ed)*. Amerika. Elsevier Mosby.
- Kamaluddin, R., & Rahayu, E. (2009). Analisis Faktor-Faktor Yang Mempengaruhi Kepatuhan Asupan Cairan Pada Pasien Gagal Ginjal Kronik Dengan Hemodialisis Di RSUD Prof.Dr.Margono Soekarjo Purwokerto. *Jurnal Keperawatan Soedirman*. Volume 4 No. 1 diakses 3 Maret 2016 dari <http://www.jks.fikes.unsoed.ac.id/index.php/jks/article/download/218/109.s>
- Kamyar, K. Z. (2009). Interdialytic Weight Gain, Mortality Linked. *Nephrology Nursing Journal* diakses 10 Desember 2015 dari <http://www.renalandurologynews.com/hemodialysis/interdialytic-weight-gain-mortality-linked/article/127528/>.

- Kimmel, P. L., Varela, M.P., Peterson, R.A., Weihs, K.L., Simmens, S.J., Alleyne, S., Amarashinge, A., Mishkin, G.J., Cruz, I., Veis, J.H. (2000). Interdialytic Weight Gain and Survival in Hemodialysis Patients : Effects of Duration of ESRD and Diabetes Melitus. *Kidney International*. 57(3) 1141-1151; doi:10.1046/j.1523-1755. diakses 13 Februari 2016.
- Kopple, J.D., Massry, S.G. (2004). *Nutritional Management of Renal Disease (2nd ed)*. Philadelphia: Lippincott Williams & Wilkins.
- Kutzleb, J., & Reiner, D. (2006). The Impact of Nurse Directed Patient Education on Quality of Life and Functional Capacity in People With Heart Failure. *Journal of The American Academy of Nurse Practitioners*. 18(3), 116-23 diakses 11 Desember 2015.
- Linberg, M. (2010). *Excessive Fluid Overload Among Hemodialysis Patients : Prevalence, Individual Characteristic and Self Regulation of Fluid Intake*. Disertasi. Faculty of Medicine Uppsala Universitet diakses 10 Desember 2015 dari <http://www.diva-portal.org/smash/get/diva2:308451/FULLTEXT01.pdf>.
- Linda, T., Plotnikoff, R.C., Rhodes, R.E., North, S., Courneya, K.S. (2012). Correlates of Physical In A Population Based Sample of Kidney Cancer Survivors : An Application of the Theory of Planned Behaviour. *International Journal of Behavioural Nutrition and Physical Activity*. 9:96 diakses 19 Maret 2016 dari <http://www.ijbnpa.org/content/9/1/96>.
- Levey, A. (2002). Chronic Kidney Disease : Progression American College of Physician. 139, 137-147.
- Malawat, K.Y (2001). Pengaturan Cairan Secara Mandiri Pada Pasien Yang Menjalani Hemodialisis. *Jurnal Keperawatan Indonesia Vol.5 No.2* : 39-43 diakses 5 Maret 2016 dari <http://jki.ui.ac.id/index.php/jki/article/view/108>.
- Maasoumeh, R., Forough, R. (2010). Perceived Social Support and Quality of Life in Iranian Hemodialysis Patients. *Journal of Nursing Scholarship*. 42:3, 242._c 2010.
- Margareta, S. (2015). *Efektifitas Edukasi Berbasis Theory of Planned Behaviour Dalam Meningkatkan Koping Dan Kepatuhan Terapi Penyandang Diabetes Melitus*. Tesis. Universitas Muhammadiyah Yogyakarta.

Machinko, S. (2008). *The wellness planner : Testing an Intervention Designed To Increase Empowerment and Improve Quality of Life in Individuals With Mental Illness*. Dissertation. University of Manitoba (Canada) diakses 15 Desember 2015 dari <http://search.proquest.com/docview/304402398?accountid=17242>.

Mehrotra, R., Marsh, D., Vonesh, E., Peters, V., Nissenson, A. (2007). Patient Education And Access of ESRD Patient to Renal Replacement Therapist Beyond in Center Hemodialysis. *Kidney International*. 68, 378-390.

Moissl, U., Guillen, M.A., Wabel, P., Fontseré, N., Carrera, M., Campistol, J.M, Maduell, F. (2013). Bioimpedance Guided Fluid Management in Hemodialysis Patients. *Clin J Am Soc Nephrol*. 8(9): 1575–1582. diakses 3 Januari 2016 dari <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3805085/>.

Mundakir. (2006). *Komunikasi Keperawatan : Aplikasi Dalam Pelayanan*. Yogyakarta. Graha Ilmu.

Muttaqin, A. (2011). *Asuhan Keperawatan Gangguan Sistem Perkemihan*. Jakarta. Salemba Medika.

National Center for Chronic Disease Prevention and Health Promotion. (2014). *National Chronic Kidney Disease Fact Sheet*. Atlanta. CDC diakses 10 Januari 2016 dari <http://www.cdc.gov/info>.

National Kidney and Urologic Disease Information Clearing House. (2012). Kidney Failure : Eat Right to Feel Right on Hemodialysis. *National Institute of Health. U.S Departement of Health and Human Services* diakses 2 Januari 2015 dari <http://www.niddk.nih.gov/health-information/health-topics/kidney-disease/kidney-failure-eat-feel-right-hemodialysis/Pages/facts.aspx>.

Notoatmojo. (2007). *Promosi Kesehatan & Ilmu Perilaku*. Jakarta. Rineka Cipta.

Nurchayati, S. (2011). *Analisis Faktor-Faktor yang Berhubungan Dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisa Di Rumah Sakit Islam Fatimah Cilacap dan Rumah Sakit Umum Daerah Banyumas*. Tesis. Universitas Indonesia.

Nursalam. (2013). *Metodologi Penelitian Ilmu Keperawatan*. Pendekatan Praktis Edisi 3. Jakarta. Salemba Medika.

Orth, S.R. (2002). Smoking and Kidney. *J Am Soc Nephrology*. 13:1663-1672.

- Pardede, S. O. (2010). Pruritus Uremik. *Jurnal Sari Pediatri*. Volume 11 No.5 diakses 1 Januari 2016 dari <http://www.saripediatri.idai.or.id/pdffile/11-5-7.pdf>.
- Potter, A.S & Perry, A.G. (2009). *Fundamental Keperawatan*. Jakarta. Salemba Medika.
- Price, S.A., & Wilson, L.M. (2006). *Patofisiologi Konsep Klinis Proses-Proses Penyakit Vol.2 (6th Ed)*. Jakarta. EGC.
- Pusat Bahasa Departemen Pendidikan Nasional. (2008). diakses 3 September 2015 dari <http://www.pusatbahasa.diknas.go.id/kbbi/index.php>.
- Rashidian., & Russel. 2012. General Practitioners Intentions and Prescribing for Atsma : Using The Theory of Planned Behaviour to Explain Guideline Implementation. *Journal Int J Prev Med*.2012. 3 (1) : 17-28. PMCID : PMC3278865.
- Reams., & Elder, V. (2003). Dry Weight : To be Set or No To be That Is A Good Question. *Nephrology Nursing Journal*. 30(2) 236 diakses 5 Februari 2016 dari <https://www.highbeam.com/doc/1G1-100962376.html>.
- Roswati, E. (2013). Pruritus Pada Pasien Hemodialisis. CDK 203/Volume 40 No.4 diakses 3 Maret 2016 dari <http://www.kalbemed.com>.
- Sapri, A. (2004). *Faktor-Faktor yang Mempengaruhi Kepatuhan Dalam Mengurangi Asupan Cairan Pada Penderita Gagal Ginjal Kronik yang Menjalani Hemodialisa di RSUD dr. H. Abdul Moeloek Bandar Lampung*. Diakses 12 Februari 2016 dari <http://www.indonesiannursing.com>.
- Schoolwerth, A.C., Engelgau, M.M., Hostetter, T.H., Rufo, K.H., Mc Clelan, W.M. (2006). Chronic Kidney Disease a Public Health Problem That Needs a Public Health Action Plan Prevention Chronic Disease 3(2): 15.
- Sharma, M., & Kanekar, A. (2007). Theory of Reasoned Action and Theory of Planned Behaviour in Alcohol and Drug Education. *Journal of Alcohol and Drug Education*. 51 (1) 3-7. diakses 9 Desember 2015 dari <http://www.search.proquest.com>.

- Sharp, J., Wild, M.R., Gumley, A.I., Deighan, C.J. (2005). A Cognitive Behavioral Group Approach to Enhance Adherence to Hemodialysis Fluid Restrictions: A Randomized Controlled Trial. *American Journal of Kidney Disease*. Volume 45, Issue 6, 1046-1057 diakses 5 Desember 2015 dari <http://www.akjd.org>.
- Smeltzer, S.C., Bare, B. (2002). *Medical Surgical Nursing. 10th Ed.* Philadelphia. Lippincot. Williem Wilkins.
- Smeltzer, S.C., Bare, B.G. (2008). *Textbook of Medical Surgical Nursing. 12^{ed}.* Philadelphia. Lippincott Williams Wilkins.
- Sonier, B. (2000). Effects of Self Monitoring and Monetary Reward on Fluid Adherence Among Adults Hemodialysis Patients. http://digital.library.unt.edu/ark:/67531/metadc2693/m2/i/high_res-d/Dissertation.pdf.
- Suharjono. (2008). *Ilmu Penyakit Dalam.* Jakarta. Fakultas Kedokteran Universitas Indonesia.
- Suharyanto, T. (2002). *Asuhan Keperawatan Pada Klien Dengan Gangguan Sistem Perkemihan.* Jakarta. Trans Info Media.
- Suiraka, I.P., & Supriasa, L.D. (2012). *Media Pendidikan Kesehatan.* Yogyakarta. Graha Ilmu.
- Sulistini, R. (2013). Hubungan Tekanan Darah Pre Hemodialisis dan Lama Menjalani Hemodialisis Dengan Penambahan Berat Badan Interdialitik Di Ruang Hemodialisis RS.Moh.Hoesin Palembang. *Jurnal Poltekkes Palembang.* <http://jurnal.poltekkespalembang.ac.id/wp-content/uploads/.../19-Jurnal-Rumentalia.pdf>.
- Suryaningsih, Y. (2010). *Hubungan Penambahan Berat Badan Antara Dua Waktu Dialisis Dengan Kualitas Hidup Pasien Hemodialisis Di Rumah Sakit Dr. M. Djamil Padang.* Tesis. Universitas Indonesia.
- Suwitra, K. (2006). *Buku Ajar Ilmu Penyakit Dalam.* Jakarta. Departemen Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.
- Takaki, J., Nishi, T., Shimoyama, H., Inada, T., Matsuyama, N., Sasaki, T. (2003). Possible Variances of Blood Urea Nitrogen, serum Potassium and Phosphorus Levels and Interdialytic Weight Gain Accounted for Compliance of Hemodialysis Patients. *Journal of Psychosomatic Research.* 55:525-529.

- Tanujiarso, B.A., Ismonah., & Supriyadi. (2014). Efektifitas Konseling Diet Cairan Terhadap Pengontrolan *Interdialytic Weight Gain* (IDWG) Pasien Hemodialisis Di RS Telogorejo Semarang. *Jurnal Ilmu Keperawatan dan Kebidanan (JIKK)*. Volume 1 No.6 diakses 24 Januari 2016 dari <http://www.pmb.stikestelogorejo.ac.id/e-journal/index.php/ilmukeperawatan/article/.../259/284>.
- Telini, L.S.R., Beduschi, G.C., Caramori, J.C.T., Castro, J.H., Martin, L.C., Barretti, P. (2013). Effect of Dietary Sodium Restriction on Body Water, Blood Pressure, and Inflammation in Hemodialysis Patients : A Prospective Randomized Controlled Study. *International Urology and Nephrology*. DOI 10.1007/s11255-013-0382-6 diakses 10 Desember 2015 dari <http://www.ncbi.nlm.nih.gov/pubmed/23340794>.
- Terrill, B. (2002). *Renal Nursing A Practical Approach*. Victoria. Ausmed Publications.
- Thomas. (2003). *Renal Nursing*. Bailliere Tindall. London.
- Thomas, D, Joseph, J., Francis, B., Mohanta, G.P. (2009). Effect of Patient Counceling on Quality of Life of Hemodialysis Patient in India. *Pharmacy Practice (Granada)*. 7(3), 181-184 diakses 26 Desember 2015 dari <http://www.pharmacypractice.org>.
- Tovazzi, M. E., Mazzoni V. (2012). Personal Paths Of Fluid Setriction In Patient On Hemodialysis. *Nephrologi Nursing Journal*. diakses 3 Februari 2016.
- Wakai, K., Nakai, S., Kikuchi, K., Iseki, K., Miwa, N., Masakane, L., Wada, A., Shinzato, T., Nagura, Y., Akiba, T. (2004). Trends in Incidence of End Stage Renal Disease in Japan. *Nephrology Nursing Journal*. 39(3) 207-215.
- Widiastuti. (2012). *Efektifitas Edukasi Terstruktur Berbasis Teori Perilaku Terencana Terhadap Pemberdayaan Dan Kualitas Hidup Pasien Penyakit Jantung Koroner Di Rumah Sakit Pondok Indah Jakarta*. Tesis. Universitas Indonesia.
- Worden, V. (2007). Gender, Age, and Geographical Location on of Renal Replacement Therapy. diakses 4 Maret 2016 dari http://www.medscape.com/viewarticle/560158_4.