

INTISARI

Latar Belakang : Depresi adalah gangguan dalam alam perasaan yang ditandai dengan kemurungan dan kesedihan yang mendalam dan berkelanjutan sehingga mengakibatkan hilangnya kegairahan hidup. Masa remaja merupakan periode kehidupan yang berat bila dibandingkan dengan kelompok umur yang lain. Depresi dan gangguan psikologi yang lain lebih banyak terdapat pada remaja.

Tujuan Penelitian : Mengetahui perbedaan tingkat depresi mahasiswa yang tinggal dikos dan yang tinggal dengan orang tua.

Metode Penelitian : Penelitian ini merupakan jenis penelitian *Cross Sectional* dengan subyek penelitian dalam penelitian ini adalah mahasiswa kedokteran Universitas Muhammadiyah Yogyakarta sebanyak 100 orang. Dalam penelitian ini digunakan tempat tinggal untuk mengetahui perbedaan tingkat depresi. Kuesioner yang digunakan adalah BDI&Crosstabs. Setelah didapatkan data masing-masing variabel, kemudian dilakukan uji analitik dengan *Chi-Square*.

Hasil dan Kesimpulan : Diperoleh hasil dengan uji analitik nilai $P=0,085$ untuk perbedaan tingkat depresi berdasarkan tempat tinggal. Kesimpulan penelitian ini adalah tidak ada perbedaan yang signifikan terhadap terjadinya depresi antar mahasiswa yang tinggal dikos dengan yang tinggal dengan orangtua ($P=0,005$).

Kata kunci : depresi, rumah pondokan, mahasiswa kedokteran

ABSTRACT

Background : Depression is a kind of disturb in memory which has marked by deeply sadness and continually so it can make someone lost a passion to life. Teenage is heavy life period than the other age group. Depression and the other kind of psychology damage is always happened to teenager than adult.

Objective : To know a difference depression level student who living at kos with student who living at home.

Method : This study was Cross Sectional research using research subject namely 100 student of Medical University of Muhammadiyah. This research used living stay and student report to know a difference level of depression. The questionnaire used BDI (Beck depression Inventory) and Crosstabs. After each variable data gained, then statistically test was conducted using Chi-Square

Result and conclusion : The obtained research result using analytical test of P value = 0,085 for difference level based at home. This research conclusion was no difference and correlation between living stay with depression level ($P > 0,005$).

Keywords : depression, medical student, boarding house.