

Lampiran 1

Kepada Yth.
Ketua Program Studi Teknik Elektro Medik
Universitas Muhammadiyah Yogyakarta
di Tempat

Hal: Permohonan mengisi kuesioner penelitian

Assalamu'alaikum Wr, Wb.

Pertama, perkenalkan nama saya Zukhoirum Min Alfitri, mahasiswi Program Studi Akuntansi, Universitas Muhammadiyah Yogyakarta. Saya sedang melakukan penelitian mengenai **faktor faktor yang memengaruhi hubungan antara senjangan anggaran dengan partisipasi anggaran**, sebagai syarat untuk menyelesaikan tugas akhir.

Selain untuk memenuhi tugas akhir, penelitian ini juga bertujuan untuk: (1) mengetahui apakah partisipasi anggaran di Universitas Muhammadiyah Yogyakarta dapat mengakibatkan senjangan anggaran, (2) memberikan pengetahuan mengenai faktor faktor apa saja yang memengaruhi terjadinya senjangan anggaran dalam praktik anggaran partisipasi sehingga organisasi dapat menghindari terjadinya senjangan anggaran.

Untuk tercapainya informasi yang sebaik baiknya, saya berharap Bapak/Ibu Ketua dan Sekretaris Ketua Program Studi yang berkontribusi dalam penyusunan anggaran berkenan untuk mengisi kuesioner terlampir secara teliti dan sesuai dengan kondisi yang terjadi pada proses penyusunan anggaran Universitas Muhammadiyah Yogyakarta.

Demikian surat permohonan ini diberikan, atas segala bantuan dan kesediaan Bapak/Ibu sekalian saya ucapkan terimakasih.

Wassalamualaikum Wr, Wb.

Pembimbing

Peneliti

Rizal Yaya, Ph.D.,M.Sc.,Ak.,CA
NIK.19731218199904 143 068

Zukhoirum Min Alfitri

Lampiran 2

No.	PA1	PA2	PA3	PA4	PA5	PA
1.	5.0	5.0	4.0	5.0	4.0	23.0
2.	5.0	5.0	4.0	3.0	5.0	22.0
3.	5.0	5.0	3.0	3.0	2.0	18.0
4.	4.0	4.0	2.0	4.0	4.0	18.0
5.	4.0	3.0	4.0	4.0	4.0	19.0
6.	5.0	4.0	4.0	4.0	4.0	21.0
7.	4.0	4.0	4.0	4.0	4.0	20.0
8.	4.0	4.0	2.0	2.0	4.0	16.0
9.	5.0	4.0	4.0	5.0	4.0	22.0
10.	5.0	5.0	5.0	5.0	5.0	25.0
11.	5.0	5.0	4.0	4.0	3.0	21.0
12.	5.0	5.0	4.0	4.0	4.0	22.0
13.	5.0	5.0	5.0	5.0	5.0	25.0
14.	4.0	4.0	4.0	4.0	4.0	20.0
15.	5.0	4.0	3.0	3.0	5.0	20.0
16.	5.0	5.0	2.0	4.0	4.0	20.0
17.	5.0	5.0	5.0	5.0	1.0	21.0
18.	1.0	4.0	2.0	2.0	2.0	11.0
19.	4.0	4.0	4.0	4.0	5.0	21.0
20.	4.0	3.0	4.0	4.0	2.0	17.0
21.	4.0	2.0	2.0	2.0	4.0	14.0
22.	5.0	4.0	4.0	5.0	4.0	22.0
23.	5.0	4.0	3.0	3.0	4.0	19.0
24.	5.0	5.0	4.0	5.0	5.0	24.0
25.	5.0	2.0	4.0	4.0	3.0	18.0
26.	5.0	4.0	4.0	5.0	4.0	22.0
27.	5.0	4.0	4.0	3.0	4.0	20.0
28.	5.0	4.0	4.0	5.0	4.0	22.0
29.	4.0	4.0	2.0	4.0	4.0	18.0
30.	5.0	4.0	4.0	4.0	4.0	21.0
31.	5.0	4.0	4.0	5.0	5.0	23.0
32.	4.0	2.0	2.0	4.0	4.0	16.0
33.	4.0	4.0	4.0	4.0	5.0	21.0
34.	4.0	4.0	4.0	4.0	4.0	20.0
35.	4.0	2.0	4.0	4.0	4.0	18.0
36.	4.0	4.0	1.0	1.0	4.0	14.0
37.	5.0	5.0	3.0	4.0	5.0	22.0
38.	4.0	4.0	4.0	4.0	4.0	20.0
39.	5.0	5.0	4.0	5.0	4.0	23.0
40.	5.0	4.0	4.0	4.0	4.0	21.0

No.	SA1	SA2	SA3	SA4	SA5	SA
36.	2.0	4.0	3.0	1.0	4.0	14.0
37.	4.0	5.0	4.0	5.0	5.0	23.0
38.	4.0	4.0	2.0	4.0	4.0	18.0
39.	5.0	4.0	1.0	4.0	4.0	18.0
40.	4.0	4.0	3.0	3.0	3.0	17.0
41.	4.0	3.0	3.0	4.0	4.0	18.0
42.	4.0	4.0	4.0	4.0	4.0	20.0
43.	4.0	3.0	3.0	4.0	4.0	18.0
44.	3.0	4.0	2.0	2.0	3.0	14.0
45.	4.0	4.0	3.0	2.0	4.0	17.0
46.	3.0	4.0	3.0	3.0	3.0	16.0

No.	KO1	KO2	KO3	KO4	KO5	KO6	KO
1.	4.0	4.0	4.0	4.0	4.0	4.0	24.0
2.	5.0	4.0	4.0	5.0	5.0	4.0	27.0
3.	5.0	5.0	3.0	4.0	5.0	5.0	27.0
4.	5.0	5.0	4.0	5.0	5.0	5.0	29.0
5.	5.0	4.0	4.0	4.0	4.0	4.0	25.0
6.	4.0	2.0	3.0	3.0	4.0	4.0	20.0
7.	3.0	3.0	4.0	4.0	4.0	4.0	22.0
8.	4.0	2.0	4.0	4.0	4.0	4.0	22.0
9.	5.0	5.0	4.0	5.0	5.0	4.0	28.0
10.	4.0	4.0	4.0	4.0	4.0	4.0	24.0
11.	4.0	4.0	4.0	4.0	4.0	4.0	24.0
12.	4.0	4.0	4.0	5.0	4.0	4.0	25.0
13.	5.0	5.0	5.0	5.0	5.0	4.0	29.0
14.	4.0	4.0	3.0	4.0	3.0	4.0	22.0
15.	4.0	3.0	3.0	4.0	3.0	4.0	21.0
16.	5.0	2.0	4.0	5.0	4.0	4.0	24.0
17.	5.0	4.0	5.0	4.0	5.0	5.0	28.0
18.	4.0	4.0	4.0	1.0	1.0	4.0	18.0
19.	4.0	4.0	4.0	5.0	5.0	4.0	26.0
20.	3.0	3.0	2.0	3.0	3.0	2.0	16.0
21.	4.0	4.0	4.0	5.0	5.0	5.0	27.0
22.	5.0	4.0	4.0	5.0	4.0	5.0	27.0
23.	5.0	5.0	5.0	5.0	5.0	5.0	30.0
24.	5.0	4.0	4.0	4.0	5.0	4.0	26.0
25.	5.0	5.0	5.0	5.0	5.0	5.0	30.0
26.	4.0	3.0	4.0	4.0	4.0	4.0	23.0
27.	4.0	2.0	4.0	4.0	4.0	4.0	22.0
28.	4.0	4.0	4.0	4.0	5.0	4.0	25.0
29.	5.0	5.0	4.0	4.0	5.0	5.0	28.0
30.	4.0	4.0	4.0	4.0	4.0	4.0	24.0

No.	KO1	KO2	KO3	KO4	KO5	KO6	KO
31.	5.0	5.0	4.0	5.0	4.0	4.0	27.0
32.	5.0	4.0	3.0	4.0	4.0	5.0	25.0
33.	5.0	3.0	4.0	4.0	4.0	4.0	24.0
34.	5.0	5.0	4.0	4.0	5.0	5.0	28.0
35.	4.0	4.0	4.0	4.0	4.0	4.0	24.0
36.	4.0	2.0	4.0	4.0	4.0	2.0	20.0
37.	5.0	4.0	4.0	5.0	5.0	5.0	28.0
38.	4.0	4.0	3.0	4.0	3.0	3.0	21.0
39.	4.0	5.0	4.0	5.0	4.0	4.0	26.0
40.	4.0	3.0	4.0	4.0	3.0	3.0	21.0
41.	4.0	3.0	2.0	4.0	4.0	4.0	21.0
42.	4.0	4.0	2.0	2.0	2.0	2.0	16.0
43.	4.0	4.0	4.0	4.0	4.0	4.0	24.0
44.	3.0	4.0	4.0	3.0	3.0	3.0	20.0
45.	4.0	4.0	4.0	3.0	4.0	4.0	23.0
46.	4.0	4.0	4.0	4.0	4.0	3.0	23.0

No	BO1	BO2	BO3	BO4	BO5	BO
1.	5.0	4.0	4.0	5.0	5.0	23.0
2.	4.0	4.0	5.0	5.0	5.0	23.0
3.	3.0	3.0	3.0	3.0	4.0	16.0
4.	4.0	4.0	4.0	4.0	4.0	20.0
5.	4.0	4.0	4.0	5.0	5.0	22.0
6.	4.0	4.0	4.0	4.0	4.0	20.0
7.	4.0	4.0	4.0	4.0	4.0	20.0
8.	4.0	4.0	4.0	4.0	4.0	20.0
9.	5.0	5.0	4.0	5.0	5.0	24.0
10.	5.0	5.0	5.0	5.0	5.0	25.0
11.	2.0	4.0	2.0	4.0	4.0	16.0
12.	5.0	5.0	5.0	5.0	5.0	25.0
13.	5.0	5.0	5.0	5.0	5.0	25.0
14.	4.0	4.0	4.0	4.0	4.0	20.0
15.	4.0	4.0	4.0	4.0	4.0	20.0
16.	4.0	4.0	4.0	5.0	5.0	22.0
17.	4.0	2.0	2.0	4.0	4.0	16.0
18.	3.0	4.0	4.0	3.0	4.0	18.0
19.	4.0	4.0	4.0	4.0	4.0	20.0
20.	3.0	2.0	2.0	2.0	4.0	13.0
21.	4.0	4.0	4.0	4.0	4.0	20.0
22.	5.0	5.0	5.0	5.0	4.0	24.0
23.	4.0	5.0	4.0	4.0	5.0	22.0
24.	4.0	4.0	4.0	4.0	4.0	20.0
25.	5.0	5.0	5.0	5.0	5.0	25.0

No	BO1	BO2	BO3	BO4	BO5	BO
26.	4.0	4.0	4.0	4.0	4.0	20.0
27.	5.0	5.0	5.0	5.0	5.0	25.0
28.	4.0	3.0	4.0	4.0	4.0	19.0
29.	4.0	4.0	3.0	4.0	4.0	19.0
30.	4.0	4.0	4.0	5.0	4.0	21.0
31.	5.0	5.0	4.0	4.0	5.0	23.0
32.	4.0	4.0	4.0	5.0	5.0	22.0
33.	5.0	5.0	5.0	5.0	5.0	25.0
34.	5.0	5.0	4.0	4.0	4.0	22.0
35.	4.0	4.0	4.0	4.0	4.0	20.0
36.	4.0	4.0	4.0	4.0	4.0	20.0
37.	5.0	5.0	5.0	5.0	5.0	25.0
38.	3.0	2.0	3.0	4.0	4.0	16.0
39.	3.0	5.0	5.0	5.0	5.0	23.0
40.	3.0	4.0	4.0	4.0	4.0	19.0
41.	3.0	5.0	4.0	5.0	4.0	21.0
42.	4.0	4.0	4.0	4.0	4.0	20.0
43.	4.0	4.0	4.0	4.0	4.0	20.0
44.	3.0	3.0	2.0	4.0	4.0	16.0
45.	4.0	3.0	3.0	3.0	5.0	18.0
46.	4.0	4.0	3.0	4.0	4.0	19.0

No	GK1	GK2	GK3	GK4	GK5	GK6
1.	4.0	4.0	4.0	3.0	4.0	19.0
2.	4.0	5.0	5.0	5.0	4.0	23.0
3.	4.0	4.0	3.0	1.0	4.0	16.0
4.	4.0	4.0	4.0	4.0	4.0	20.0
5.	5.0	4.0	4.0	4.0	4.0	21.0
6.	2.0	4.0	4.0	4.0	4.0	18.0
7.	4.0	4.0	4.0	4.0	4.0	20.0
8.	4.0	4.0	4.0	4.0	4.0	20.0
9.	5.0	4.0	5.0	5.0	5.0	24.0
10.	4.0	4.0	4.0	3.0	4.0	19.0
11.	4.0	3.0	4.0	3.0	4.0	18.0
12.	5.0	5.0	5.0	5.0	5.0	25.0
13.	5.0	4.0	5.0	4.0	4.0	22.0
14.	4.0	4.0	4.0	4.0	4.0	20.0
15.	4.0	4.0	4.0	4.0	4.0	20.0
16.	3.0	4.0	4.0	3.0	4.0	18.0
17.	2.0	3.0	2.0	4.0	4.0	15.0
18.	1.0	1.0	4.0	1.0	1.0	8.0
19.	4.0	4.0	4.0	4.0	4.0	20.0
20.	2.0	2.0	2.0	1.0	3.0	10.0

No	GK1	GK2	GK3	GK4	GK5	GK6
21.	4.0	4.0	5.0	4.0	4.0	21.0
22.	4.0	4.0	4.0	4.0	4.0	20.0
23.	4.0	4.0	4.0	4.0	4.0	20.0
24.	4.0	4.0	4.0	5.0	4.0	21.0
25.	4.0	4.0	4.0	4.0	4.0	20.0
26.	4.0	4.0	4.0	3.0	4.0	19.0
27.	5.0	4.0	4.0	5.0	4.0	22.0
28.	4.0	4.0	4.0	4.0	4.0	20.0
29.	4.0	4.0	4.0	3.0	3.0	18.0
30.	4.0	4.0	4.0	4.0	4.0	20.0
31.	4.0	4.0	5.0	5.0	4.0	22.0
32.	3.0	4.0	4.0	4.0	4.0	19.0
33.	5.0	5.0	5.0	4.0	5.0	24.0
34.	4.0	5.0	5.0	5.0	4.0	23.0
35.	3.0	4.0	4.0	4.0	4.0	19.0
36.	3.0	4.0	4.0	4.0	4.0	19.0
37.	5.0	5.0	4.0	5.0	5.0	24.0
38.	3.0	4.0	4.0	4.0	4.0	19.0
39.	3.0	4.0	4.0	4.0	4.0	19.0
40.	4.0	4.0	4.0	4.0	4.0	20.0
41.	3.0	3.0	2.0	3.0	4.0	15.0
42.	2.0	4.0	2.0	4.0	4.0	16.0
43.	4.0	4.0	4.0	4.0	4.0	20.0
44.	4.0	4.0	4.0	4.0	4.0	20.0
45.	3.0	3.0	4.0	3.0	3.0	16.0
46.	4.0	4.0	4.0	4.0	5.0	21.0

No	KL1	KL2	KL3	KL4	KL5	KL6	KL7	KL8	KL9	KL10	KL
4	3.0	4.0	4.0	3.0	3.0	3.0	4.0	4.0	4.0	3.0	35.0
4	3.0	3.0	4.0	4.0	4.0	3.0	5.0	4.0	4.0	4.0	38.0
4	3.0	4.0	3.0	3.0	4.0	4.0	4.0	3.0	4.0	4.0	36.0

Lampiran 3

Correlations

		PA1	PA2	PA3	PA4	PA5	PA
PA1	Pearson Correlation	1	.306*	.420**	.440**	.248	.699**
	Sig. (2-tailed)		.038	.004	.002	.097	.000
	N	46	46	46	46	46	46
PA2	Pearson Correlation	.306*	1	.244	.253	.172	.592**
	Sig. (2-tailed)	.038		.102	.090	.252	.000
	N	46	46	46	46	46	46
PA3	Pearson Correlation	.420**	.244	1	.701**	.066	.746**
	Sig. (2-tailed)	.004	.102		.000	.663	.000
	N	46	46	46	46	46	46
PA4	Pearson Correlation	.440**	.253	.701**	1	.150	.781**
	Sig. (2-tailed)	.002	.090	.000		.318	.000
	N	46	46	46	46	46	46
PA5	Pearson Correlation	.248	.172	.066	.150	1	.495**
	Sig. (2-tailed)	.097	.252	.663	.318		.000
	N	46	46	46	46	46	46
PA	Pearson Correlation	.699**	.592**	.746**	.781**	.495**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	46	46	46	46	46	46

*. Correlation is significant at the 0.05 level (2-tailed).

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		SA1	SA2	SA3	SA4	SA5	SA
SA1	Pearson Correlation	1	.399**	-.030	.585**	.382**	.679**
	Sig. (2-tailed)		.006	.845	.000	.009	.000
	N	46	46	46	46	46	46
SA2	Pearson Correlation	.399**	1	.077	.544**	.641**	.733**
	Sig. (2-tailed)	.006		.613	.000	.000	.000
	N	46	46	46	46	46	46
SA3	Pearson Correlation	-.030	.077	1	.258	.098	.429**
	Sig. (2-tailed)	.845	.613		.084	.518	.003
	N	46	46	46	46	46	46
SA4	Pearson Correlation	.585**	.544**	.258	1	.598**	.877**
	Sig. (2-tailed)	.000	.000	.084		.000	.000
	N	46	46	46	46	46	46
SA5	Pearson Correlation	.382**	.641**	.098	.598**	1	.753**
	Sig. (2-tailed)	.009	.000	.518	.000		.000
	N	46	46	46	46	46	46
SA	Pearson Correlation	.679**	.733**	.429**	.877**	.753**	1
	Sig. (2-tailed)	.000	.000	.003	.000	.000	
	N	46	46	46	46	46	46

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		KO1	KO2	KO3	KO4	KO5	KO6	KO
KO1	Pearson Correlation	1	.427**	.363*	.468**	.545**	.608**	.745**
	Sig. (2-tailed)		.003	.013	.001	.000	.000	.000
	N	46	46	46	46	46	46	46
KO2	Pearson Correlation	.427**	1	.286	.265	.334*	.422**	.635**
	Sig. (2-tailed)	.003		.054	.075	.023	.003	.000
	N	46	46	46	46	46	46	46
KO3	Pearson Correlation	.363*	.286	1	.434**	.482**	.431**	.659**
	Sig. (2-tailed)	.013	.054		.003	.001	.003	.000
	N	46	46	46	46	46	46	46
KO4	Pearson Correlation	.468**	.265	.434**	1	.736**	.450**	.764**
	Sig. (2-tailed)	.001	.075	.003		.000	.002	.000
	N	46	46	46	46	46	46	46
KO5	Pearson Correlation	.545**	.334*	.482**	.736**	1	.595**	.841**
	Sig. (2-tailed)	.000	.023	.001	.000		.000	.000
	N	46	46	46	46	46	46	46
KO6	Pearson Correlation	.608**	.422**	.431**	.450**	.595**	1	.786**
	Sig. (2-tailed)	.000	.003	.003	.002	.000		.000
	N	46	46	46	46	46	46	46
KO	Pearson Correlation	.745**	.635**	.659**	.764**	.841**	.786**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	.000	
	N	46	46	46	46	46	46	46

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

	Sig. (2-tailed)	.109	.041	.032	.020	.000		.000	.189	.000	.052	.000
	N	46	46	46	46	46	46	46	46	46	46	46
KL7	Pearson Correlation	-.034	.074	.356*	.308*	.646**	.607**	1	.301*	.707**	.063	.629**
	Sig. (2-tailed)	.823	.627	.015	.037	.000	.000		.042	.000	.678	.000
	N	46	46	46	46	46	46	46	46	46	46	46
KL8	Pearson Correlation	.217	.354*	.758**	.487**	.079	.197	.301*	1	.249	.442**	.644**
	Sig. (2-tailed)	.148	.016	.000	.001	.600	.189	.042		.096	.002	.000
	N	46	46	46	46	46	46	46	46	46	46	46
KL9	Pearson Correlation	.026	.157	.400**	.134	.646**	.607**	.707**	.249	1	.200	.667**
	Sig. (2-tailed)	.864	.296	.006	.374	.000	.000	.000	.096		.182	.000
	N	46	46	46	46	46	46	46	46	46	46	46
KL10	Pearson Correlation	.284	.502**	.473**	.317*	.061	.288	.063	.442**	.200	1	.627**
	Sig. (2-tailed)	.056	.000	.001	.032	.688	.052	.678	.002	.182		.000
	N	46	46	46	46	46	46	46	46	46	46	46
KL	Pearson Correlation	.447**	.627**	.755**	.565**	.564**	.708**	.629**	.644**	.667**	.627**	1
	Sig. (2-tailed)	.002	.000	.000	.000	.000	.000	.000	.000	.000	.000	
	N	46	46	46	46	46	46	46	46	46	46	46

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		BO1	BO2	BO3	BO4	BO5	BO
BO1	Pearson Correlation	1	.557**	.631**	.514**	.516**	.789**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	46	46	46	46	46	46
BO2	Pearson Correlation	.557**	1	.770**	.641**	.478**	.865**
	Sig. (2-tailed)	.000		.000	.000	.001	.000
	N	46	46	46	46	46	46
BO3	Pearson Correlation	.631**	.770**	1	.662**	.501**	.893**
	Sig. (2-tailed)	.000	.000		.000	.000	.000
	N	46	46	46	46	46	46
BO4	Pearson Correlation	.514**	.641**	.662**	1	.573**	.823**
	Sig. (2-tailed)	.000	.000	.000		.000	.000
	N	46	46	46	46	46	46
BO5	Pearson Correlation	.516**	.478**	.501**	.573**	1	.704**
	Sig. (2-tailed)	.000	.001	.000	.000		.000
	N	46	46	46	46	46	46
BO	Pearson Correlation	.789**	.865**	.893**	.823**	.704**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	46	46	46	46	46	46

** . Correlation is significant at the 0.01 level (2-tailed).

Correlations

		GK1	GK2	GK3	GK4	GK5	GK
GK1	Pearson Correlation	1	.671**	.585**	.504**	.629**	.839**
	Sig. (2-tailed)		.000	.000	.000	.000	.000
	N	46	46	46	46	46	46
GK2	Pearson Correlation	.671**	1	.512**	.710**	.778**	.891**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	46	46	46	46	46	46
GK3	Pearson Correlation	.585**	.512**	1	.492**	.242	.706**
	Sig. (2-tailed)	.000	.000		.001	.106	.000
	N	46	46	46	46	46	46
GK4	Pearson Correlation	.504**	.710**	.492**	1	.635**	.835**
	Sig. (2-tailed)	.000	.000	.001		.000	.000
	N	46	46	46	46	46	46
GK5	Pearson Correlation	.629**	.778**	.242	.635**	1	.788**
	Sig. (2-tailed)	.000	.000	.106	.000		.000
	N	46	46	46	46	46	46
GK	Pearson Correlation	.839**	.891**	.706**	.835**	.788**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	46	46	46	46	46	46

** . Correlation is significant at the 0.01 level (2-tailed).

Lampiran 4

Case Processing Summary

		N	%
Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.862	5

Item Statistics

	Mean	Std. Deviation	N
GK1	3.74	.905	46
GK2	3.91	.694	46
GK3	3.98	.745	46
GK4	3.80	.957	46
GK5	3.98	.614	46

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
GK1	15.67	6.136	.714	.827
GK2	15.50	6.700	.829	.802
GK3	15.43	7.362	.554	.864
GK4	15.61	5.977	.698	.835
GK5	15.43	7.451	.695	.837

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
19.41	10.159	3.187	5

Case Processing Summary

		N	%
Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.872	5

Item Statistics

	Mean	Std. Deviation	N
--	------	----------------	---

BO1	4.04	.729	46
BO2	4.09	.812	46
BO3	3.93	.827	46
BO4	4.26	.681	46
BO5	4.37	.488	46

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
BO1	16.65	5.699	.660	.855
BO2	16.61	5.088	.759	.831
BO3	16.76	4.897	.804	.818
BO4	16.43	5.718	.720	.841
BO5	16.33	6.758	.604	.872

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
20.70	8.528	2.920	5

Case Processing Summary

		N	%
Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

Case Processing Summary

		N	%
Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.820	10

Item Statistics

	Mean	Std. Deviation	N
KL1	3.91	.551	46
KL2	3.85	.788	46
KL3	3.59	.748	46
KL4	3.89	.379	46
KL5	4.07	.646	46
KL6	3.91	.784	46
KL7	4.11	.674	46
KL8	3.85	.631	46
KL9	4.11	.674	46
KL10	3.43	.958	46

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
KL1	34.80	16.828	.337	.819
KL2	34.87	15.005	.496	.805
KL3	35.13	14.338	.663	.786
KL4	34.83	16.947	.501	.810
KL5	34.65	15.921	.448	.809
KL6	34.80	14.472	.598	.793
KL7	34.61	15.443	.520	.802
KL8	34.87	15.538	.545	.800
KL9	34.61	15.221	.566	.798
KL10	35.28	14.385	.461	.815

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
38.72	18.652	4.319	10

Case Processing Summary

		N	%
Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items

Reliability Statistics

Cronbach's Alpha	N of Items
.828	6

Item Statistics

	Mean	Std. Deviation	N
KO1	4.33	.598	46
KO2	3.85	.894	46
KO3	3.83	.677	46
KO4	4.11	.823	46
KO5	4.09	.865	46
KO6	4.02	.774	46

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
24.22	11.729	3.425	6

Case Processing Summary

		N	%
Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.724	5

Item Statistics

	Mean	Std. Deviation	N
SA1	3.80	.910	46
SA2	4.04	.759	46
SA3	2.76	.947	46
SA4	3.61	1.064	46
SA5	4.11	.767	46

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Cronbach's Alpha if Item Deleted
SA1	14.52	6.566	.464	.685
SA2	14.28	6.696	.582	.647
SA3	15.57	7.940	.135	.809
SA4	14.72	4.918	.743	.550
SA5	14.22	6.574	.609	.637

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
18.33	9.558	3.092	5

Case Processing Summary

	N	%

Cases	Valid	46	100.0
	Excluded ^a	0	.0
	Total	46	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.678	5

Item Statistics

	Mean	Std. Deviation	N
PA1	4.52	.722	46
PA2	3.98	.856	46
PA3	3.57	.910	46
PA4	3.91	.915	46
PA5	3.87	.885	46

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
PA1	15.33	5.736	.529	.594
PA2	15.87	5.938	.339	.666
PA3	16.28	5.052	.539	.575

PA4	15.93	4.862	.592	.547
PA5	15.98	6.377	.208	.723

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
19.85	8.087	2.844	5

Lampiran 5

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		46
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	1.79585362
Most Extreme Differences	Absolute	.084
	Positive	.044
	Negative	-.084
Kolmogorov-Smirnov Z		.567
Asymp. Sig. (2-tailed)		.905

a. Test distribution is Normal.

Lampiran 6

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	GK, PA, KO, BO, KL ^a		Enter

a. All requested variables entered.

b. Dependent Variable: SA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.814 ^a	.663	.620	1.905

a. Predictors: (Constant), GK, PA, KO, BO, KL

b. Dependent Variable: SA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	284.980	5	56.996	15.709	.000 ^a
	Residual	145.129	40	3.628		
	Total	430.109	45			

a. Predictors: (Constant), GK, PA, KO, BO, KL

b. Dependent Variable: SA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-4.471	2.797		-1.599	.118		
	PA	.228	.135	.210	1.687	.099	.544	1.838
	KO	.138	.103	.153	1.336	.189	.644	1.553
	KL	.413	.103	.578	4.029	.000	.410	2.436
	BO	-.119	.132	-.112	-.901	.373	.544	1.839
	GK	.071	.133	.073	.531	.598	.450	2.223

a. Dependent Variable: SA

Coefficient Correlations^a

Model			GK	PA	KO	BO	KL
1	Correlations	GK	1.000	-.059	-.202	-.446	-.269
		PA	-.059	1.000	.036	-.109	-.509
		KO	-.202	.036	1.000	-.135	-.266
		BO	-.446	-.109	-.135	1.000	-.058
		KL	-.269	-.509	-.266	-.058	1.000
	Covariances	GK	.018	-.001	-.003	-.008	-.004
		PA	-.001	.018	.001	-.002	-.007
		KO	-.003	.001	.011	-.002	-.003
		BO	-.008	-.002	-.002	.017	.000
		KL	-.004	-.007	-.003	.000	.011

a. Dependent Variable: SA

Collinearity Diagnostics^a

Model	Dimensi on	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	PA	KO	KL	BO	GK
1	1	5.953	1.000	.00	.00	.00	.00	.00	.00
	2	.015	20.155	.13	.16	.01	.01	.10	.33
	3	.012	21.987	.07	.28	.50	.00	.01	.07
	4	.010	24.947	.28	.11	.30	.01	.38	.05
	5	.007	29.269	.31	.12	.14	.02	.50	.44
	6	.004	39.395	.21	.33	.05	.96	.02	.11

a. Dependent Variable: SA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	10.12	21.75	18.33	2.517	46
Residual	-4.117	4.327	.000	1.796	46
Std. Predicted Value	-3.262	1.361	.000	1.000	46
Std. Residual	-2.162	2.272	.000	.943	46

a. Dependent Variable: SA

Lampiran 7

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	GK, PA, KO, BO, KL ^a		Enter

a. All requested variables entered.

b. Dependent Variable: ABS_RES

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.393 ^a	.155	.023	1.00359

a. Predictors: (Constant), GK, PA, KO, BO, KL

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5.896	5	1.179	1.171	.345 ^a
	Residual	32.230	32	1.007		
	Total	38.126	37			

a. Predictors: (Constant), GK, PA, KO, BO, KL

b. Dependent Variable: ABS_RES

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	1.396	1.684		.829	.413		
	PA	-.126	.077	-.361	-1.624	.114	.536	1.867
	KO	.056	.064	.179	.868	.392	.621	1.611
	KL	.028	.056	.131	.510	.613	.402	2.488
	BO	.086	.078	.265	1.110	.275	.464	2.153

GK	-0.097	.088	-.324	-1.109	.276	.310	3.231
----	--------	------	-------	--------	------	------	-------

a. Dependent Variable: ABS_RES

Coefficient Correlations^a

Model		GK	PA	KO	BO	KL	
1	Correlations	GK	1.000	-.176	-.245	-.581	-.295
		PA	-.176	1.000	.142	-.049	-.471
		KO	-.245	.142	1.000	-.061	-.301
		BO	-.581	-.049	-.061	1.000	.050
		KL	-.295	-.471	-.301	.050	1.000
	Covariances	GK	.008	-.001	-.001	-.004	-.001
		PA	-.001	.006	.001	.000	-.002
		KO	-.001	.001	.004	.000	-.001
		BO	-.004	.000	.000	.006	.000
		KL	-.001	-.002	-.001	.000	.003

a. Dependent Variable: ABS_RES

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	PA	KO	KL	BO	GK
1	1	5.952	1.000	.00	.00	.00	.00	.00	.00
	2	.016	19.097	.17	.03	.02	.01	.13	.21
	3	.013	21.384	.04	.46	.25	.01	.03	.00
	4	.009	25.326	.21	.00	.30	.04	.40	.08
	5	.005	34.597	.28	.40	.43	.19	.21	.31
	6	.004	38.695	.30	.11	.01	.76	.23	.40

Collinearity Diagnostics^a

Model	Dimensi on	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	PA	KO	KL	BO	GK
1	1	5.952	1.000	.00	.00	.00	.00	.00	.00
	2	.016	19.097	.17	.03	.02	.01	.13	.21
	3	.013	21.384	.04	.46	.25	.01	.03	.00
	4	.009	25.326	.21	.00	.30	.04	.40	.08
	5	.005	34.597	.28	.40	.43	.19	.21	.31
	6	.004	38.695	.30	.11	.01	.76	.23	.40

a. Dependent Variable: ABS_RES

Lampiran 8

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	PA ^a		Enter

- a. All requested variables entered.
 b. Dependent Variable: SA

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.635 ^a	.403	.390	2.415

- a. Predictors: (Constant), PA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	173.501	1	173.501	29.750	.000 ^a
	Residual	256.608	44	5.832		
	Total	430.109	45			

- a. Predictors: (Constant), PA
 b. Dependent Variable: SA

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	4.622	2.538		1.821	.075
	PA	.690	.127	.635	5.454	.000

a. Dependent Variable: SA

Lampiran 9

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	PA.GK, KO, BO, KL, PA, GK, PA.KO, PA.BO, PA.KL ^a		Enter

a. All requested variables entered.

b. Dependent Variable: SA

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.854 ^a	.730	.662	1.796

a. Predictors: (Constant), PA.GK, KO, BO, KL, PA, GK, PA.KO, PA.BO, PA.KL

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	313.958	9	34.884	10.812	.000 ^a
	Residual	116.151	36	3.226		
	Total	430.109	45			

a. Predictors: (Constant), PA.GK, KO, BO, KL, PA, GK, PA.KO, PA.BO, PA.KL

b. Dependent Variable: SA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-40.992	19.132		-2.143	.039
	PA	2.158	.992	1.985	2.177	.036
	KO	-.645	.902	-.714	-.715	.479
	KL	1.675	.620	2.340	2.700	.010
	BO	.209	1.008	.198	.208	.837
	GK	.182	.694	.188	.263	.794
	PA.KO	.041	.047	1.434	.864	.393
	PA.KL	.067	.032	-3.687	-2.071	.046
	PA.BO	-.006	.050	-.195	-.122	.903
	PA.GK	-.016	.036	-.492	-.448	.657

a. Dependent Variable: SA