

DAFTAR PUSTAKA

- Alligod, M. R., & Tomey, A. M. (2006). *Nursing Theory : Utilization and application 3rd edition*. St. Louis : Mosby Elsevier.
- American Academy of Orthopaedic Surgeons. (2015). *Total Knee Replacement*. Diakses 10 Maret 2016 dari <http://www.orthoinfo.aaos.org/topic.cfm?topic=A00389>
- Appley, G. A and Solomon, Louis. (1995). *Orthopedi dan Fraktur Sistem Appley*. Edisi ketujuh. Jakarta : Widya Medika.
- Asmadi. (2008). *Tehnik Prosedural Keperawatan; Konsep dan Aplikasi Kebutuhan Dasar Klien*. Jakarta : Salemba Medika.
- Astuti, P. (2011). *Pengaruh Edukasi Pre Operasi Terstruktur (Dengan Teori Kognitif Sosial) Terhadap Self-Efficacy Dan perilaku Latihan Post Operasi Pada Pasien Fraktur Ekstremitas Bawah Dengan Pembedahan di Surabaya*". Fakultas Ilmu Keperawatan, Universitas Indonesia. Diakses 2 November 2016 dari <http://lib.ui.ac.id>.
- Australian Orthopaedic Association (AOA). (2013). *Australian Orthopaedic Association National Joint Replacement Registry annual report 2013*. Adelaide: AOA.
- Backer, J., Barksdale, P. (2005). Health Related Stressor Experienced by Patients Who Underwent Total Knee Replacement Seven Days After Being Discharged Home. *Orthopedic Nursing*, 24, 5 ; ProQuest Nursing & Allied Health Source.
- Bachmeier CJ, March LM, Cross MJ, Lapsley HM, Tribe KL, et al. (2001). A comparison of outcomes in osteoarthritis patients undergoing total hip and knee replacement surgery. *Osteoarthritis Cartilage* 9: 137–146.
- Bambang, S. (2003). *Osteoarthritis selayang pandang*. Temu Ilmiah Rheumatologi.

- Beard, H. S., Murray, D. W., Rees, J. L., Choong, P. F. (2002). Accelerated recovery for unicompartmental knee replacement - a feasibility study. *Knee*, 9,221-224
- Beaupre, L. A., Lier, D., Davies, D. M., Johnston, D. B. C. (2004). The effect of a preoperative exercise and education program on functional recovery, health related quality of life, and health service utilization following primary total knee arthroplasty. *Journal of Rheumatology*, 31,1166-1173.
- Beaupre, L. A., Lier, D., Davies, D. M., Jones, C., Cinats, J. G. (2001). Exercise combined with continuous passive motion or slid board therapy compared with exercise only : a randomized controlled trial of patients following total knee arthroplasty. *Physical therapy*, 81, 4, 1029-1037.
- Black, J. M., Hawks, J. H. (2014). *Medical surgical nursing : clinical management for positive outcomes*. 8th Edition.Elseiver (Singapore) Pte Ld.
- Caldwell J, Hart-Johnson T, Green CR. (2009). Body mass index and quality of life: examining blacks and whites with chronic pain. *J Pain*; 10(1):60-6
- Carpenito, L. J. (2007). *Diagnosis keperawatan aplikasi pada praktik klinis*. Jakarta : EGC.
- Chapman & Gavrinn. (1999). Suffering contribution of persistant pain. *The Lancet*, 353, 2233-2237.
- Chandrasekaran, Kumar, David. (2009). Early mobilization after total knee replacement reduce the incidence of deep venous thrombosis. *ANZ Journal of surgery*, VOL. 79, pg. 526.
- Chinachoti T, Lungnateetape A, Raksakietisak M. (2012). Periarticular infiltration of 0.25% bupivacaine on top of femoral nerve block and intrathecal morphine improves quality of pain control after total knee arthroplasty: a randomized double-blind placebo controlled clinical trial. *JMed Assoc Thai*.

- Clarke, Henry D., Timun, V.L., Goldberg, B. R., Hattrup, Steven J. (2012). Preoperative patient education reduces in-hospital falls after total knee arthroplasty. *Clin Orthop Relat Res*, Vol. 470. 244-249.
- Dawana, S. (2010). Sex differences in pain-related disability among primary care patients with chronic musculoskeletal pain. *American Academy of Pain Medicine Pain*, 11, 232-239.
- DeLaune, S. ., Ladner, P. K. (2002). *Fundamental of Nursing : Standart and practice* 2thed. New YORK : Delmar Thomson Learning Inc.
- Denis, Madeleine., Moffet, H., Caron, F., Ouellet, Denise et al. (2006). Effectiveness of continuous passive motion and conventional physical therapy after total knee arthroplasty : A Randomized clinical trial. *Physical therapy*, 86, 2, pg. 174.
- Departemen Kesehatan Republik Indonesian. (2007). Terapi tulang. <http://www/depkes.go.id>. Diunduh tanggal 23 April 2016.
- De Wolf, J.M.A. Mevis (1996). *Pemeriksaan Alat Penggerak Tubuh, Diagnostik Fisis dalam Praktek Umum*. Cetakan kedua, Bohn Stafleu Van Loghun, Halaman 99, 100.
- Dharma, K. K. (2011). Metodologi penelitian keperawatan. Jakarta : Trans Info Media.
- DiPiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., Posey, L. M. (2008). *Pathophysiologic Approach* (pp. 173-216). McGraw Hill Companies, South Carolina.
- Ditmiyer, M. M., Topp, R., Pifer, M. (2002). Prerehabilitazion in preparation for orthopaedic surgery. *Orthopaedic Nursing ;* September-October 2002, 21(5). Academic Research Library.
- Eldawati. (2011). *Pengaruh lathan kekuatan otot pre operasi terhadap kemampuan ambulasi dini pasien pasca operasi fraktur ekstremitas bawah di RSUP Fatmawati Jakarta*. Tesis. Universitas Indonesia. Jakarta. Diakses 24 Oktober 2016 dari <http://lib.ui.ac.id>.

- Falvo, D. R. (2011). *Effective patient education : a Guide to increase adherence*. Sudbury, MA : Jones-Barlett Publishers.
- Felson D.T. (2000). Osteoarthritis New Insights. Part 1 : The Disease and Its Risk Factors. *Ann Intern Med*; 133 : 637 – 639
- Felson D.T., Zhang Y. (1998). An Update on the Epidemiology of Knee and Hip Osteoarthritis with a View to Prevention. *Arthritis Rheumatology*; 41 : 1343 – 1355
- Fitzgerald, J. D., Orav, E. J., Lee, T.H., Marcantonio, E. R., Poss, R., Goldman, L., et al. (2004). Patient quality of life during the 12 months following joint replacement surgery. *Journal Arthritis and Rheumatism*, 51(1), 100-109.
- Gilbey., Lars E.O., Jon.K., Inger Ekman., Christine. (2003). Exercise improves early functional recovery after total hip arthroplasty. *Clinical Orthopaedic and Related Research*. 408, 193 – 200.
- Gill, Salmon P, Hughes, Portney.I. (2004). A prehabilitation program for prevention of functional decline : Effect on higher- level physical function. *Archives of physical medicine and rehabilitation*, 85 (7), 1043-1049.
- Guerra, L. Mark., Singh, P. J., Taylor, Nicholas. F. (2015). Early mobilization of patients who have had a hip or knee joint replacement reduces length of stay in hospital: a systematic review. *Clinical Rehabilitation*, Vol. 29(9), 844-854.
- Hapsari, W. (2013). *Efektifitas latihan activity daily living dalam meningkatkan kemandirian dan menurunkan kecemasan pada pasien fraktur tulang belakang di RSO Prof. Dr. Soeharso Surakarta*. Tesis. Universitas Muhammadiyah Yogyakarta. Yogyakarta.
- Haq I, Murphy E, Darce J. (2003). Osteoarthritis. *Postgrad Med J*. 79:377-83
- Hidayat, A. A. (2006). *Kebutuhan dasar manusia : aplikasi konsep dan proses keperawatan*. Jakarta : Salemba Medika.

- Isaac, D., Falode, T., Liu, P., L'Anson, H., Dillow, K., & Gill, P. (2005). Accelerated rehabilitation after total knee replacement. *Knee*, 12,346-350.
- Johansson, K., Salanterä, S., & Katajisto, J. (2007). Empowering orthopaedic patients through preadmission education : result from a clinical study. *Patient Education and Counseling*, 66, 84-91.
- Jones, D., Westby, M., Griedanus, N., Johansson, N., Krebs, D., Robbins, L. et al.
(2005). Update on hip and knee arthroplasty: Current state of the evidence. *Arthritis and Rheumatism*, 53,772-779.
- Kaplan & Saddock. (2003). *Sinopsis Psikiatri Edisi XIX*. Lippincot Williams and Wilkins: USA.
- Kearney, Marge., Jennrich, Mary Kay., Lyonns., Sheri., Robinson., Rochelle, Berger, B.(2011). Effect of Preoperative Education on patient outcomes after joint replacement surgery. *Orthopaedic Nursing*, 30, 6, ProQuest Nursing & Allied Health Source, pg. 391.
- Kisner, Carolyn and Lynn Allen Colby., (2007). *Therapeutik Exercise Foundation and Thecniques*. Fifth Edition. Philadelphia : F. A. Davis Company.
- Kurniawan, S. T. (2015). *Pengaruh nafas dalam dan mendengarkan bacaan murottal terhadap tingkat nyeri dan status hemodinamika pada pasien post orif di RS Karima Utama Kartosuro*. Tesis. Universitas Muhammadiyah Yogyakarta. Yogyakarta.
- Kwekkeboom, L. K., Gretarsdottir. (2005). Systematic review of relaxation interventions for pain. *Journal of Nursing Scholarship*. Third Quarter, 269-277.
- Laskin, R. & Beksac, B. (2004). Stiffness after total knee arthroplasty. *Journal of Arthroplasty*, 19,41-46.

- Lewis, Heitkemper & Dirksen., (2004). *Medical-surgical nursing : Assesment and Management of clinical problems* (6th ed). St. Louis : Mosby.
- Lucas, B. (2008). Total hip and total knee replacement : Preoperative nursing management. *British journal of nursing*. Vol. 17, No. 21 : 1346-1351.
- Marlitasari, H., Basirun A. U, dan Ning I. (2010). Gambaran penatalaksanaan mobilisasi dini oleh perawat pada pasien apendiktomi di RS PKU Muhammadiyah Gombong. *Jurnal Ilmiah Kesehatan Keperawatan*, 6(2), 48-54.
- McDonald, D. D., Molony, S. L. (2008). Postoperative pain communication skills for older adults. *Western Journal of Nursing Research*, 26, 836-852.
- Maidment, Zoe., Hordacre, Brenton G., Barr, Christopher J. (2014). Effect of weekend physiotherapy provision on physiotherapy and hospital length of stay after total knee and total hip replacement. *Australian Health Review*, 2014, 38, 265–270.
- Marimo & D'Arcy. (2013). **Critical care, trauma & emergency pain management**. New York : Springer Publishing Company.
- Maxey, L., & Magnusson, J. (2001). *Rehabilitation for postsurgical orthopedic patient*. St. Louis: Mosby.
- Montin, L., Leino-Kilpi H., Katajisto, J., Suominen, T., Lepisto, J., Kettunen, J. (2007). Anxiety and health-related quality of life of patients undergoing total hip arthroplasty for osteoarthritis. *Chronic Illness*, 3, 219-227
- Morris, B.A, Cristopher, Ingersoll, Susan Sabila, Mark D, Jay Hertel (2010). Clinical Practice Guidelines For Early Mobilization Hours After Surgery, *Orthopaedic Nursing* ; Sept/Oct 2010; 29,5; Research Library
- Mubarak, I.W. (2007). *Promosi Kesehatan*. Yogyakarta : Graha Ilmu.
- Muttaqin, A. (2008). *Buku ajar asuhan keperawatan klien gangguan sistem musculoskeletal*. Jakarta : EGC.

- Nankaku, Manabu., Tsuboyama, Tadao., Kakinoki, R., Akiyama, H., Nakamura, T. (2011). Prediction of ambulation ability following total hip arthroplasty. *Journal Orthop Sci*, 17, 359-363.
- Notoatmodjo, S. (2010). *Metodologi penelitian kesehatan*. Jakarta : Rineka Cipta.
- Notoatmodjo, S. (2007). *Promosi kesehatan dan ilmu perilaku*. Jakarta : Rineka Cipta.
- Nursalam. (2008). *Manajemen keperawatan aplikasi dalam praktik keperawatan profesional*. Edisi 3. Jakarta : Salemba Medika.
- Nursalam. (2013). *Metodologi penelitian ilmu keperawatan : pendekatan praktisi*. Edisi 3. Jakarta : Salemba Medika.
- Oktasari, V., Rahayuningsih, A., Susanti, M. (2013). Pengaruh pendidikan kesehatan terhadap pelaksanaan rentang gerak sendi aktif post operasi pada pasien fraktur di ruang bedah trauma center RSUP Dr. M. Djamil Padang. *Ners Jurnal Keperawatan*, Vol. 9, No. 2, Hal:94-102.
- Okwerita, R. (2010). *Pengaruh penyuluhan terhadap pelaksanaan mobilisasi dini pada pasien paska bedah sesar di ruang kebidanan RSUD Sungai Dareh*. Universitas Andalas.
- Orem, DE. (2011). *Nursing concepts of practice*. The C.V Mosby Company St Louis.
- Peate, I. (2008). Caring for people with appendicitis. *British Journal of Healthcare Assistants*, 2(8), 389-392.
- Pisac, C. (2003). Functional performance, depression, anxiety, and stress in people with spinal cord injuries in thailand : A transition from hospital to home. *Asia Pasific Disability Rehabilitation Journal*. Vol. 14, no 1, pp 30-40.
- Potter, A.P., Perry, A. G. (2009). *Fundamental of nursing (7 ed)*. Penerjemah ; Diah Nur ., Onny Tampubolon, Farah Diba. Jakarta : Salemba Medika.

- Prihati, D. R. (2014). *Supportive educative system dalam meningkatkan kemandirian klien diabetes mellitus tipe 2 di kecamatan mergangsan kota Yogyakarta*. Tesis. Universitas Muhammadiyah Yogyakarta. Yogyakarta.
- Pristahayuningtyas, et al., (2006). Pengaruh mobilisasi dini terhadap perubahan tingkat nyeri klien post operasi apendiktomi di Rumah Sakit Baladhika Husada Kabupaten Jember. *e-Jurnal Pustaka Kesehatan*. Volume 4, No. 1.
- Prosehat Physiotherapy. (2015). Fisioterapi pada post Total Knee Replacement. Diakses 07 Maret 2016 dari <http://www.fisioterapiku.com/2015/11/fisioterapi-pada-post-total-replacement>
- Renkawitz T, Rieder T, Handel M, et al. (2010). Comparison of two accelerated clinical pathways—after total knee replacement how fast can we really go? *Clin Rehabil*, 24: 230–239.
- Resnick, B.Zimmerman, S., Orwig, D., Furstenberg, A.L., Magaziner, J. (2001). Model testing for reliability and validity of the outcome expectations for exercise scale. *Nursing Research*, 50(5),293-299.
- Ropyanto, C. B. (2014). *Analisis penerapan teori self care Orem pada asuhan keperawatan pasien dengan gangguan sistem muskuloskeletal*. Prosiding Konferensi Nasional II PPNI Jawa Tengah.
- Ropyanto C.B., Sitorus R., Eryando T. (2013). Analisis faktor-faktor yang berhubungan dengan status fungsional paska open reduction internal fixation (ORIF) fraktur ekstremitas. *Jurnal Keperawatan Medikal Bedah* . Volume 1, No. 2, 81-90.
- Rothrock, J. C. (1999). *Perencanaan asuhan keperawatan perioperative*. Jakarta : EGC.
- Salmon, P., Hall, G., Peerbhoy, D., Shenkin, A., & Parker, C. (2001). Recovery from hip and knee arthroplasty : Patients perspective on pain, function, quality of life, and well being up to 6 months

postoperatively. *Archives Physical Medical Rehabilitation*, 82, 360-366.

Syaifuddin. (1997). *Anatomi Fisiologi Kedokteran*. Jakarta : EGC.

Syamsuhidajat & Jong. (2005). *Buku ajar ilmu bedah*. Ed. 2. Jakarta : EGC.

Sánchez, María., A María, Dolores Herrero., Iñigo, Blanca., Soledad, Nuño. (2013). Association between ongoing pain intensity, health-related quality of life, disability and quality of sleep in elderly people with total knee arthroplasty. *Orthopaedic Journal*.

Sendir, Merdiye., Buyukyilmaz, F., Musovi, Duygu. (2013). Patient's Discharge Information Needs After Total Hip and Knee Arthroplasty : A Quasi-qualitative pilot study. *Rehabilitation Nursing*, 38, 264-271.

Siddarta, S. S. (2011). Traumatic paraplegia : Outcome study at an apex trauma centre. *Indian Journal of Neurotrauma (IJNT)*, Vol. 8, No. 1, pg. 33-36.

Siswati, S. (2011). Pengaruh massage kulit terhadap penurunan rasa nyeri pada pasien post apendiktomi di rindu B2 RSUP H. Adam Malik Medan. *Jurnal Kutura*, 12(1), 1-9.

Smeltzer, S.C. dan Bare, B.G. (2008). *Brunner and Suddarth's : Text book medical surgical nursing*. St. Louis Missouri : Elseiver Saunders.

Stuart, Gail W. (2007). *Buku Saku Keperawatan Jiwa*. Alih bahasa Ramona P, Kapoh, Egi Komara Yuda. Ed. 5. Jakarta : EGC.

Thomas, Karen M., Sethares, Kristen A. (2008). An Investigation of the Effects of Preoperative Interdisciplinary Patient education on Understanding Postoperative Expectations Following a Total Joint Arthroplasty. *Orthopedic Nursing*, 27, 6 ; ProQuest Nursing & Allied Health Source.

Tinetti, M.E., Powell, L. (1993). Fear of falling and low self-efficacy: A cause of dependence in elderly persons. *The Journal of Gerontology*, 48 (special issue), 35-38.

- Triwibowo, I. (2012). *Knee Replacement* <http://flash-cl.blogspot.Com/2012/02/knee-replacement.html> diunduh 18 Maret 2016.
- Vahtrik, Doris., Gapeyeva, Helena., Aibast, Herje., Ereline, Jaan., Kums, T., Haviko, T., Martson, A., Schneider, G., Paasuke, M. (2012). Quadriceps femoris muscle function prior and after total knee arthroplasty in women with knee osteoarthritis. *Knee Surg Sports Traumatol Arthrosc*, 20:2013-2021.
- Velkumary, G. K., Madanmohan. (2004). Effect of short-term practice of breathing exercise on Autonomic fuction in normal human volunteers. *Indian Journal Respiration*, (120), 115-121.
- Waher, A., Salmond, S., Pellino, T. (2002). *Orthopaedic Nursing*, Third Edition, Philadelphia, PA. WB Saunders Co.
- Wang, A.W., Gilbey, H.J., Ackland, T.R. (2002). Perioperative exercise programs improve early return of ambulatory function after total hip arthroplasty : A randomized, controlled triad. *American Journal of Physical Medicine & Rehabilitation*, 81 (11), 801 – 806
- Woolf A., Pfleger B. (2003). *Burden of major musculoskeletal conditions*. Bull WHO. 81:646–56.
- Wu, CL., Naqibuddin M., Rowlingson AJ., Lietman SA., Jermyn RM., Fleisher LA. (2003). The effect of pain on health related quality of life in the immediate postoperative period. *Anesth Analg*; 97(4):1078-1085.