

## LAMPIRAN

### Source code daftar\_action

```

<?
session_start();
include '../config/koneksi.php';
include '../config/Generate_Password.php';
include '../config/auto_number.php';
$nama      = $_POST['nama'];
$nisn      = $_POST['nisn'];
$asal_skl  = $_POST['asal_skl'];
$email     = $_POST['email'];
$inisial   = date('Ym');
$date      = date('Y-m-d');
if($_POST['captcha']==$_SESSION['captcha_session']){
    $pass = GeneratePassword(5);
    $pass1 = md5($pass);
    $auto = auto_number('ppdb_adm_siswa',$inisial);
    $input = mysql_query("insert into ppdb_adm_siswa(no_peserta,

        nama,

        nisn,

        asal_skl,

        email,

        password,

        pass_view,

        tgl_daftar,

        status)

    values ('$auto',

        '$nama',

        '$nisn',

        '$asal_skl',

        '$email',

```

```

        '$pass1',
        '$pass',
        '$date'
        ,0)");

        $biodata = mysql_query("insert into
ppdb_biodata(nisn,nm_siswa,asl_sekolah,sts_bio) values
('$nisn','$nama','$asal_skl',0)");
        $rapor1 = mysql_query("insert into ppdb_bind(nisn,sts_bind) values
('$nisn',0)");
        $rapor2 = mysql_query("insert into ppdb_bing(nisn,sts_bing) values
('$nisn',0)");
        $rapor3 = mysql_query("insert into ppdb_ipa(nisn,sts_ipa) values
('$nisn',0)");
        $rapor4 = mysql_query("insert into ppdb_ips(nisn,sts_ips) values
('$nisn',0)");
        $rapor5 = mysql_query("insert into ppdb_mat(nisn,sts_mat) values
('$nisn',0)");
        if($input && $biodata && $rapor1 && $rapor2 && $rapor3 &&
$rapor4 && $rapor5){
            echo "berhasil";
        }
        else{
            echo "<font color='#00FF00'>Data Gagal Disimpan...</font>";
        }
    }
    else{
        echo "<font color='#FF0000'>Kode captcha yang Anda Masukan
Salah</font>";
    }
?>

```

#### Source code daftar\_checking

```

<?php
include '../config/koneksi.php';
if($_POST['nisn']){
    $sql = mysql_query("select * from ppdb_adm_siswa where
nisn='$_POST[nisn]");
    $ketemu = mysql_num_rows($sql);
    echo $ketemu;
}
?>

```

Source code *Login\_action*

```

<?
session_start();
include '../config/koneksi.php';
include '../includes/meta.php';
$no_peserta      = $_POST['no_peserta'];
$password        = $_POST['password'];
$result = mysql_query("select count(*) as hasil from ppdb_adm_siswa where
no_peserta='$no_peserta' and password=md5('$password')") or die
(mysql_error());
$row = mysql_fetch_array($result);
if ($row[0]=="1")
{
    $query_status = mysql_query("select * from ppdb_adm_siswa where
no_peserta='$no_peserta'") or die (mysql_error());
    $row_status=mysql_fetch_array($query_status);
    $nispn = $row_status['nispn'];
    $no_peserta = $row_status['no_peserta'];
    $_SESSION['no_peserta'] = $no_peserta;
    $_SESSION['nispn'] = $nispn;
    mysql_query("update ppdb_adm_siswa set status='1' where
no_peserta='$no_peserta'") or die (mysql_error());
    echo "login sukses";
    //header('location: ../media.php?module=akun');
}
else
{
    session_destroy();
    echo "<div class='alert alert-error'>Login Gagal Ulangi Kembali</div>";
}
?>

```

Source code *Logout*

```

<?
include 'config/koneksi.php';
$sess_peserta = $_SESSION['no_peserta'];
$sess_nispn   = $_SESSION['nispn'];
if (isset($sess_peserta) and (isset($sess_nispn)))
{
    mysql_query("update ppdb_adm_siswa set status = '0' where no_peserta
= '$sess_peserta'") or die (mysql_error());
    session_destroy();
    header('location: media.php?module=login');
}
?>

```

## Source code Pengumuman

```

<?
if (empty($_GET['nama'])){
    $page      = new Paging;
    $batas     = 5;
    $posisi    = $page->cariPosisi($batas);
    $res = mysql_query ("SELECT*FROM ppdb_adm_siswa WHERE
sts_seleksi = '1' ORDER BY no_peserta ASC LIMIT $posisi,$batas");
    $no = $posisi+1;
    while($items=mysql_fetch_array($res)){
        if ($items['sts_seleksi']==0){
            $sel = "Tidak Lulus";
        }
        else{
            $sel = "Lulus";
        }
        echo "<tr>
                                <td>$no</td>
                                <td>$items[no_peserta]</td>

                                <td>".BesarKalimat($items['nama'])."</td>
                                <td>$items[nisn]</td>

                                <td>".BesarKalimat($items['asal_skl'])."</td>
                                <td>$sel</td>

                                </tr>";
        $no++;
    }

    $jmldata = mysql_num_rows(mysql_query("SELECT*FROM
ppdb_adm_siswa WHERE sts_seleksi = '1'"));
    $jmlhalaman = $page->jumlahHalaman($jmldata,$batas);
    $linkhalaman = $page->navHalaman($_GET['halaman'],$jmlhalaman);
?>
<?
}
else{
    $page      = new Paging9;
    $batas     = 5;
    $posisi    = $page->cariPosisi($batas);
    $res = mysql_query ("SELECT*FROM ppdb_adm_siswa WHERE
nama LIKE '%$_GET[nama]%' AND sts_seleksi = '1' ORDER BY no_peserta
ASC LIMIT $posisi,$batas");
    $no = $posisi+1;
    while($items=mysql_fetch_array($res)){
        if ($items['sts_seleksi']==0){

```

```

        $sel = "Tidak Lulus";
    }
    else{
        $sel = "Lulus";
    }
    echo "<tr>
        <td>$no</td>
        <td>$items[no_peserta]</td>

        <td>".BesarKalimat($items['nama'])."</td>
        <td>$items[nisn]</td>

        <td>".BesarKalimat($items['asal_skl'])."</td>
        <td>$sel</td>
    </tr>";
    $no++;
}
$jmldata = mysql_num_rows(mysql_query("SELECT*FROM
ppdb_adm_siswa WHERE nama LIKE '%$_GET[nama]%' AND sts_seleksi =
'1'"));
$jmlhalaman = $page->jumlahHalaman($jmldata,$batas);
$linkhalaman = $page->navHalaman($_GET['halaman'],$jmlhalaman);
}
?>

```

#### Source code Nilai UN

```

<?
    $sql = mysql_query("SELECT a.sem_1 as bhs1, a.sem_2 as bhs2,
a.sem_3 as bhs3, a.sem_4 as bhs4, a.sem_5 as bhs5, a.rata_rata as bhs,
        b.sem_1 as big1, b.sem_2 as big2, b.sem_3 as
big3, b.sem_4 as big4, b.sem_5 as big5, b.rata_rata as big,
        c.sem_1 as mat1, c.sem_2 as mat2, c.sem_3 as
mat3, c.sem_4 as mat4, c.sem_5 as mat5, c.rata_rata as mat,
        d.sem_1 as ipa1, d.sem_2 as ipa2, d.sem_3 as
ipa3, d.sem_4 as ipa4, d.sem_5 as ipa5, d.rata_rata as ipa,
        e.sem_1 as ips1, e.sem_2 as ips2, e.sem_3 as
ips3, e.sem_4 as ips4, e.sem_5 as ips5, e.rata_rata as ips
        FROM
        ppdb_bind as a, ppdb_bing
as b, ppdb_mat as c, ppdb_ipa as d, ppdb_ips as e
        WHERE
        a.nisn =
'$_SESSION[nisn]' and b.nisn = '$_SESSION[nisn]' and
        c.nisn =
'$_SESSION[nisn]' and d.nisn = '$_SESSION[nisn]' and

```

```

e.nisn =
$_SESSION[nisn]')or die(mysql_error());
    $row=mysql_fetch_array($sql);
?>

```

#### Source Code raport\_action

```

<?
session_start();
include '../config/koneksi.php';
$bhs = $_POST['bhs'];           //$big = $_POST['big'];
// $bhs1 = $_POST['bhs1'];       $big1 = $_POST['big1'];
// $bhs2 = $_POST['bhs2'];       $big2 = $_POST['big2'];
// $bhs3 = $_POST['bhs3'];       $big3 = $_POST['big3'];
// $bhs4 = $_POST['bhs4'];       $big4 = $_POST['big4'];
// $totalBhs = $_POST['totalBhs']; $totalbig = $_POST['totalbig'];

$mat = $_POST['mat'];           $ipa = $_POST['ipa'];
// $mat1 = $_POST['mat1'];       $ipa1 = $_POST['ipa1'];
// $mat2 = $_POST['mat2'];       $ipa2 = $_POST['ipa2'];
// $mat3 = $_POST['mat3'];       $ipa3 = $_POST['ipa3'];
// $mat4 = $_POST['mat4'];       $ipa4 = $_POST['ipa4'];
// $totalmat = $_POST['totalmat']; $totalipa = $_POST['totalipa'];

//$ips = $_POST['ipa'];
// $ips1 = $_POST['ips1'];
// $ips2 = $_POST['ips2'];
// $ips3 = $_POST['ips3'];
// $ips4 = $_POST['ips4'];
// $totalips = $_POST['totalips'];
    $input = mysql_query("UPDATE ppdb_bind SET sem_1='$bhs',
sem_2=100, sem_3=100, sem_4=100, sem_5=100, rata_rata=100, sts_bind=1
WHERE nisn='$_SESSION[nisn]");

    //$input1 = mysql_query("UPDATE ppdb_bing SET sem_1='$big',
sem_2='$big1', sem_3='$big2', sem_4='$big3', sem_5='$big4',
rata_rata='$totalbig', sts_bing=1 WHERE nisn='$_SESSION[nisn]");

    $input2 = mysql_query("UPDATE ppdb_mat SET sem_1='$mat',
sem_2=100, sem_3=100, sem_4=100, sem_5=100, rata_rata=100, sts_mat=1
WHERE nisn='$_SESSION[nisn]");

    $input3 = mysql_query("UPDATE ppdb_ipa SET sem_1='$ipa',
sem_2=100, sem_3=100, sem_4=100, sem_5=100, rata_rata=100, sts_ipa=1
WHERE nisn='$_SESSION[nisn]");

```

```

// $input4 = mysql_query("UPDATE ppdb_ips SET sem_1='$ips',
sem_2='$ips1', sem_3='$ips2', sem_4='$ips3', sem_5='$ips4',
rata_rata='$totalips', sts_ips=1 WHERE nsn='$_SESSION[nisn]");

//echo "UPDATE ppdb_ipa SET sem_1='$ipa', sem_2=100, sem_3=100,
sem_4=100, sem_5=100, rata_rata=100', sts_ipa=1 WHERE
nisn='$_SESSION[nisn]";

if ($input && $input2 && $input3 ){
    echo "sukses";
}
else{
    echo "<font color='#00FF00'>Data Gagal Disimpan... </font><br>";
}

?>

```

#### Source code Registrasi

```

<?
include "config/koneksi.php";

$nisn = $_GET['id'];

$sql = mysql_query("select*from ppdb_adm_siswa where nsn='$nisn'")or
die(mysql_error());
$row=mysql_fetch_array($sql);

?>

```

#### Source Code Biodata

```

<?
$sql = mysql_query("SELECT
                                bio_id, nisn, nm_siswa,
tmp_lahir, tgl_lahir, jns_kelamin, agama, ank_ke,
                                jml_saudara, sts_siswa,
hp_siswa, almt_siswa, tmpt_siswa, kendaraan, brt_badan,
                                tgi_badan, gol_darah,
asl_sekolah, almt_sekolah, kpl_sekolah, asl_kls_smp, tlp_skl,
                                nm_ayah, nm_ibu, almt_ortu,
hp_ortu, kerja_ayah, kerja_ibu, hasil_ortu, tgung_biaya, sts_bio
                                FROM
                                ppdb_biodata
                                WHERE
                                nisn = '$_SESSION[nisn]')or
die(mysql_error());

```

```
$row=mysql_fetch_array($sql);
```

```
?>
```

#### Source Code Biodata\_action

```
<?
session_start();

include '../config/koneksi.php';

$nisn           = $_POST['nisn'];
$nm_siswa       = $_POST['nm_siswa'];
$tmp_lahir      = $_POST['tmp_lahir'];
$tgl_lahir      = $_POST['tgl_lahir'];
$kelamin        = $_POST['kelamin'];
$agama          = $_POST['agama'];
$urut_anak      = $_POST['urut_anak'];
$urut_anak1     = $_POST['urut_anak1'];
$status_anak    = $_POST['status_anak'];
$hp_siswa       = $_POST['hp_siswa'];
$almt_siswa     = $_POST['almt_siswa'];
$tmppt_siswa    = $_POST['tmppt_siswa'];
$kendaraan      = $_POST['kendaraan'];
$berat_bdn      = $_POST['berat_bdn'];
$tggi_bdn       = $_POST['tggi_bdn'];
$darah          = $_POST['darah'];
$asal_sklnh     = $_POST['asal_sklnh'];
$almt_sklnh     = $_POST['almt_sklnh'];
$kpl_sekolah    = $_POST['kpl_sekolah'];
$asal_kls       = $_POST['asal_kls'];
$tlp_sklnh      = $_POST['tlp_sklnh'];
$nm_ayah        = $_POST['nm_ayah'];
$nm_ibu         = $_POST['nm_ibu'];
$almt_ortu      = $_POST['almt_ortu'];
$hp_ortu        = $_POST['hp_ortu'];
$kerja_ayah     = $_POST['kerja_ayah'];
$kerja_ibu      = $_POST['kerja_ibu'];
$hasil_ortu     = $_POST['hasil_ortu'];
$biaya          = $_POST['biaya'];

$input = mysql_query("UPDATE ppdb_biodata SET
                        nisn='$nisn',
                        nm_siswa='$nm_siswa',
                        tmp_lahir='$tmp_lahir',
                        tgl_lahir='$tgl_lahir',
                        jns_kelamin='$kelamin',
```



```

        agama='$agama',
        ank_ke='$urut_anak',
        jml_saudara='$urut_anak1',
        sts_siswa='$status_anak',
        hp_siswa='$hp_siswa',
        almt_siswa='$almt_siswa',
        tmpt_siswa='$tmpt_siswa',
        kendaraan='$kendaraan',
        brt_badan='$berat_bdn',
        tgi_badan='$tggi_bdn',
        gol_darah='$darah',
        asl_sekolah='$asal_sklh',
        almt_sekolah='$almt_sklh',
        kpl_sekolah='$kpl_sekolah',
        asl_kls_smp='$asal_kls',
        tlp_skl='$tlp_sklh',
        nm_ayah='$nm_ayah',
        nm_ibu='$nm_ibu',
        almt_ortu='$almt_ortu',
        hp_ortu='$hp_ortu',
        kerja_ayah='$kerja_ayah',
        kerja_ibu='$kerja_ibu',
        hasil_ortu='$hasil_ortu',
        tung_biaya='$biaya',
        sts_bio=1                                WHERE
nisn='$_SESSION[nisn]');

        $input1 = mysql_query("UPDATE ppdb_adm_siswa SET
                                nama='$nm_siswa',
                                asal_skl='$asal_sklh'
                                WHERE
nisn='$_SESSION[nisn]");
        if($input && $input1){
            echo "sukses";
        }
        else{
            echo "<font color=#00FF00>Data    Gagal    Disimpan...
</font><br>";
        }
?>

```

#### Source Code Bantuan\_action

```

<?
session_start();
include '../../config/koneksi.php';

```

```

$namea      = $_POST['nama'];
$email      = $_POST['email'];
$subjek    = $_POST['subjek'];
$pesan     = $_POST['pesan'];
$date      = date('Y-m-d');

if($_POST['kode']==$_SESSION['captcha_session']){

    $input = mysql_query("INSERT INTO `ppdb_kontak` ( `ktk_id` , `nama`
, `email` , `subjek` , `pesan` , `tgl` , `aktif` )
                                VALUES ( " , '$nama', '$email',
'$subjek', '$pesan', '$date', '1')");

//echo "INSERT INTO `ppdb_kontak` ( `ktk_id` , `nama` , `email` , `subjek` ,
`pesan` , `tgl` , `aktif` )                                VALUES ( "
, '$nama', '$email', '$subjek', '$pesan', '$date', '1')";

    if($input){
        echo "berhasil";
    }
    else{
        echo "<font color='#00FF00'>Data Gagal Disimpan...</font>";
    }
}
else{
    echo "<font color='#FF0000'>Kode captcha yang Anda Masukan
Salah</font>";
}

?>

```

#### Source code Menu

```

<?php
    include 'config/koneksi.php';
    $SES = @$_SESSION['no_peserta'];
    $LOG_QUERY= mysql_query("select * from ppdb_adm_siswa where
no_peserta='$SES'")or die (mysql_error());
    $LOG_STATUS=mysql_fetch_array($LOG_QUERY);
    $LOG = $LOG_STATUS['status'];
    IF ($LOG){
        $main = mysql_query("SELECT * FROM ppdb_menu WHERE
aktif='Y'AND status_in=1 ORDER BY main_id");
    }

```

```

ELSE{
    $main = mysql_query("SELECT * FROM ppdb_menu WHERE
aktif='Y' AND status_out=1");
    }
    while($r=mysql_fetch_array($main)){
        echo " <li><a
href='$r[link] '><span>$r[menu]</span></a>";
        $sub=mysql_query("SELECT * FROM ppdb_submenu,
ppdb_menu
WHERE
ppdb_submenu.main_id=ppdb_menu.main_id
AND
ppdb_submenu.main_id=$r[main_id]");
        $jml=mysql_num_rows($sub);
        if ($jml > 0){
            echo "<div><ul>";
            while($w=mysql_fetch_array($sub)){
                echo " <li><a
href='$w[link_sub]&id=$w[sub_id] '><span>$w[nama_sub]</span></a></li>";
            }
            echo "</ul></div>
</li>";
        }
        else{
            echo "</li>";
        }
    }
}
?>

```

#### Source code Pesan

```

<?php
include 'config/koneksi.php';
$sql=mysql_query("select*from ppdb_info where info_id=1 and aktif=1")or
die(mysql_error());
$row=mysql_fetch_array($sql);
echo "$row[info]";
?>

```

#### Source code Cetak Biodata

```

<?php
session_start();
include "../config/koneksi.php";
include "../config/functions_all.php";

```

```

$sql = mysql_query("SELECT * FROM ppdb_biodata WHERE nispn =
$_GET[id]")or die(mysql_error());
$res=mysql_fetch_array($sql);
?>

<?php
ob_start();
include "cetak_biodata.php";
$content = ob_get_clean();

require_once "../asset/pdf/html2pdf.class.php";
try
{
$html2pdf = new HTML2PDF('P','A4', 'en', false, 'ISO-8859-15');
$html2pdf->writeHTML($content, isset($_GET['vuehtml']));
$html2pdf->Output("cetak_biodata.pdf");
}
catch(HTML2PDF_exception $e) { echo $e; }
?>

```

#### Source code cetak nilai

```

<?php
session_start();
include "../config/koneksi.php";
include "../config/functions_all.php";

$sql = mysql_query("SELECT a.nm_siswa AS nama, a.nispn AS nispn,
a.asl_sekolah AS sekolah,
a.kpl_sekolah AS kepala,
g.no_peserta AS no_peserta, g.tgl_daftar AS tgl_daftar,
b.sem_1 AS bind_1,
b.sem_2 AS bind_2, b.sem_3 AS bind_3, b.sem_4 AS bind_4, b.sem_5 AS
bind_5, b.rata_rata AS bind,
c.sem_1 AS bing_1,
c.sem_2 AS bing_2, c.sem_3 AS bing_3, c.sem_4 AS bing_4, c.sem_5 AS
bing_5, c.rata_rata AS bing,
d.sem_1 AS ipa_1,
d.sem_2 AS ipa_2, d.sem_3 AS ipa_3, d.sem_4 AS ipa_4, d.sem_5 AS ipa_5,
d.rata_rata AS ipa,
e.sem_1 AS ips_1, e.sem_2
AS ips_2, e.sem_3 AS ips_3, e.sem_4 AS ips_4, e.sem_5 AS ips_5,e.rata_rata
AS ips,
f.sem_1 AS mat_1,
f.sem_2 AS mat_2, f.sem_3 AS mat_3, f.sem_4 AS mat_4, f.sem_5 AS mat_5,
f.rata_rata AS mat
FROM ppdb_biodata AS a, ppdb_bind
AS b, ppdb_bing AS c, ppdb_ipa AS d,

```

```

ppdb_adm_siswa AS g
ppdb_ips AS e, ppdb_mat AS f,
WHERE
a.nisn = '$_GET[id]' AND b.nisn
= '$_GET[id]' AND c.nisn = '$_GET[id]' AND
d.nisn = '$_GET[id]' AND e.nisn
= '$_GET[id]' AND f.nisn = '$_GET[id]' AND
g.nisn = '$_GET[id]'")or
die(mysql_error());
$res=mysql_fetch_array($sql);
?>

```

```

<?php
ob_start();
include "cetak_nilai.php";
$content = ob_get_clean();

require_once "../asset/pdf/html2pdf.class.php";
try
{
$html2pdf = new HTML2PDF('P','A4','en', false, 'ISO-8859-15');
$html2pdf->writeHTML($content, isset($_GET['vuehtml']));
$html2pdf->Output('cetak_rapor.pdf');
}
catch(HTML2PDF_exception $e) { echo $e; }
?>

```

#### Source code *Class\_paging*

```

<?php
class Paging{
function cariPosisi($batas){
if(empty($_GET['halaman'])){
    $posisi=0;
    $_GET['halaman']=1;
}
else{
    $posisi = ($_GET['halaman']-1) * $batas;
}
return $posisi;
}

function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

```

```

function Akhir($jmldata, $batas, $aktif, $jmlhal){
for($i=1;$i<=$jmlhal;$i++){
    if ($i<=$jmlhal){
        $z = $batas*$aktif;
    }
    else{
        $x = ceil($jmldata-$batas);
        $z = ceil($x+$batas);
    }
}
return $z;
}

function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

if($halaman_aktif > 1){
    $prev = $halaman_aktif-1;
    $link_halaman .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=1><<
First</a> |
    <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$prev><
Prev</a> | ";
}
else{
    $link_halaman .= "<< First | < Prev | ";
}

$angka = ($halaman_aktif > 3 ? " ... " : " ");
for ($i=$halaman_aktif-2; $i<$halaman_aktif; $i++){
    if ($i < 1)
        continue;
    $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i>$i</a> |
";
}
    $angka .= " <b>$halaman_aktif</b> | ";

for($i=$halaman_aktif+1; $i<($halaman_aktif+3); $i++){
if($i > $jmlhalaman)
    break;
}
}

```

```

        $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i>$i</a> |
";
    }
    $angka .= ($halaman_aktif+2<$jmlhalaman ? " ... | <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n>$jmlhalaman</a> | " : " ");

$link_halaman .= "$angka";

if($halaman_aktif < $jmlhalaman){
    $next = $halaman_aktif+1;
    $link_halaman .= " <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$next>Nex
t ></a> |
        <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n>Last >></a> ";
}
else{
    $link_halaman .= " Next > | Last >>";
}
return $link_halaman;
}
}

class Paging9{
function cariPosisi($batas){
if(empty($_GET['halaman'])){
    $posisi=0;
    $_GET['halaman']=1;
}
else{
    $posisi = ($_GET['halaman']-1) * $batas;
}
return $posisi;
}

function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

function Akhir($jmldata, $batas, $aktif){
for($i=1;$i<=$jmldata;$i++){

```

```

        if ($i > $jmlldata){
            $z = ceil($batas*$aktif);
        }
        else{
            $x = ceil($jmlldata-$batas);
            $z = ceil($x+$batas);
        }
    }
    return $z;
}

function navHalaman($shalaman_aktif, $jmlhalaman){
    $link_halaman = "";

    if($shalaman_aktif > 1){
        $prev = $shalaman_aktif-1;
        $link_halaman .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=1&nisn=$_
GET[nisn]&nama=$_GET[nama]><< First</a> |
        <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$prev&nis
n=$_GET[nisn]&nama=$_GET[nama]>< Prev</a> | ";
    }
    else{
        $link_halaman .= "<< First | < Prev | ";
    }

    $angka = ($shalaman_aktif > 3 ? " ... " : "");
    for ($i=$shalaman_aktif-2; $i<$shalaman_aktif; $i++){
        if ($i < 1)
            continue;
        $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i&nisn=$_
_GET[nisn]&nama=$_GET[nama]>$i</a> | ";
    }
    $angka .= " <b>$shalaman_aktif</b> | ";

    for($i=$shalaman_aktif+1; $i<($shalaman_aktif+3); $i++){
        if($i > $jmlhalaman)
            break;
        $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i&nisn=$_
_GET[nisn]&nama=$_GET[nama]>$i</a> | ";
    }
}

```



```

        $angka .= ($halaman_aktif+2<$jmlhalaman ? " ... | <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n&nisn=$_GET[nisn]&nama=$_GET[nama]>$jmlhalaman</a> | " : " ");

$link_halaman .= "$angka";

if($halaman_aktif < $jmlhalaman){
    $next = $halaman_aktif+1;
    $link_halaman .= " <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$next&nisn
=$_GET[nisn]&nama=$_GET[nama]>Next ></a> |
    <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n&nisn=$_GET[nisn]&nama=$_GET[nama]>Last >></a> ";
}
else{
    $link_halaman .= " Next > | Last >>";
}
return $link_halaman;
}
}

class PagingMenu{
function cariPosisi($batas){
if(empty($_GET['halaman'])){
    $posisi=0;
    $_GET['halaman']=1;
}
else{
    $posisi = ($_GET['halaman']-1) * $batas;
}
return $posisi;
}

function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

function Akhir($jmldata, $batas, $aktif){
for($i=1;$i<=$jmldata;$i++){

    if ($i>$jmldata){
        $z = ceil($batas*$aktif);
    }
}
}

```

```

        else{
            $x = ceil($jmldata-$batas);
            $z = ceil($x+$batas);
        }
    }
    return $z;
}

function navHalaman($halaman_aktif, $jmlhalaman){
    $link_halaman = "";

    if($halaman_aktif > 1){
        $prev = $halaman_aktif-1;
        $link_halaman .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=1&menu=$_
_GET[menu]><< First</a> |
        <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$prev&me
nu=$_GET[menu]>< Prev</a> | ";
    }
    else{
        $link_halaman .= "<< First | < Prev | ";
    }

    $angka = ($halaman_aktif > 3 ? " ... " : " ");
    for ($i=$halaman_aktif-2; $i<$halaman_aktif; $i++){
        if ($i < 1)
            continue;
        $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i&menu=
$_GET[menu]>$i</a> | ";
    }
    $angka .= " <b>$halaman_aktif</b> | ";

    for($i=$halaman_aktif+1; $i<($halaman_aktif+3); $i++){
        if($i > $jmlhalaman)
            break;
        $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i&menu=
$_GET[menu]>$i</a> | ";
    }
    $angka .= ($halaman_aktif+2<$jmlhalaman ? " ... | <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n&menu=$_GET[menu]>$jmlhalaman</a> | " : " ");

    $link_halaman .= "$angka";
}

```

```

if($halaman_aktif < $jmlhalaman){
    $next = $halaman_aktif+1;
    $link_halaman .= " <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$next&me
nu=$_GET[menu]>Next ></a> |
    <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n&menu=$_GET[menu]>Last >></a> ";
}
else{
    $link_halaman .= " Next > | Last >>";
}
return $link_halaman;
}
}

class PagingNilai{
function cariPosisi($batas){
if(empty($_GET['halaman'])){
    $posisi=0;
    $_GET['halaman']=1;
}
else{
    $posisi = ($_GET['halaman']-1) * $batas;
}
return $posisi;
}
function jumlahHalaman($jmldata, $batas){
$jmlhalaman = ceil($jmldata/$batas);
return $jmlhalaman;
}

function Akhir($jmldata, $batas, $aktif){
for($i=1;$i<=$jmldata;$i++){

    if ($i>$jmldata){
        $z = ceil($batas*$aktif);
    }
    else{
        $x = ceil($jmldata-$batas);
        $z = ceil($x+$batas);
    }
}
return $z;
}
}

```

```

function navHalaman($halaman_aktif, $jmlhalaman){
$link_halaman = "";

if($halaman_aktif > 1){
    $prev = $halaman_aktif-1;
    $link_halaman .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=1&nama=$_
_GET[nama]><< First</a> |
    <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$prev&na
ma=$_GET[nama]>< Prev</a> | ";
}
else{
    $link_halaman .= "<< First | < Prev | ";
}

$angka = ($halaman_aktif > 3 ? " ... " : " ");
for ($i=$halaman_aktif-2; $i<$halaman_aktif; $i++){
    if ($i < 1)
        continue;
    $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i&nama=
$_GET[nama]>$i</a> | ";
}
    $angka .= " <b>$halaman_aktif</b> | ";

    for($i=$halaman_aktif+1; $i<($halaman_aktif+3); $i++){
        if($i > $jmlhalaman)
            break;
        $angka .= "<a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$i&nama=
$_GET[nama]>$i</a> | ";
    }
    $angka .= ($halaman_aktif+2<$jmlhalaman ? " ... | <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalama
n&nama=$_GET[nama]>$jmlhalaman</a> | " : " ");

$link_halaman .= "$angka";

if($halaman_aktif < $jmlhalaman){
    $next = $halaman_aktif+1;
    $link_halaman .= " <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$next&na
ma=$_GET[nama]>Next ></a> |

```

```

        <a
href=$_SERVER[PHP_SELF]?module=$_GET[module]&halaman=$jmlhalaman&nama=$_GET[nama]>Last >></a> ";
    }
    else{
        $link_halaman .= " Next > | Last >>";
    }
    return $link_halaman;
}
}
?>

```

#### Source code Function

```

<?php
function TabView($Name,$Action,$Tval,$Eval)
{
    if (empty($Name)){
        if (empty($Action)){
            $sval = $Tval;
        }
        else{
            $sval = $Eval;
        }
        $value = '<div id="tabsview"></div>
                <div id="tab1" class="tab_sel"
align="center">&nbsp;'. $sval .' &nbsp;</div>
                <div class="tab_bdr"></div><div class="panel"
id="panel1" style="display:block;">
                <span><ul>';
    }
    else{
        $value = '<div id="tabsview"></div>
                <div id="tab1" class="tab_sel"
align="center">&nbsp;'. $Name .' &nbsp;</div>
                <div class="tab_bdr"></div><div class="panel"
id="panel1" style="display:block;">
                <span><ul>';
    }
    return $value;
}

function Balas($action,$text)
{
    $img_src='images/email.jpeg';
    $action = 'href="' . $action . "'";
}

```

```

        $balas = '<a ' . $action . '></a>';

        return $balas;
    }

function IAktif($tabel, $value){
    $aktif=mysql_query("SELECT * FROM $tabel WHERE $value=1")or
die(mysql_error());
    while ($res=mysql_fetch_array($aktif))
    {
        if ($res['aktif']==1)
        {
            $view = "<input type='radio' name='aktif' id='aktif'
value='1' checked/><label>Y</label>
<input type='radio' name='aktif' id='aktif'
value='0' /><label>N</label>";
        }
        else
        {
            $view = "<input type='radio' name='aktif' id='aktif'
value='1' /><label>Y</label>
<input type='radio' name='aktif' id='aktif'
value='0' checked/><label>N</label>";
        }
    }
    echo "$view";
}

function IsEnable($tabel, $value){
    $hak=mysql_query("SELECT * FROM $tabel WHERE
$value='$_GET[id]'")or die(mysql_error());
    while ($res=mysql_fetch_array($hak))
    {
        if ($res['isenable']==1)
        {
            $view = "<input type='radio' name='isenable' id='isenable'
value='1' checked/><label>Y</label>
<input type='radio' name='isenable'
id='isenable' value='0' /><label>N</label>";
        }
        else
        {
            $view = "<input type='radio' name='isenable' id='isenable'
value='1' /><label>Y</label>
<input type='radio' name='isenable'
id='isenable' value='0' checked/><label>N</label>";
        }
    }
}

```

```

    }
    }
    echo "$view";
}
function Status($tabel, $value){
    $status=mysql_query("SELECT * FROM $tabel WHERE
$value=$_GET[id]")or die(mysql_error());
    $items=array("0","1");
    while ($res=mysql_fetch_array($status))
    {
        for($i=0;$i<count($items);$i++)
        {
            if ($res['name']==$items[$i])
            {
                if($items[$i]==0)
                    $view .= "<option value=\"\$items[$i]\"
selected>Administrator</option>";
                else
                    $view .= "<option value=\"\$items[$i]\"
selected>Operator</option>";
            }
            else
            {
                if($items[$i]==0)
                    $view .= "<option value=\"\$items[$i]\"
>Administrator</option>";
                else
                    $view .= "<option value=\"\$items[$i]\"
>Operator</option>";
            }
        }
    }
    echo "$view";
}
function Edit($action,$text)
{
    $img_src='images/edit.gif';
    $action = 'href=' . $action . ''';
    $edit = '<a ' . $action . '><img src=' . $img_src . '' alt=' . $text . '' title=' .
    $text . '' class="tbl-control-image"></a>';

    return $edit;
}

function Hapus($action,$confirm,$text)
{

```

```

        $img_src='images/delete.gif';
        $confirm= 'onclick='.'"return confirm('.'"Apakah data $confirm akan
dihapus?'.'".'.'"');
        $action = 'href='.'" . $action . '"';
        $hapus = '<a ' . $action . $confirm.'><img src='.'" . $img_src . '" alt='.'" .
$text . '" title='.'" . $text . '" class="tbl-control-image"></a>';

        return $hapus;
    }

function Cetak($action,$text)
{
    $img_src='images/print.gif';
    $action = 'href='.'" . $action . '" . 'target='.'"_blank"'";
    $cetak = '<a ' . $action . ' .><img src='.'" . $img_src . '" alt='.'" . $text . '"
title='.'" . $text . '" class="tbl-control-image"></a>';

    return $cetak;
}

function Detail($action,$text)
{
    $img_src='images/details.gif';
    $action = 'href='.'" . $action . '"';
    $detail = '<a ' . $action . ' .><img src='.'" . $img_src . '" alt='.'" . $text . '"
title='.'" . $text . '" class="tbl-control-image"></a>';

    return $detail;
}

function addControl($action, $text, $image_src = "", $bool)
{
    $action = 'href='.'" . $action . '"';
    switch($bool){
        case true:
            $add = '<a ' . $action . ' .><img src='.'" . $image_src . '" alt='.'"
. $text . '" title='.'" . $text . '" class="tbl-control-image"></a>';
            break;
        case false:
            $add = '<img src='.'" . $image_src . '" alt='.'" . $text . '"
title='.'" . $text . '" class="tbl-control-image">';
            break;
    }
    return $add;
}

function GDarah($tabel, $value){

```



```

    $darah=mysql_query("select * from $tabel where
$value=$_GET[id]")or die(mysql_error());
    $items=array("A","B","AB","O");
    while ($res=mysql_fetch_array($darah))
    {
        for($i=0;$i<count($items);$i++)
        {
            if ($res['gol_darah']==$items[$i])
            {
                $view .= "<option value=\"{$items[$i]}\"
selected>{$items[$i]}</option>";
            }
            else
            {
                $view .= "<option
value=\"{$items[$i]}\">{$items[$i]}</option>";
            }
        }
    }
    echo "$view";
}

function Kendaraan($tabel, $value){
    $kendaraan=mysql_query("select * from $tabel where
$value=$_GET[id]")or die(mysql_error());
    $items=array("Mobil","Motor","Sepeda","Angkot");
    while ($res=mysql_fetch_array($kendaraan))
    {
        for($i=0;$i<count($items);$i++)
        {
            if ($res['kendaraan']==$items[$i])
            {
                $view .= "<option value=\"{$items[$i]}\"
selected>{$items[$i]}</option>";
            }
            else
            {
                $view .= "<option
value=\"{$items[$i]}\">{$items[$i]}</option>";
            }
        }
    }
    echo "$view";
}

function SAnak($tabel, $value){

```

```

        $status_ank=mysql_query("select * from $tabel where
$value='$_GET[id]')or die(mysql_error());
        $items=array("Kandung","Tiri","Asuh","Pungut");
        while ($res=mysql_fetch_array($status_ank))
        {
            for($i=0;$i<count($items);$i++)
            {
                if ($res['sts_siswa']==$items[$i])
                {
                    $view .= "<option value=\"".$items[$i]\"
selected>".$items[$i]</option>";
                }
                else
                {
                    $view .= "<option
value=\"".$items[$i]\">".$items[$i]</option>";
                }
            }
        }
        echo "$view";
    }

function Agama($tabel, $value){
    $agama=mysql_query("select agama from ppdb_biodata where
nisn='$_GET[id]')or die(mysql_error());
    $items=array("islam","katolik","protestan","hindu","budha");
    while ($res=mysql_fetch_array($agama))
    {
        for($i=0;$i<count($items);$i++)
        {
            if ($res['agama']==$items[$i])
            {
                $view .= "<option value=\"".$items[$i]\"
selected>".$items[$i]</option>";
            }
            else
            {
                $view .= "<option
value=\"".$items[$i]\">".$items[$i]</option>";
            }
        }
    }
    echo "$view";
}

function JKelamin($tabel, $value){

```

```

        $kelamin=mysql_query("select * from $tabel where
$value='$_GET[id]')or die(mysql_error());
        while ($res=mysql_fetch_array($kelamin))
        {
            if ($res['jns_kelamin']=='Pria')
            {
                $view = "<input type='radio' name='kelamin' id='kelamin'
value='Pria' checked/><label>Pria</label>
                <input type='radio' name='kelamin' id='kelamin'
value='Wanita' /><label>Wanita</label>";
            }
            else
            {
                $view = "<input type='radio' name='kelamin' id='kelamin'
value='Pria' /><label>Pria</label>
                <input type='radio' name='kelamin' id='kelamin'
value='Wanita' checked/><label>Wanita</label>";
            }
        }
        echo "$view";
    }

function CPendaftar($tabel){
    $sql = "select count(*) from $tabel";
    $res = mysql_query($sql);
    $row = mysql_fetch_array($res);
    echo $row[0];
}

function SVerifikasi($tabel){
    $sql = "SELECT count(*) FROM $tabel WHERE sts_verifikasi=1";
    $res = mysql_query($sql);
    $row = mysql_fetch_array($res);
    echo $row[0];
}

function BVerifikasi($tabel){
    $sql = "SELECT count(*) FROM $tabel WHERE sts_verifikasi=0";
    $res = mysql_query($sql);
    $row = mysql_fetch_array($res);
    echo $row[0];
}

function BesarKalimat($str){
    $kalimat = strtoupper($str);
    return $kalimat;
}

```

```
}  
  
function FormatRupiah($angka){  
    $rupiah=number_format($angka,0,',','.');  
    return $rupiah;  
}  
  
function tgl_indo($tgl){  
    $tanggal = substr($tgl,8,2);  
    $bulan = getBulan(substr($tgl,5,2));  
    $tahun = substr($tgl,0,4);  
    return $tanggal.' '.$bulan.' '.$tahun;  
}  
  
function getBulan($bln){  
    switch ($bln){  
        case 1:  
            return 'Januari';  
            break;  
        case 2:  
            return 'Februari';  
            break;  
        case 3:  
            return 'Maret';  
            break;  
        case 4:  
            return 'April';  
            break;  
        case 5:  
            return 'Mei';  
            break;  
        case 6:  
            return 'Juni';  
            break;  
        case 7:  
            return 'Juli';  
            break;  
        case 8:  
            return 'Agustus';  
            break;  
        case 9:  
            return 'September';  
            break;  
        case 10:  
            return 'Oktober';  
            break;
```

```
        case 11:
            return 'November';
            break;
        case 12:
            return 'Desember';
            break;
    }
}
```

#### Source code Koneksi

```
<?php
$server = 'localhost';
$username = 'root';
$password = "";
$databse = 'db_ppdb';

// Koneksi dan memilih databse di server
mysql_connect($server,$username,$password) or die("Koneksi gagal");
mysql_select_db($databse) or die("Databse tidak bisa dibuka");
?>
```

