

# LAMPIRAN





## Data Statistik

Tests of Normality			
Kelompok	Shapiro-Wilk		
	Statistic	df	Sig.
Pre observasi kelompok kontrol perawat bangsal Zaitun	0.986	14	0.995
Post observasi observasi kelompok kontrol perawat bangsal Zaitun	0.899	14	0.109
Pre intervensi kelompok intervensi perawat bangsal Naim	0.962	14	0.748
Post intervensi kelompok intervensi perawat bangsal Naim	0.782	14	0.103

## a. Lilliefors Significance Correction

## Descriptives

Descriptive Statistics	
	Std. Deviation
Pre observasi perawat bangsal naim	21.98
Post observasi perawat bangsal naim	5.328
Pre observasi perawat bangsal zaitun	18.07
Post observasi perawat bangsal zaitun	8.042

Paired Samples Statistics		
		Mean
Pair 1	Pre observasi perawat naim	44.52
	Post observasi perawat naim	78.66
Pair 2	Pre observasi perawat zaitun	51.56
	Post observasi perawat zaitun	78.15

Paired Samples Test				
		Paired Differences		Sig. (2-tailed)
		95% Confidence Interval of the Difference		
		Lower	Upper	
Pair 1	Pre observasi perawat naim – Post observasi perawat naim	-49.15	-19.13	0.000
Pair 2	Pre observasi perawat zaitun – Post observasi perawat zaitun	-37.56	-15.62	0.000

## Paired T Tes IGD

Perawat			
Paired Samples Statistics			
		Mean	Std. Deviation
Pair 1	Pre observasi perawat IGD	36.40	13.72
	Post observasi perawat IGD	81.05	8.95

Paired Samples Test						
		Paired Differences			Sig. (2-tailed)	
		Mean	Std. Deviation	95% Confidence Interval of the Difference		
				Lower	Upper	
Pair 1	Pre observasi perawat IGD – Post observasi perawat IGD	-44.65	17.37	-55.15	-34.15	0.000

Dokter

Paired Samples Statistics			
		Mean	Std. Deviation
Pair 1	Pre observasi Dokter IGD	18.90	19.29
	Post observasi Dokter IGD	75.98	11.45

Paired Samples Test						
		Paired Differences			Sig. (2-tailed)	
		Mean	Std. Deviation	95% Confidence Interval of the Difference		
				Lower	Upper	
Pair 1	Pre observasi Dokter IGD –					
	Post observasi Dokter IGD	-57.07	21.62	-75.15	-38.99	0.000

Tests of Normality			
	Shapiro-Wilk		
	Statistic	df	Sig.
Handwashing	0.875	28	0.003

a. Lilliefors Significance Correction

Mann-Whitney Test		
Ranks		
		Mean Rank
Handwashing	Kelompok Intervensi perawat bangsal Naim	17,50
	Kelompo Kontrol perawat bangsal Zaitun	11.50

Test Statistics <sup>a</sup>	
	Handwashing
Asymp. Sig. (2-tailed)	0.048

a. Grouping Variable: Kelompok

b. Not corrected for ties.



# How to Handwash?

WASH HANDS WHEN VISIBLY SOILED! OTHERWISE, USE HANDRUB

**0** Duration of the handwash (steps 2-7): 15-20 seconds

**0** Duration of the entire procedure: 40-60 seconds



Wet hands with water;



Apply enough soap to cover all hand surfaces;



Rub hands palm to palm;



Right palm over left dorsum with interlaced fingers and vice versa;



Palm to palm with fingers interlaced;



Backs of fingers to opposing palms with fingers interlocked;



Rotational rubbing of left thumb clasped in right palm and vice versa;



Rotational rubbing, backwards and forwards with clasped fingers of right hand in left palm and vice versa;



Rinse hands with water;



Dry hands thoroughly with a single use towel;



Use towel to turn off faucet;



Your hands are now safe.



World Health  
Organization

Patient Safety


A World Alliance for Safe Health Care

SAVE LIVES

Clean Your Hands

# How to Handrub?

RUB HANDS FOR HAND HYGIENE! WASH HANDS WHEN VISIBLY SOILED

 Duration of the entire procedure: 20-30 seconds

1a



Apply a palmful of the product in a cupped hand, covering all surfaces;

1b



2



Rub hands palm to palm;

3



Right palm over left dorsum with interlaced fingers and vice versa;

4



Palm to palm with fingers interlaced;

5



Backs of fingers to opposing palms with fingers interlocked;

6



Rotational rubbing of left thumb clasped in right palm and vice versa;

7



Rotational rubbing, backwards and forwards with clasped fingers of right hand in left palm and vice versa;

8



Once dry, your hands are safe.



World Health  
Organization

Patient Safety

A World Alliance for Safer Health Care

SAVE LIVES

Clean Your Hands