

Desktop Mifare 1k 7byte UID Reader writer with Demo code Free SDK



Place of Origin	China
Brand Name	IRONBOUND
Model Number	CR501A CR501AU
Minimum Order Quantity	1 Piece/Pieces
Price	US \$12 - 17 / Piece
Packaging Details	25*35*40CM 26pcs one Box
Delivery Time	3~5
Payment Terms	L/C,T/T,WesternUnion, Paypal
Supply Ability	100000 Piece/Pieces per Month

Products Detailed

Desktop Mifare 1k 7byte UID Reader writer with Demo code Free SDK

CR501A is 13.56 MHz Contactless (RFID) Reader / Write , it supports Mifare and ISO 14443 A Cards type like Mifare 1K(4byte UID / 7byte UID) , Mifare 4K , Mifare Ultralight SLE66R01P FM1108 sle66r35

Application scopes

- e-Government
- Banking & Payment
- Access Control
- Network Security
- e-Purse & Loyalty
- Transportation
- kiosk

CR501A TYPE A Reader Description

NAME	CR501 ISO14443A Reader
Weight	240g
Dimensions	110*80 *26 (mm)
Temperature	-20 +85C
Interface	USB Virtual Rs232 / RS232
Read Range	up to 10cm
Frequency	13.56MHz
SUPPORT	ISO14443A
	Mifare 1K , Mifare 4K , Mifare Ultralight , Mifare DesFire , Mifare Plus,Ultralight C , SLE66R35 contactless CPU card
System	Windows XP,NT ,WIN7,WIN8 ,CS BS, Liunx
SDK	W32 Win64 SDK
DEMO	VC.BC.VB.PB.DEPHI ,VB net, C# Sample source code

NAME	CR501 series Reader ISO14443A / B,ISO15693
Weight	240g
Dimensions	110*80 *26 (mm)
Temperature	-20 +85C
Interface	USB Virtual Rs232 / RS232
Read Range	up to 10cm
Frequency	13.56MHz
SUPPORT	ISO14443A , ISO14443B , ISO15693
	Mifare 1K , Mifare 4K , Mifare Ultralight , Mifare DesFire , Mifare Plus,Ultralight C , SLE66R35 , SR176 , SR1X4K , AT88RF020 , SLE66CL160S , SAMSUNG K8 , SAMSUNG V8 , I.CODE SLI , Tag IT , SRF55V01P , SRF55V02P , SRF55V10P ISO14443B contactless CPU card
System	Windows XP,NT ,WIN7,WIN8 ,CS BS, Liunx
SDK	W32 Win64 SDK
DEMO	VC.BC.VB.PB.DEPHI ,VB net, C# Sample source code

CR501 Serials Part Number Description:

Model	Description	InterFace				
CR501A	Mifare s50/s70,ultralight,FM1 108,TYPE A	RS232				
CR501AU	Mifare s50/s70,ultralight,FM1 108,TYPE A	USB virtual RS232				
CR501B	Mode A + AT88rf020,SR176,SR4k,TYPE B cpu	RS232				
CR501BU	Mode A + AT88rf020,SR176,SR4k,TYPE B cpu	USB Vitual RS232				
CR501D	ISO15693,I.codesli, Ti2k,SRF55V01,SRF55V02,SRF55V10	RS232				
CR501DU	ISO15693,I.codesli, Ti2k,SRF55V01,SRF55V02,SRF55V10	USB virtual RS232				
CR501F	Mode A+Mode B+Mode D	RS232				
CR501FU	Mode A+Mode B+Mode D	USB virtual RS232				
CR501AU- Desfire	MifareS50,S70,ultraLight,Desfire EV1(3DES)	USB virtral RS232				
CR6403 CR510	TYPEA(Mifare Plus,Ultralight C) + TYPEB+ ISO15693 + Smart Card					

Service:

1. High quality
2. Competitive price
3. 24 Hours Quickly Feedback
4. Free SDK
5. ODM/OEM Customized Design

Model	Description	InterFace	
CR508AU/CR608-02AU01	4BYTE UID 8HEX outPut	USB Emulation Keyboard	
CR508AU/CR608-02AU	USB emulation Keyboard		
CR508AU/CR608-02AU03	7BYTE UID 14HEX outPut	Ultralight,desfire,ultraligh c	
CR508AU/CR608-02AU03	4 Or 7BYTE UID , 8 Or 14HEX outPut		
CR508DU 01	8UID 16 Hex output	Eg: i.code sent out E0 04	
CR508DU 02	8UID 16 Hex output	Eg: i.code sent out ...04 E0	
CR508DU 03	PicoPass2k UID Hex output		

Beijing Chinareader Technology Co., Ltd.



Business Type: Manufacturer Importer Exporter Seller
Main Market: Worldwide
Brands: IRONBOUND NFCPASS
Employee Number: 30~50
Total Annual Sales Volume: 50% - 60%
Year Established: 2005

Contact this Supplier:

Telephone: 86-10-62974544-606
Fax: 86-10-62974344-608
Email: xuguolin@vip.sina.com
Address: 24C, #1 Building, No.2 Information Road, Shangdi Information Base, Haidian District, Beijing, China