


## LAMPIRAN

- Hasil kuesioner


Apakah sebagai mahasiswa Anda kesulitan mendapatkan ide skripsi?

21 responses




Jika Ya, mengapa anda kesulitan mendapatkan ide skripsi?

21 responses




Apakah sistem pengambilan ide skripsi menurut Anda dapat memudahkan mahasiswa untuk mendapatkan ide skripsi?

21 responses




Apakah sistem pengambilan ide skripsi menurut Anda memudahkan mahasiswa untuk mendapatkan dosen pembimbing?

21 responses




Fitur apa saja yang Anda rasa penting untuk sistem pengambilan ide skripsi?

21 responses




Apakah perlu adanya fitur pencarian pada halaman ide skripsi?

21 responses




Apakah perlu adanya fungsi sorting pada halaman ide skripsi?

21 responses



Jika kami membuat sistem ide skripsi, apakah Anda tertarik untuk menggunakan sistem kami?

20 responses



- *Source code halaman login*

```
<html>
<head>
    <meta charset="utf-8">
    <title>Ide Skripsi</title>
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel="shortcut icon" href="assets/img/icon.ico" type="image/x-icon">
</head>
<body>
    <section class="container">
        <div class="login">
            <h1>Login</h1>
            <form method="post">
```

```
<?php if($this->session->flashdata('sukses')) {  
    echo    '<p    class="warning"    style="margin:    10px    20px;">'. $this->session-  
>flashdata('sukses'). '</p>'; }?>  
  
<?php echo form_open('login');?>  
  
<p><input type="text" name="username" placeholder="Username" required value="<?php  
echo set_value('username'); ?>"></p>  
  
<p> <?php echo form_error('username'); ?> </p>  
  
<p><input type="password" name="password" placeholder="Password" required  
value="<?php echo set_value('password'); ?>"></p>  
  
<p> <?php echo form_error('password'); ?> </p>  
  
<p class="submit"><input type="submit" name="btnSubmit" value="Login"></p>  
  
<?php echo form_close();?>  
  
</form>  
  
</div>  
  
<div class="login-help">  
  
<p><?php echo anchor('Register', 'daftar akun mahasiswa?'); ?></p>  
  
<p><?php echo anchor('Regdosen', 'daftar akun dosen?'); ?></p>  
  
<p>Kembali ke beranda, Silakan klik <?php echo anchor(site_url().'/beranda','di sini..');?  
?> </p>  
  
</div>  
  
</section>  
  
</body>  
</html>
```

- *Source code* halaman register mahasiswa

```
<html>
<head>
<title>Ide Skripsi</title>
<link rel="stylesheet" href="assets/css/style.css">
<link rel="shortcut icon" href="assets/img/icon.ico" type="image/x-icon">
<script type="text/javascript">
function isNumber(evt) {
evt = (evt) ? evt : window.event;
var charCode = (evt.which) ? evt.which : evt.keyCode;
if (charCode > 31 && (charCode < 48 || charCode > 57)) {
    return false;}
return true;}
```

```

function isFloat(evt) {
    var theEvent = evt || window.event;
    var key = theEvent.keyCode || theEvent.which;
    key = String.fromCharCode(key);
    if (key.length == 0) return;
    var regex = /^[0-9.\b]+$/;
    if (!regex.test(key)) {
        theEvent.returnValue = false;
        if (theEvent.preventDefault) theEvent.preventDefault();}
    </script>
</head>
<body>
<section class="container">
    <div class="login">
        <h1>Pendaftaran Akun Mahasiswa</h1>
        <form method="post">
            <?php echo form_open('register');?>
            <p><input type="text" name="name" placeholder="Nama" value="<?php echo set_value('name'); ?>" required /></p>
            <p><?php echo form_error('name'); ?></p>
            <p><input type="text" name="nim" placeholder="NIM" value="<?php echo set_value('nim'); ?>" onkeypress="return isNumber(event)" required /></p>
            <p><?php echo form_error('nim'); ?></p>
            <p><select name="prodi" class="form-control" required>
                <option value="" disabled selected style="display: none;">Prodi</option>
                <option value="Teknik Informatika">Teknik Informatika</option>
            </select></p>
            <p><?php echo form_error('prodi'); ?></p>
            <p><select name="fakultas" class="form-control" required>
                <option value="" disabled selected style="display: none;">Fakultas</option>
                <option value="Teknik">Teknik</option>
            </select></p>
            <p><?php echo form_error('fakultas'); ?></p>
            <p><input type="text" name="alamat" placeholder="Alamat" value="<?php echo set_value('alamat'); ?>" required /></p>
            <p><?php echo form_error('alamat'); ?></p>

```

```

<p><input type="text" name="nohp" placeholder="No. HP" value="<?php echo
set_value('nohp'); ?>" onkeypress="return isNumber(event)" required/></p>
<p><?php echo form_error('nohp'); ?></p>
<p><input type="text" name="sksi" placeholder="Jumlah SKS" value="<?php echo
set_value('sksi'); ?>" onkeypress="return isNumber(event)" required /></p>
<p><?php echo form_error('sksi'); ?></p>
<p><input type="text" name="ipki" placeholder="IPK (contoh: 3.5)" value="<?php echo
set_value('ipki'); ?>" onkeypress="return isFloat(event)" required /></p>
<p><?php echo form_error('ipki'); ?></p>
<p><input type="text" name="username" placeholder="Username" value="<?php echo
set_value('username'); ?>" required /></p>
<p><?php echo form_error('username'); ?></p>
<p><input type="text" name="email" placeholder="Email" value="<?php echo
set_value('email'); ?>" required /></p>
<p><?php echo form_error('email'); ?></p>
<p><input type="password" name="password" placeholder="Password" value="<?php echo
set_value('password'); ?>" required /></p>
<p><?php echo form_error('password'); ?></p>
<p><input type="password" name="password_conf" placeholder="Confirm Password"
value="<?php echo set_value('password_conf'); ?>" required /></p>
<p><?php echo form_error('password_conf'); ?></p>
<p><input type="hidden" name="idusers" value="2"/></p>
<p class="submit"><input type="submit" name="btnSubmit" value="Daftar" /></p>
<?php echo form_close();?>
</form>
</div>
<div class="login-help">
<p>Kembali ke beranda, Silakan klik <?php echo anchor(site_url().'/beranda','di sini..');
?></p>
</div>
</section>
</body>
</html>

```

- *Source code halaman register dosen*

```

<html>
<head>

```

```

<title>Ide Skripsi</title>
<link rel="stylesheet" href="assets/css/style.css">
<link rel="shortcut icon" href="assets/img/icon.ico" type="image/x-icon">
<script type="text/javascript">
function isNumber(evt) {
    evt = (evt) ? evt : window.event;
    var charCode = (evt.which) ? evt.which : evt.keyCode;
    if (charCode > 31 && (charCode < 48 || charCode > 57)) {
        return false;
    }
    return true;
}
</script>
</head>
<body>
<section class="container">
<div class="login">
    <h1>Pendaftaran Akun Dosen</h1>
    <form method="post">
        <?php echo form_open('register');?>
        <p> <input type="text" name="name" placeholder="Nama" value="<?php echo set_value('name'); ?>" required/> </p>
        <p> <?php echo form_error('name'); ?> </p>
        <p><input type="text" name="nidn" placeholder="NIDN" value="<?php echo set_value('nidn'); ?>" onkeypress="return isNumber(event)" required /></p>
        <p> <?php echo form_error('nidn'); ?> </p>
        <p><select name="prodi" class="form-control" required>
            <option value="" disabled selected style="display: none;">Prodi</option>
            <option value="Teknik Informatika">Teknik Informatika</option>
        </select> </p>
        <p> <?php echo form_error('prodi'); ?> </p>
        <p><select name="fakultas" class="form-control" required>
            <option value="" disabled selected style="display: none;">Fakultas</option>
            <option value="Teknik">Teknik</option>
        </select> </p>
        <p> <?php echo form_error('fakultas'); ?> </p>
        <p><input type="text" name="alamat" placeholder="Alamat" value="<?php echo set_value('alamat'); ?>" required /> </p>
        <p> <?php echo form_error('alamat'); ?> </p>

```

```

<p><input type="text" name="nohp" placeholder="No. HP" value="<?php echo set_value('nohp'); ?>" onkeypress="return isNumber(event)" required /></p>

<p> <?php echo form_error('nohp'); ?> </p>

<p><select name="pendidikanterakhir" class="form-control" required>
<option value="" disabled selected style="display: none;">>Pendidikan Terakhir</option>
<option value="S1">S1</option>
<option value="S2">S2</option>
<option value="S3">S3</option>
</select> </p>

<p> <?php echo form_error('pendidikanterakhir'); ?> </p>

<p><input type="text" name="keahlian" placeholder="Keahlian" value="<?php echo set_value('keahlian'); ?>" required /> </p>

<p> <?php echo form_error('keahlian'); ?> </p>

<p><input type="text" name="username" placeholder="Username" value="<?php echo set_value('username'); ?>" required /> </p>

<p> <?php echo form_error('username'); ?> </p>

<p><input type="text" name="email" placeholder="Email" value="<?php echo set_value('email'); ?>" required /> </p>

<p> <?php echo form_error('email'); ?> </p>

<p><input type="password" name="password" placeholder="Password" value="<?php echo set_value('password'); ?>" required /> </p>

<p> <?php echo form_error('password'); ?> </p>

<p> <input type="password" name="password_conf" placeholder="Confirm Password" value="<?php echo set_value('password_conf'); ?>" required /> </p>

<p> <?php echo form_error('password_conf'); ?> </p>

<p><input type="hidden" name="id_users" value="3"/></p>

<p class="submit"><input type="submit" name="btnSubmit" value="Daftar" /></p>

<?php echo form_close();?>

</form>

</div>

<div class="login-help">

<p>Kembali ke beranda, Silakan klik <?php echo anchor(site_url().'/beranda','di sini..'); ?></p>

</div>

</section>

</body>

</html>

```

- *Source code* halaman profil mahasiswa

```
<?php if(!isset($_SESSION['username'])){  
    header("Location:Login.php"); }?>  
<?php $this->load->view('layout/navbar');?>  
<script type="text/javascript">  
    function isNumber(evt) {  
        evt = (evt) ? evt : window.event;  
        var charCode = (evt.which) ? evt.which : evt.keyCode;  
        if (charCode > 31 && (charCode < 48 || charCode > 57)) {  
            return false;  
        }  
        return true;}  
    function isFloat(evt) {  
        var theEvent = evt || window.event;  
        var key = theEvent.keyCode || theEvent.which;  
        key = String.fromCharCode(key);  
        if (key.length == 0) return;  
        var regex = /^[0-9.\b]+$/;  
        if (!regex.test(key)) {  
            theEvent.returnValue = false;  
            if (theEvent.preventDefault) theEvent.preventDefault();  
        }  
    }  
</script>  
<section id="imgbanner">  
    <h2>Dashboard</h2>  
</section>  
<section id="blogArchive">  
    <div class="container">  
        <div class="row">  
            <div class="col-lg-8 col-md-8 col-sm-12">  
                <div class="blogArchive_area">  
                    <div class="single_archiveblog">  
                        <div class="archiveblog_right page_left">  
                            <h1>Profil</h1>  
                            <?php echo form_open("Mahasiswa/profile_mhs_update"); ?>
```

```

<input type="hidden" name="id_user" value="php echo ($this-&gt;session-&gt;userdata('id_user')); ?" required>
<input type="hidden" name="nim" value="php echo $data_mhs-&gt;NIM_MHS ?" class="form-control" >
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">NIM</label>
<div class="col-sm-9">
<input type="text" name="nim_mhs" value="php echo $data_mhs-&gt;NIM_MHS ?" class="form-control" disabled>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">>Nama</label>
<div class="col-sm-9">
<input type="text" name="nama" value="php echo $data_mhs-&gt;NAMA_MHS ?" class="form-control" required>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">Prodi</label>
<div class="col-sm-9">
<select name="prodi" class="form-control" required>
<option value="Teknik Informatika">Teknik Informatika</option>
</select>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">Fakultas</label>
<div class="col-sm-9">
<select name="fakultas" class="form-control" required>
<option value="Teknik">Teknik</option>
</select>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">Alamat</label>
<div class="col-sm-9">

```

```

<input type="text" name="alamat" value="php echo $data_mhs-&gt;ALAMAT_MHS; ?" class="form-control" required>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">No. hp</label>
<div class="col-sm-9">
<input type="text" name="nohp" value="php echo $data_mhs-&gt;NOHP_MHS; ?" class="form-control" onkeypress="return isNumber(event)" required>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">SKS</label>
<div class="col-sm-9">
<input type="text" name="sks" value="php echo $data_mhs-&gt;SKS_MHS; ?" class="form-control" onkeypress="return isNumber(event)" required>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">IPK</label>
<div class="col-sm-9">
<input type="text" name="ipk" value="php echo $data_mhs-&gt;IPK_MHS; ?" class="form-control" onkeypress="return isFloat(event)" required>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">Username</label>
<div class="col-sm-9">
<input type="text" name="username" value="php echo $data_mhs-&gt;USERNAME_MHS; ?" class="form-control" required>
</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right">Email</label>
<div class="col-sm-9">
<input type="text" name="email" value="php echo $data_mhs-&gt;EMAIL_MHS; ?" class="form-control" required>

```

```

</div>
</div>
<div class="form-group">
<label class="col-sm-3 control-label no-padding-right"></label>
<div class="col-sm-9"><br>
<input type="submit" value="EDIT" class="btn btn-success">
</div>
</div>
<?php echo form_close(); ?>
</div>
</div>
</div>
<div class="col-lg-4 col-md-4 col-sm-12">
<div class="blog_sidebar">
<div class="single_sidebar">
<h2>Menu</h2>
<ul class="catg_nav">
<li><a href=<?php echo site_url('Mahasiswa/profile_mhs/'.$this->session->userdata('id_user').') ;?>">Profil</a></li>
</ul>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
</div>
</div>
<?php $this->load->view('layout/footer');?>
```

- *Source code halaman data ide skripsi dosen*

```

<?php if(!isset($_SESSION['username'])){>
    header("Location:Login.php"); }?>
<?php defined('BASEPATH') OR exit('No direct script access allowed');>
$url = base_url () .'Dosen/data_ide/'; ?>
<?php $this->load->view('layout/navbar');?>
```

```

<section id="imgbanner">
    <h2>Dashboard</h2>
</section>
<section id="blogArchive">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 col-md-8 col-sm-12">
                <div class="blogArchive_area">
                    <div class="single_archiveblog">
                        <div class="archiveblog_right page_left">
                            <h1>Data Ide Skripsi</h1>
                            <?php if($this->session->flashdata('message')): ?>
                            <div class="alert alert-info">
                                <?php echo $this->session->flashdata('message');?>
                            </div>
                            <?php endif;?>
                        <div class="">
                            <div class="well clearfix">
                                <div class="col-sm-12 clearfix pull-right" id="nav-search">
                                    <form class="form-search" method="post" action="<?php echo $url;?>">
                                        <div class="input-group">
                                            <input type="text" class="form-control search-query" placeholder="Cari ide skripsi" name="search" id="search" value="<?php echo $search_string;?>">
                                            <span class="input-group-btn">
                                                <button type="submit" class="btn btn-success">
                                                    <span class="ace-icon fa fa-search icon-on-right bigger-110"></span>
                                                    Search
                                                </button>
                                            </span>
                                        </div>
                                    </form>
                                </div>
                            </div>
                            <a class="btn btn-info pull-right" href="<?php echo site_url('IdeSkripsi/add_ide'); ?>"> +
                                Tambah Ide Skripsi</a>
                            <table class="table table-bordered table-hover" cellspacing="0" width="100%" id="dosen">
                                <thead>

```

```

<tr>
<?php foreach($sort_cols as $field_name => $field_display): ?>
    <th style="text-align:center; background-color:#F0F0F0"><?php echo anchor('Dosen/data_ide/'.$field_name.'.'.$sort_by == $field_name ? $sort_order : 'asc').'.'.$page.'.'.$search_string, $field_display); ?></th>
<?php endforeach;?>
<th style="text-align:center; background-color:#F0F0F0">Action</th>
</tr>
</thead>
<tbody>
<?php
if ($total_rows == 0) {
    echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'>Hasil pencarian tidak ditemukan.</td></tr></tbody>";
}
elseif (empty($data)) {
    echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'> Data tidak ditemukan.</td></tr></tbody>";
}
elseif(!empty($data)){
    foreach ($data as $rec) {
        ?>
<tr>
        <td style="text-align:left"><?php echo $rec->IDE_SKRIPSI; ?></td>
        <td style="text-align:left"><?php echo $rec->DESKRIPSI; ?></td>
        <td style="text-align:center"><?php echo $rec->KUOTA_AMBIL; ?></td>
        <td style="text-align:center"><?php echo $rec->MATKUL; ?></td>
        <td style="text-align:center">
            <div class="hidden-sm hidden-xs btn-group">
                <a class="btn btn-xs btn-info" href=<?php echo site_url('IdeSkripsi/edit_ide/'.$rec->ID_IDE); ?>">
                    <i class="ace-icon fa fa-pencil bigger-120"></i>
                </a>
            </div>
        </td>
    </tr>
}
}
}

```

```

<a class="btn btn-xs btn-danger" href="<?php echo site_url('IdeSkripsi/delete_ide/'.$rec->ID_IDE); ?>" onclick="return confirm('Apakah Anda yakin menghapus ide skripsi ini?')">
    <i class="ace-icon fa fa-trash-o bigger-120"></i>
</a>
</div>
</td>
</tr>
<?php
}
}
?>
</tbody>
</table>
<div><?php echo $links; ?></div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-4 col-sm-12">
<div class="blog_sidebar">
<div class="single_sidebar">
<h2>Menu</h2>
<ul class="catg_nav">
<li><a href="<?php echo site_url('Dosen/profile_dsn/'.$this->session->userdata('id_user'))." ;?>">Profil</a></li>
<li><a href="<?php echo site_url('Dosen/data_ide') ;?>">Data Ide Skripsi</a></li>
<li><a href="<?php echo site_url('Dosen/seleksi') ;?>">Seleksi Mahasiswa</a></li>
</ul>
</div>
</div>
</div>
</div>
</div>

```

```
</section>  
<?php $this->load->view('layout/footer');?>
```

- *Source code* halaman tambah ide skripsi

```
<?php if(!isset($_SESSION['username'])){  
    header("Location:Login.php"); } ?>  
<?php $this->load->view('layout/navbar');?>  
</script>  
<section id="imgbanner">  
    <h2>Dashboard</h2>  
</section>  
<section id="blogArchive">  
    <div class="container">  
        <div class="row">  
            <div class="col-lg-8 col-md-8 col-sm-12">  
                <div class="blogArchive_area">  
                    <div class="single_archiveblog">  
                        <div class="archiveblog_right page_left">  
                            <h1>Tambah Ide Skripsi</h1>  
                            <?php echo form_open('IdeSkripsi/add_ide', "class='form-horizontal'"); ?>  
                            <input type="hidden" name="nidn" value="<?php echo ($this->session->userdata('id_user')); ?>" required>  
                            <div class="form-group">  
                                <label class="col-sm-3 control-label no-padding-right"> Ide Skripsi </label>  
                                <div class="col-sm-9">  
                                    <input type="text" name="ideskripsi" class="form-control" value="<?php echo set_value('ideskripsi'); ?>" required>  
                                </div>  
                            </div>  
                            <p><?php echo form_error('ideskripsi'); ?> </p>  
                            <div class="form-group">  
                                <label class="col-sm-3 control-label no-padding-right"> Deskripsi </label>  
                                <div class="col-sm-9">  
                                    <input type="text" name="deskripsi" class="form-control" value="<?php echo set_value('deskripsi'); ?>" required>  
                                </div>  
                            </div>  
</div>
```

```

<p><?php echo form_error('deskripsi'); ?></p>
<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Kuota Pengambilan</label>
    <div class="col-sm-9">
        <input type="hidden" name="kuota_ambil" class="form-control" value="4" >
        <input type="text" name="kuota_ambils" class="form-control" value="4" required
disabled>
    </div>
</div>
<p><?php echo form_error('kuota_ambil'); ?></p>
<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Mata Kuliah Pendukung</label>
    <div class="col-sm-9">
        <input type="text" name="matkul" class="form-control" value=<?php echo
set_value('matkul'); ?>" required>
    </div>
</div>
<p><?php echo form_error('matkul'); ?></p>
<div class="space-4"></div>
<div class="clearfix form-actions">
    <div class="col-md-offset-3 col-md-9">
        <button class="btn btn-info" type="submit">
            <i class="ace-icon fa fa-check bigger-110"></i>
            Submit
        </button>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-4 col-sm-12">
    <div class="blog_sidebar">
        <div class="single_sidebar">
            <h2>Menu</h2>
            <ul class="catg_nav">

```

```

<li><a href="php echo site_url('Dosen/profile_dsn/'.$this-&gt;session-&gt;userdata('id_user')."); ?&gt;"Profil</a></li>
<li><a href="php echo site_url('Dosen/data_ide'); ?&gt;"Data Ide Skripsi</a></li>
<li><a href="php echo site_url('Dosen/seleksi'); ?&gt;"Seleksi Mahasiswa</a></li>
</ul>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
</div>
</div>
</section>
<?php $this->load->view('layout/footer');?>
```

- *Source code halaman edit ide skripsi*

```

<?php if(!isset($_SESSION['username'])){ 
    header("Location:Login.php"); } ?>
<?php $this->load->view('layout/navbar');?>
<section id="imgbanner">
    <h2>Dashboard</h2>
</section>
<section id="blogArchive">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 col-md-8 col-sm-12">
                <div class="blogArchive_area">\ 
                    <div class="single_archiveblog">
                        <div class="archiveblog_right page_left">
                            <h1>Edit Ide Skripsi</h1>
                            <br> <?php echo validation_errors(); ?>
                            <?php echo form_open('IdeSkripsi/edit_ide', "class='form-horizontal'"); ?>
```

```

<input type="hidden" name="id" value="<?php echo $data_ide->ID_IDE ?">
required>

<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Ide Skripsi </label>
    <div class="col-sm-9">
        <input type="text" name="ideskripsi" class="form-control" value="<?php echo
$data_ide->IDE_SKRIPSI ?>" required>
    </div>
</div>

<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Deskripsi </label>
    <div class="col-sm-9">
        <input type="text" name="deskripsi" class="form-control" value="<?php echo
$data_ide->DESKRIPSI ?>" required>
    </div>
</div>

<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Kuota </label>
    <div class="col-sm-9">
        <input type="hidden" name="kuota_ambil" class="form-control" value="<?php echo
$data_ide->KUOTA_AMBIL ?>" >
        <input type="text" name="kuota_ambils" class="form-control" value="<?php echo
$data_ide->KUOTA_AMBIL ?>" required disabled>
    </div>
</div>

<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Mata Kuliah Pendukung</label>
    <div class="col-sm-9">
        <input type="text" name="matkul" class="form-control" value="<?php echo $data_ide-
>MATKUL; ?>" required>
    </div>
</div>

<p><?php echo form_error('matkul'); ?> </p>
<div class="space-4"></div>
<div class="clearfix form-actions">
    <div class="col-md-offset-3 col-md-9">
        <button class="btn btn-info" type="submit">

```

```

<i class="ace-icon fa fa-check bigger-110"></i>
Submit
</button> &nbsp; &nbsp; &nbsp;
<button class="btn" type="reset">
<i class="ace-icon fa fa-undo bigger-110"></i>
Reset
</button>
</div>
</div>
</form>
</div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-4 col-sm-12">
<div class="blog_sidebar">
<div class="single_sidebar">
<h2>Menu</h2>
<ul class="catg_nav">
<li><a href="php echo site_url('Dosen/profile_dsn/'.$this-&gt;session-&gt;userdata('id_user').');?&gt;"&gt;Profil&lt;/a&gt;&lt;/li&gt;
&lt;li&gt;&lt;a href="<?php echo site_url('Dosen/data_ide');?&gt;"&gt;Data Ide Skripsi&lt;/a&gt;&lt;/li&gt;
&lt;li&gt;&lt;a href="<?php echo site_url('Dosen/seleksi');?&gt;"&gt;Seleksi Mahasiswa&lt;/a&gt;&lt;/li&gt;
&lt;/ul&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/div&gt;
&lt;/section&gt;
&lt;?php $this-&gt;load-&gt;view('layout/footer');?&gt;
</pre

```

- *Source code halaman data seleksi mahasiswa*

```

<?php if(!isset($_SESSION['username'])){<br/>
header("Location:Login.php"); } ?>

```

```

<?php defined('BASEPATH') OR exit('No direct script access allowed');
$url = base_url () .'Dosen/seleksi/'; ?>
<?php $this->load->view('layout/navbar');?>
<section id="imgbanner">
    <h2>Dashboard</h2>
</section>
<section id="blogArchive">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 col-md-8 col-sm-12">
                <div class="blogArchive_area">
                    <div class="single_archiveblog">
                        <div class="archiveblog_right page_left">
                            <h1>Seleksi Mahasiswa</h1>
                            <?php if($this->session->flashdata('message')): ?>
                            <div class="alert alert-info">
                                <?php echo $this->session->flashdata('message');?>
                            </div>
                            <?php endif;?>
                <div class="">
                    <br> <table class="table table-bordered table-hover" cellspacing="0" width="100%" id="pengambilan">
                    <thead> <tr>
                        <?php foreach($sort_cols as $field_name => $field_display): ?>
                            <th style="text-align:center; background-color:#F0F0F0"><?php echo anchor('Dosen/seleksi/'.$field_name.'.'.$( $sort_by == $field_name ? $sort_order : 'asc').'.', $field_display); ?></th>
                        <?php endforeach;?>
                        <th style="text-align:center; background-color:#F0F0F0">Action</th>
                    </tr>
                    </thead>
                    <tbody>
                        <?php
                            if (empty($data)) {
                                echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'> Data tidak ditemukan.</td></tr></tbody>";
                            }
                        </?php
                    
```

```

elseif(!empty($data)){
    foreach ($data as $rec) {
        ?>
        <tr>
            <td style="text-align:left"><?php echo $rec->IDE_SKRIPSI; ?></td>
            <td style="text-align:left"><?php echo $rec->NIM_MHS; ?></td>
            <td style="text-align:left"><?php echo $rec->NAMA_MHS; ?></td>
            <td style="text-align:center"><?php echo $rec->IPK_MHS; ?></td>
            <td style="text-align:center"><?php echo $rec->NILAI_MATKUL;
        ?></td>
            <td style="text-align:center">
                <a type="submit" class="btn btn-primary" href="<?php echo site_url('Dosen/seleksi_mhs/'.$rec->ID_PIS); ?>">Pilih</a>
            </td>
        </tr>
        <?php
    }
}
?>

</tbody>
</table>
</div>
</div>
</div>
</div>
</div class="col-lg-4 col-md-4 col-sm-12">
<div class="blog_sidebar">
<div class="single_sidebar">
    <h2>Menu</h2>
    <ul class="catg_nav">
        <li><a href="<?php echo site_url('Dosen/profile_dsn/'.$this->session->userdata('id_user'))." ;?>">Profil</a></li>
        <li><a href="<?php echo site_url('Dosen/data_ide') ;?>">Data Ide Skripsi</a></li>
        <li><a href="<?php echo site_url('Dosen/seleksi') ;?>">Seleksi Mahasiswa</a></li>
    

```

```

</ul>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</section>
<?php $this->load->view('layout/footer');?>

```

- *Source code* halaman seleksi mahasiswa

```

<?php if(!isset($_SESSION['username'])){
    header("Location:Login.php"); } ?>
<?php $this->load->view('layout/navbar');?>
<section id="imgbanner">
    <h2>Dashboard</h2>
</section>
<section id="blogArchive">
    <div class="container">
        <div class="row">
            <div class="col-lg-8 col-md-8 col-sm-12">
                <div class="blogArchive_area">
                    <!-- start page left side -->
                    <div class="single_archiveblog">
                        <div class="archiveblog_right page_left">
                            <h1>Seleksi Mahasiswa</h1>
                            <br> <?php echo validation_errors(); ?>
                            <?php echo form_open('Dosen/seleksi_mhs', "class='form-horizontal'"); ?>
                            <input type="hidden" name="id_p" value="<?php echo $data_seleksi->ID_PIS ?>" required>
                            <input type="hidden" name="id_ide" class="form-control" value="<?php echo $data_seleksi->ID_IDE ?>">
                            <div class="form-group">
                                <label class="col-sm-3 control-label no-padding-right"> NIM </label>
                                <div class="col-sm-9">
                                    <?php echo $data_seleksi->NIM_MHS ?>
                                </div>
                            </div>
                        </div>

```

```

<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right"> Status </label>
    <div class="col-sm-9">
        <select name="status" class="form-control" required>
            <option value="" selected disabled style="display: none;"></option>
            <option value="Y">DITERIMA</option>
            <option value="N">TIDAK DITERIMA</option>
        </select>
    </div>
</div>
<div class="space-4"></div>
<div class="clearfix form-actions">
    <div class="col-md-offset-3 col-md-9">
        <button class="btn btn-info" type="submit">
            <i class="ace-icon fa fa-check bigger-110"></i>
            Submit
        </button>
    </div>
</div>
</form>
</div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-4 col-sm-12">
    <div class="blog_sidebar">
        <div class="single_sidebar">
            <h2>Menu</h2>
            <ul class="catg_nav">
                <li><a href="php echo site_url('Dosen/profile_dsn/'.$this-&gt;session-&gt;userdata('id_user')."); ?&gt;">Profil</a></li>
                <li><a href="php echo site_url('Dosen/data_ide'); ?&gt;">Data Ide Skripsi</a></li>
                <li><a href="php echo site_url('Dosen/seleksi'); ?&gt;">Seleksi Mahasiswa</a></li>
            </ul>
        </div>
    </div>
</div>

```

```

        </div>
        </div>
        </div>
        </div>
    </section>
<?php $this->load->view('layout/footer');?>
```

- *Source code halaman ide skripsi*

```

<?php defined('BASEPATH') OR exit('No direct script access allowed');
$url = base_url() .'IdeSkripsi/index/'; ?>
<!DOCTYPE html>
<html lang="en">
<head>
<title>Ide Skripsi</title>
<link href="<?php echo base_url();?>assets/css/bootstrap.min.css" rel="stylesheet">
<link href="<?php echo base_url();?>assets/css/font-awesome.min.css" rel="stylesheet">
<link rel="<?php echo base_url();?>stylesheet" href="assets/css/superslides.css">
<link rel="<?php echo base_url();?>stylesheet" href="assets/css/animate.css">
<link href="<?php echo base_url();?>assets/css/slick.css" rel="stylesheet">
<link id="switcher" href="<?php echo base_url();?>assets/css/themes/cyan-theme.css"
rel="stylesheet">
<link href="<?php echo base_url();?>assets/style.css" rel="stylesheet">
<link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet'
type='text/css'>
<link href='http://fonts.googleapis.com/css?family=Raleway' rel='stylesheet'
type='text/css'>
<link rel="shortcut icon" href="<?php echo base_url();?>assets/img/icon.ico"
type="image/x-icon">
<script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
<script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
</head>
<body>
<nav class="navbar navbar-default navbar-fixed-top" role="navigation">
<div class="container">
<div class="navbar-header">
<button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-
target="#navbar" aria-expanded="false" aria-controls="navbar">
```

```

<span class="sr-only">Toggle navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a    class="navbar-brand"    href=<?php    echo    base_url().'Beranda';?>">Ide
<span>Skripsi</span></a>
</div>
<div id="navbar" class="navbar-collapse collapse navbar_area">
<ul class="nav navbar-nav navbar-right custom_nav">
<li><a href=<?php echo base_url().'Beranda';?>">Beranda</a></li>
<li  class="active"><a  href=<?php    echo    base_url().'IdeSkripsi'  ;?>"> Ide
Skripsi</a></li>
<li><a href=<?php echo base_url().'Pengumuman';?>">Pengumuman</a></li>
<li><a href=<?php echo base_url().'Tentang';?>">Tentang Kami</a></li>
<li><a href=<?php echo base_url().'Dashboard' ;?>"> Dashboard</a></li>
<li>
<?php if(!isset($_SESSION['username'])){echo "<a href='Login.php'>Login</a>";}
else{echo anchor('login/logout','Log Out');}
?>
</li>
</ul>
</div>
</div>
</nav>
<section id="imgbanner">
<h2>Ide Skripsi</h2>
</section>
<section id="service">
<div class="container">
<div class="col-lg-12 col-md-12 col-sm-12">
<div class="service_area">
<div class="service_title">
<hr>
<h2>Daftar Ide Skripsi</h2>
<?php if($this->session->flashdata('message')): ?>

```

```

<div class="alert alert-info">
    <?php echo $this->session->flashdata('message');?>
</div>
<?php endif;?>
<div class="">
<div class="well clearfix">
<div class="col-sm-12 clearfix pull-right" id="nav-search">
<form class="form-search" method="post" action="<?php echo $url;?>">
    <div class="input-group">
        <input type="text" class="form-control search-query" placeholder="Cari ide
skripsi" name="search" id="search" value="<?php echo $search_string;?>">
        <span class="input-group-btn">
            <button type="submit" class="btn btn-success">
                <span class="ace-icon fa fa-search icon-on-right bigger-110"></span>
                Search
            </button>
        </span>
    </div>
</form>
</div>
</div>
<table class="table table-bordered table-hover" cellspacing="0" width="100%" id="dosen">
<thead>
<tr>
    <?php foreach($sort_cols as $field_name => $field_display): ?>
        <th style="text-align:center; background-color:#F0F0F0"><?php echo
anchor('IdeSkripsi/index/'.$field_name.'.'.$sort_by == $field_name ? $sort_order :
'asc').'.'.$page.'/'.$search_string, $field_display); ?></th>
    <?php endforeach;?>
    <th style="text-align:center; background-color:#F0F0F0">Action</th>
</tr>
</thead>
<tbody>
    <?php
        if ($total_rows == 0) {
            echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'>Hasil
pencarian tidak ditemukan.</td></tr></tbody>";
    }
</tbody>

```

```

        }
        elseif (empty($data)) {
            echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'> Data
tidak ditemukan.</td></tr></tbody>";
        }
        elseif(!empty($data)){
            foreach ($data as $rec) {
                ?>
<tr>
                <td style="text-align:left"><?php echo $rec->IDE_SKRIPSI; ?></td>
                <td style="text-align:left"><?php echo $rec->DESKRIPSI; ?></td>
                <td style="text-align:left"><?php echo $rec->NAMA_DSN; ?></td>
                <td><?php echo $rec->KUOTA_AMBIL; ?></td>
                <td style="text-align:center">
                    <a type="submit" class="btn btn-primary" href="<?php echo
site_url('IdeSkripsi/add_pengambilan/'.$rec->ID_IDE); ?>">Pilih</a>
                </td>
            </tr>
            <?php
        }
    }
    ?>
</tbody>
</table>
<div><?php echo $links; ?></div>
</div>
</div>
        </div>
        </div>
</section>
<?php $this->load->view('layout/footer');?>
```

- *Source code halaman pengumuman*

```
<?php defined('BASEPATH') OR exit('No direct script access allowed');  
$url = base_url () .'Pengumuman/index/'; ?>  
<!DOCTYPE html>
```

```

<html lang="en">
<head>
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
    <meta charset="utf-8" />
    <title>Ide Skripsi</title>
    <meta name="description" content="overview & stats" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0" />
    <link href="<?php echo base_url();?>assets/css/bootstrap.min.css" rel="stylesheet">
    <link href="<?php echo base_url();?>assets/css/font-awesome.min.css" rel="stylesheet">
    <link rel="<?php echo base_url();?>stylesheet" href="assets/css/superslides.css">
    <link rel="<?php echo base_url();?>stylesheet" href="assets/css/animate.css">
    <link href="<?php echo base_url();?>assets/css/slick.css" rel="stylesheet">
    <link id="switcher" href="<?php echo base_url();?>assets/css/themes/cyan-theme.css" rel="stylesheet">
    <link href="<?php echo base_url();?>assets/style.css" rel="stylesheet">
    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css'>
    <link href='http://fonts.googleapis.com/css?family=Raleway' rel='stylesheet' type='text/css'>
    <link rel="shortcut icon" href="<?php echo base_url();?>assets/img/icon.ico" type="image/x-icon">
</head>
<body>
    <nav class="navbar navbar-default navbar-fixed-top" role="navigation">
        <div class="container">
            <div class="navbar-header">
                <button type="button" class="navbar-toggle collapsed" data-toggle="collapse" data-target="#navbar" aria-expanded="false" aria-controls="navbar">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </button>
                <a class="navbar-brand" href="<?php echo base_url().'Beranda';?>">Ide Skripsi</a>
            </div>
        </div>
    </nav>

```

```

<div id="navbar" class="navbar-collapse collapse navbar_area">
    <ul class="nav navbar-nav navbar-right custom_nav">
        <li><a href=<?php echo base_url().'Beranda';?>">Beranda</a></li>
        <li><a href=<?php echo base_url().'IdeSkripsi' ;?>"> Ide Skripsi</a></li>
        <li class="active"><a href=<?php echo base_url().'Pengumuman';?>">Pengumuman</a></li>
        <li><a href=<?php echo base_url().'Tentang';?>">Tentang Kami</a></li>
        <li><a href=<?php echo base_url().'Dashboard' ;?>"> Dashboard</a></li>
        <li>
            <?php if(!isset($_SESSION['username'])){echo "<a href='Login.php'>Login</a>";}
            else{echo anchor('login/logout','Log Out');}
        ?>
        </li>
    </ul>
</div>  </div>
</nav>
<section id="imgbanner">
    <h2>Pengumuman</h2>
</section>
<section id="service">
    <div class="container">
        <div class="col-lg-12 col-md-12 col-sm-12">
            <div class="service_area">
                <div class="service_title">
                    <hr>
                    <h2>Pengumuman</h2>
                <div class=""><br>
                <table class="table table-bordered table-hover" cellspacing="0" width="100%" id="pengumuman">
                    <thead>
                        <tr>
                            <?php foreach($sort_cols as $field_name => $field_display); ?>
                            <th style="text-align:center; background-color:#F0F0F0"><?php echo anchor('Pengumuman/index/'.$field_name.'.'.$(sort_by == $field_name ? $sort_order : 'asc').'/', $field_display); ?></th>
                        <?php endforeach;?>

```

```

</tr>
</thead>
<tbody>
<?php
if (empty($data)) {
    echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'> Data
tidak ditemukan.</td></tr></tbody>";
}
elseif(!empty($data)){
    foreach ($data as $rec) {
        ?>
<tr>
        <td style="text-align:left"><?php echo $rec->NIM_MHS; ?></td>
        <td style="text-align:left"><?php echo $rec->NAMA_MHS; ?></td>
        <td style="text-align:left"><?php echo $rec->IDE_SKRIPSI; ?></td>
        <td style="text-align:left"><?php echo $rec->NAMA_DSN; ?></td>
        <td><?php
if ($rec->STATUS == "Y")
{
    echo "DITERIMA";
}
elseif($rec->STATUS == "N")
{
    echo "TIDAK DITERIMA";
}
?>
</td>

</tr>
<?php
}
}
?>
</tbody>
</table>
</div>
</div>

```

```

        </div>
    </div>
</section>
<?php $this->load->view('layout/footer');?>
<script type="text/javascript" src="php echo base_url();?&gt;assets/js/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="<?php echo base_url();?&gt;assets/js/bootstrap2.min.js"&gt;&lt;/script&gt;
&lt;script src="<?php echo base_url();?&gt;assets/js/ace.min.js"&gt;&lt;/script&gt;
&lt;/body&gt;
&lt;/html&gt;
</pre

```

- *Source code halaman data mahasiswa*

```

<?php if(!isset($_SESSION['username'])){ 
    header("Location:Login.php");} ?>
<?php defined('BASEPATH') OR exit('No direct script access allowed');
$url = base_url () .'Administrator/data_mahasiswa/'; ?>
<?php $this->load->view('layout/adm_head');?>
<div id="page-wrapper">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header">Data Mahasiswa</h1>
            </div>
        </div>
        <?php if($this->session->flashdata('message')): ?>
        <div class="alert alert-info">
            <?php echo $this->session->flashdata('message');?>
        </div>
        <?php endif;?>
        <div class="">
            <div class="well clearfix">
                <div class="col-sm-12 clearfix pull-right" id="nav-search">
                    <form class="form-search" method="post" action="php echo $url;?&gt;"&gt;
                        &lt;div class="input-group"&gt;
                            &lt;input type="text" class="form-control search-query" placeholder="Type your
search word" name="search" id="search" value="<?php echo $search_string;?&gt;"&gt;
                            &lt;span class="input-group-btn"&gt;
</pre

```

```

<button type="submit" class="btn btn-success">
    <span class="ace-icon fa fa-search icon-on-right bigger-110"></span>
    Search
</button>
</span>
</div>
</form>
</div>
</div>

<span><?php echo 'Total records - '. $total_rows;?></span>
<table class="table table-bordered table-hover" cellspacing="0" width="100%" id="mahasiswa">
<thead>
<tr>
<?php foreach($sort_cols as $field_name => $field_display): ?>
    <th style="text-align:center; background-color:#F0F0F0"><?php echo anchor('Administrator/data_mahasiswa/'.$field_name.'/'.$sort_by == $field_name ? $sort_order : 'asc').'/'.$page.'/'.$search_string, $field_display); ?></th>
<?php endforeach;?>
    <th style="text-align:center; background-color:#F0F0F0">Action</th>
</tr>
</thead>
<tbody>
<?php
    if ($total_rows == 0) {
        echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'>Hasil pencarian tidak ditemukan.</td></tr></tbody>";
    }
    elseif (empty($data)) {
        echo "<tbody><tr><td colspan='8' style='padding:10px; border:none;'> Data tidak ditemukan.</td></tr></tbody>";
    }
    elseif(!empty($data)){
        foreach ($data as $rec) {
            ?>
            <tr>
                <td style="text-align:left"><?php echo $rec->NIM_MHS; ?></td>

```

```

<td style="text-align:left"><?php echo $rec->NAMA_MHS; ?></td>
<td><?php echo $rec->PRODI_MHS; ?></td>
<td><?php echo $rec->FAKULTAS_MHS; ?></td>
<td><?php
if ($rec->STATUS_MHS == "0")
{
    echo "NON ACTIVE";
}
elseif($rec->STATUS_MHS == "1")
{
    echo "ACTIVE";
}
?>
</td>
<td style="text-align:center">
<div class="hidden-sm hidden-xs btn-group">
<a class="btn btn-xs btn-warning" href=<?php echo site_url('Administrator/aktivasi_mhs/'.$rec->NIM_MHS); ?>">
    <i class="fa fa-key bigger-120"></i>
</a>
<a class="btn btn-xs btn-info" href=<?php echo site_url('Administrator/edit_mhs/'.$rec->NIM_MHS); ?>">
    <i class="ace-icon fa fa-pencil bigger-120"></i>
</a>

<a class="btn btn-xs btn-danger" href=<?php echo site_url('Administrator/delete_mhs/'.$rec->NIM_MHS); ?>" onclick="return confirm('Apakah Anda yakin menghapus akun pengguna ini?')">
    <i class="ace-icon fa fa-trash-o bigger-120"></i>
</a>
</div>
</td>
</tr>
<?php
}
}

```

```

?>
</tbody>
</table>
<div><?php echo $links; ?></div>
</div>
</div>
</div>
</div></body>
</html>

```

- *Source code* halaman reset password mahasiswa

```

<?php if(!isset($_SESSION['username'])){>
    header("Location:Login.php"); } ?>
<?php $this->load->view('layout/adm_head');?>
<div id="page-wrapper">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-12">
                <h1 class="page-header">Ubah Data</h1>
            </div>
        </div>
        <?php echo validation_errors(); ?>
<?php echo form_open('Administrator/edit_mhs', "class='form-horizontal'"); ?>
<input type="hidden" name="nim_mhs" value="<?php echo $data_mhs->NIM_MHS ?>">
<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right" for="form-field-1"> NIM
</label> <div class="col-sm-9">
    <?php echo $data_mhs->NIM_MHS ?>
</div>
</div>
<div class="form-group">
    <label class="col-sm-3 control-label no-padding-right" for="form-field-2"> Nama
</label> <div class="col-sm-9">
    <?php echo $data_mhs->NAMA_MHS ?>
</div>
</div>
<div class="form-group">

```

```

<label class="col-sm-3 control-label no-padding-right" for="form-field-4">Fakultas</label> <div class="col-sm-9">
    <?php echo $data_mhs->FAKULTAS_MHS ?>
</div> <div class="form-group">
    <label class="col-sm-3 control-label no-padding-right" for="form-field-5">Prodi</label> <div class="col-sm-9">
        <?php echo $data_mhs->PRODI_MHS ?>
</div> <div class="form-group">
    <label class="col-sm-3 control-label no-padding-right" for="form-field-3"> Password</label> <div class="col-sm-9">
        <input type="text" id="form-field-3" class="col-xs-10 col-sm-5" name="password_mhs" value="<?php echo $data_mhs->PASSWORD_MHS ?>">
    </div>
</div>
<div class="space-4"></div>
<div class="clearfix form-actions">
    <div class="col-md-offset-3 col-md-9">
        <button class="btn btn-info" type="submit">
            <i class="ace-icon fa fa-check bigger-110"></i>
            Submit
        </button> &nbsp; &nbsp; &nbsp;
        <button class="btn" type="reset">
            <i class="ace-icon fa fa-undo bigger-110"></i>
            Reset
        </button>
    </div>
</div>
</form>
</body>
</html>

```